

**Catastrophic Success: Why Foreign-Imposed Regime Change Goes Wrong
Ithaca, N.Y.: Cornell University Press, 2021**

**Supplementary Materials for Chapter 4, Part 1, v.2
Alexander B. Downes
downes@gwu.edu**

January 31, 2022

TABLE OF CONTENTS

Figure 4.3. Rates of Irregular and Regular Removal for Foreign-Imposed Leaders (Leader-Spell Data): Left-Hand Panel	2
Figure 4.3. Rates of Irregular and Regular Removal for Foreign-Imposed Leaders (Leader-Spell Data): Right-Hand Panel	6
Figure 4.4. Years to Irregular and Regular Removal for Foreign-Imposed Leaders (Leader-Spell Data): Left-Hand Panel	10
Figure 4.4. Years to Irregular and Regular Removal for Foreign-Imposed Leaders (Leader-Spell Data): Right-Hand Panel	12
Rates of Irregular Removal for Foreign-Imposed Leaders (Leader-Spell Data; Not in Book)	14
Rates of Regular Removal for Foreign-Imposed Leaders (Leader-Year Data; Not in Book)	18
Years to Irregular Removal for Foreign-Imposed Leaders (Leader-Year Data; Not in Book)	22
Years to Regular Removal for Foreign-Imposed Leaders (Leader-Year Data; Not in Book)	24
Code for Figures 4.5 And 4.6. Kaplan-Meier Functions for Types of Foreign-Imposed Regime Change and Irregular and Regular Removal From Office (Leader-Spell Data)	26
Code for Table 4.3. Competing Risks Analysis of Irregular Removal from Office, 1919-2004, Leader-Year Data	27
Table 4.3. Competing Risks Analysis of Irregular Removal from Office, 1919-2004, Leader-Year Data: Complete Results	28
Table 4.3. Competing Risks Analysis of Irregular Removal from Office, 1919-2004, Leader-Year Data: Interactions with Time to Check Proportional Hazards	36
Table 4.3. Competing Risks Analysis of Irregular Removal from Office, 1919-2004, Leader-Year Data: Coefficients Instead of Hazard Ratios	38
Table 4.3. Competing Risks Analysis of Irregular Removal from Office, 1919-2004, Leader-Year Data: Imputed Data (Coefficients Instead of Hazard Ratios)	46
Code for Table 4.4. Competing Risks Analysis of Irregular Removal from Office, 1875-2004, Leader-Spell Data	55
Table 4.4. Competing Risks Analysis of Irregular Removal from Office, 1875-2004, Leader-Spell Data: Complete Results	56
Code for Table 4.5. Competing Risks Analysis of Regular Removal from Office, 1919-2004, Leader-Year Data	64
Table 4.5. Competing Risks Analysis of Regular Removal from Office, 1919-2004, Leader-Year Data: Complete Results	65
Table 4.5. Competing Risks Analysis of Regular Removal from Office, 1919-2004, Leader-Year Data: Interactions with Time to Check Proportional Hazards	73
Table 4.5. Competing Risks Analysis of Regular Removal from Office, 1919-2004, Leader-Year Data: Coefficients Instead of Hazard Ratios	75
Table 4.5. Competing Risks Analysis of Regular Removal from Office, 1919-2004, Leader-Year Data: Imputed Data	84
Code for Table 4.6. Competing Risks Analysis of Regular Removal from Office, 1875-2004, Leader-Spell Data	92
Table 4.6. Competing Risks Analysis of Regular Removal from Office, 1875-2004, Leader-Spell Data: Complete Results	93
List of Variables Included in the Analysis	101
List of References	

FIGURE 4.3. RATES OF IRREGULAR AND REGULAR REMOVAL FOR FOREIGN-IMPOSED LEADERS (LEADER-SPELL DATA): LEFT-HAND PANEL

IRREGULAR REMOVAL

Data = Archigos_2.9_leaderspell_ABD_Final_Compete_Irreg

All FIRC

tab irreg_exit foreign_entryabd, col chi2

```

+-----+
| Key   |
+-----+
|       |
| frequency |
| column percentage |
+-----+

```

irreg_exit	foreign_entryabd		Total
	0	1	
0	2,337 79.19	58 53.21	2,395 78.27
1	614 20.81	51 46.79	665 21.73
Total	2,951 100.00	109 100.00	3,060 100.00

Pearson chi2(1) = 41.7207 Pr = 0.000

ttest irreg_exit, by(foreign_entryabd)

Two-sample t test with equal variances

Group	Obs	Mean	Std. Err.	Std. Dev.	[95% Conf. Interval]	
0	2,951	.2080651	.0074737	.4059924	.1934109	.2227192
1	109	.4678899	.0480132	.5012726	.3727194	.5630604
combined	3,060	.2173203	.0074568	.4124897	.2026994	.2319411
diff		-.2598248	.0399637		-.3381833	-.1814664

diff = mean(0) - mean(1) t = -6.5015
Ho: diff = 0 degrees of freedom = 3058

Ha: diff < 0 Ha: diff != 0 Ha: diff > 0
Pr(T < t) = 0.0000 Pr(|T| > |t|) = 0.0000 Pr(T > t) = 1.0000

LEADERSHIP FIRIC

tab irreg_exit leadfirc_entry, col chi2

```

+-----+
| Key   |
+-----+
|       |
| frequency |
| column percentage |
+-----+

```

irreg_exit	leadfirc_entry		Total
	0	1	
0	2,372 79.20	23 35.38	2,395 78.27
1	623 20.80	42 64.62	665 21.73
Total	2,995 100.00	65 100.00	3,060 100.00

Pearson chi2(1) = 71.8011 Pr = 0.000

ttest irreg_exit, by(leadfirc_entry)

Two-sample t test with equal variances

Group	Obs	Mean	Std. Err.	Std. Dev.	[95% Conf. Interval]	
0	2,995	.2080134	.0074179	.4059542	.1934687	.222558
1	65	.6461538	.0597703	.4818833	.526749	.7655587
combined	3,060	.2173203	.0074568	.4124897	.2026994	.2319411
diff		-.4381405	.0511133		-.5383604	-.3379206

diff = mean(0) - mean(1) t = -8.5719
 Ho: diff = 0 degrees of freedom = 3058

Ha: diff < 0 Ha: diff != 0 Ha: diff > 0
 Pr(T < t) = 0.0000 Pr(|T| > |t|) = 0.0000 Pr(T > t) = 1.0000

INSTITUTIONAL FIRIC

tab irreg_exit instfirc_entry, col chi2

```

+-----+
| Key   |
+-----+
|       |
| frequency |
| column percentage |
+-----+
    
```

irreg_exit	instfirc_entry		Total
	0	1	
0	2,378 78.33	17 70.83	2,395 78.27
1	658 21.67	7 29.17	665 21.73
Total	3,036 100.00	24 100.00	3,060 100.00

Pearson chi2(1) = 0.7861 Pr = 0.375

ttest irreg_exit, by(instfirc_entry)

Two-sample t test with equal variances

Group	Obs	Mean	Std. Err.	Std. Dev.	[95% Conf. Interval]	
0	3,036	.2167325	.0074789	.4120867	.2020683	.2313968
1	24	.2916667	.094776	.4643056	.0956076	.4877257
combined	3,060	.2173203	.0074568	.4124897	.2026994	.2319411
diff		-.0749341	.0845342		-.2406838	.0908155

diff = mean(0) - mean(1) t = -0.8864
 Ho: diff = 0 degrees of freedom = 3058

Ha: diff < 0 Ha: diff != 0 Ha: diff > 0
 Pr(T < t) = 0.1877 Pr(|T| > |t|) = 0.3755 Pr(T > t) = 0.8123

RESTORATION FIRC

tab irreg_exit restfirc_entry, col chi2

```
+-----+
| Key   |
+-----+
|       |
| frequency |
| column percentage |
+-----+
```

irreg_exit	restfirc_entry		Total
	0	1	
0	2,377 78.19	18 90.00	2,395 78.27
1	663 21.81	2 10.00	665 21.73
Total	3,040 100.00	20 100.00	3,060 100.00

Pearson chi2(1) = 1.6291 Pr = 0.202

ttest irreg_exit, by(restfirc_entry)

Two-sample t test with equal variances

Group	Obs	Mean	Std. Err.	Std. Dev.	[95% Conf. Interval]	
0	3,040	.2180921	.0074909	.4130182	.2034044	.2327798
1	20	.1	.0688247	.3077935	-.0440518	.2440518
combined	3,060	.2173203	.0074568	.4124897	.2026994	.2319411
diff		.1180921	.0925289		-.063333	.2995172

diff = mean(0) - mean(1) t = 1.2763
 Ho: diff = 0 degrees of freedom = 3058

Ha: diff < 0 Ha: diff != 0 Ha: diff > 0
 Pr(T < t) = 0.8990 Pr(|T| > |t|) = 0.2020 Pr(T > t) = 0.1010

CODE FOR RATES OF IRREGULAR AND REGULAR REMOVAL FOR FOREIGN-IMPOSED LEADERS (LEADER-SPELL DATA): LEFT-HAND PANEL OF FIGURE 4.3.

```
twoway (bar mean fftype if firc==0, fcolor(blue) lcolor(black)) (bar mean fftype if firc==1,
fcolor(gray) lcolor(black)) (rcap upper lower fftype), legend(order(1 "no FIRC" 2 "FIRC") )
xlabel( 0.5 "all FIRC" 3.5 "leadership" 6.5 "institutional" 9.5 "restoration", noticks)
xtitle("type of FIRC") ylabel(-.1 0 .1 .2 .3 .4 .5 .6 .7 .8) ytitle("probability of irregular
removal")
```

FIGURE 4.3. RATES OF IRREGULAR AND REGULAR REMOVAL FOR FOREIGN-IMPOSED LEADERS (LEADER-SPELL DATA): RIGHT-HAND PANEL

Data = Archigos_2.9_leaderspell_ABD_Final_Compete_Reg

REGULAR REMOVAL

All FIRC

tab regfail foreign_entryabd, col chi2

```
+-----+
| Key |
+-----+
| frequency |
| column percentage |
+-----+
```

regfail	foreign_entryabd		Total
	0	1	
0	957 32.43	64 58.72	1,021 33.37
1	1,994 67.57	45 41.28	2,039 66.63
Total	2,951 100.00	109 100.00	3,060 100.00

Pearson chi2(1) = 32.6678 Pr = 0.000

ttest regfail, by(foreign_entryabd)

Two-sample t test with equal variances

Group	Obs	Mean	Std. Err.	Std. Dev.	[95% Conf. Interval]	
0	2,951	.6757032	.0086186	.4681909	.658804	.6926023
1	109	.412844	.0473759	.4946194	.3189367	.5067514
combined	3,060	.6663399	.0085253	.471597	.6496239	.6830558
diff		.2628591	.0457588		.1731381	.3525801

diff = mean(0) - mean(1) t = 5.7445
Ho: diff = 0 degrees of freedom = 3058

Ha: diff < 0 Ha: diff != 0 Ha: diff > 0
Pr(T < t) = 1.0000 Pr(|T| > |t|) = 0.0000 Pr(T > t) = 0.0000

LEADERSHIP FIRIC

tab regfail leadfirc_entry, col chi2

```

+-----+
| Key   |
+-----+
|       |
| frequency |
| column percentage |
+-----+

```

regfail	leadfirc_entry		Total
	0	1	
0	974 32.52	47 72.31	1,021 33.37
1	2,021 67.48	18 27.69	2,039 66.63
Total	2,995 100.00	65 100.00	3,060 100.00

Pearson chi2(1) = 45.2968 Pr = 0.000

ttest regfail, by(leadfirc_entry)

Two-sample t test with equal variances

Group	Obs	Mean	Std. Err.	Std. Dev.	[95% Conf. Interval]	
0	2,995	.6747913	.0085613	.468531	.6580047	.691578
1	65	.2769231	.0559348	.4509605	.1651805	.3886656
combined	3,060	.6663399	.0085253	.471597	.6496239	.6830558
diff		.3978682	.0586961		.2827805	.512956

diff = mean(0) - mean(1) t = 6.7784
 Ho: diff = 0 degrees of freedom = 3058

Ha: diff < 0 Ha: diff != 0 Ha: diff > 0
 Pr(T < t) = 1.0000 Pr(|T| > |t|) = 0.0000 Pr(T > t) = 0.0000

INSTITUTIONAL FIRIC

tab regfail instfirc_entry, col chi2

```

+-----+
| Key   |
+-----+
|       |
| frequency |
| column percentage |
+-----+
    
```

regfail	instfirc_entry		Total
	0	1	
0	1,011 33.30	10 41.67	1,021 33.37
1	2,025 66.70	14 58.33	2,039 66.63
Total	3,036 100.00	24 100.00	3,060 100.00

Pearson chi2(1) = 0.7496 Pr = 0.387

ttest regfail, by(instfirc_entry)

Two-sample t test with equal variances

Group	Obs	Mean	Std. Err.	Std. Dev.	[95% Conf. Interval]	
0	3,036	.666996	.0085547	.4713656	.6502224	.6837697
1	24	.5833333	.102799	.5036102	.3706774	.7959893
combined	3,060	.6663399	.0085253	.471597	.6496239	.6830558
diff		.0836627	.096648		-.105839	.2731644

diff = mean(0) - mean(1) t = 0.8656
 Ho: diff = 0 degrees of freedom = 3058

Ha: diff < 0 Ha: diff != 0 Ha: diff > 0
 Pr(T < t) = 0.8066 Pr(|T| > |t|) = 0.3868 Pr(T > t) = 0.1934

FIGURE 4.4. YEARS TO IRREGULAR AND REGULAR REMOVAL FOR FOREIGN-IMPOSED LEADERS (LEADER-SPELL DATA): LEFT-HAND PANEL

Data = Archigos_2.9_leaderspell_ABD_Final_Compete_Irreg

IRREGULAR REMOVAL

ALL FIRIC

ttest tenure if irreg_exit==1, by(foreign_entryabd)

Two-sample t test with equal variances

Group	Obs	Mean	Std. Err.	Std. Dev.	[95% Conf. Interval]	
0	614	1772.055	110.8484	2746.715	1554.367	1989.744
1	51	1393.196	311.8794	2227.265	766.7678	2019.624
combined	665	1743	105.1222	2710.849	1536.588	1949.412
diff		378.8593	395.0692		-396.8783	1154.597
diff = mean(0) - mean(1)					t =	0.9590
Ho: diff = 0					degrees of freedom =	663
Ha: diff < 0		Ha: diff != 0		Ha: diff > 0		
Pr(T < t) = 0.8310		Pr(T > t) = 0.3379		Pr(T > t) = 0.1690		

LEADERSHIP FIRIC

ttest tenure if irreg_exit==1, by(leadfirc_entry)

Two-sample t test with equal variances

Group	Obs	Mean	Std. Err.	Std. Dev.	[95% Conf. Interval]	
0	623	1788.308	111.4436	2781.628	1569.457	2007.159
1	42	1070.929	164.4913	1066.026	738.7316	1403.126
combined	665	1743	105.1222	2710.849	1536.588	1949.412
diff		717.3796	431.5904		-130.0691	1564.828
diff = mean(0) - mean(1)					t =	1.6622
Ho: diff = 0					degrees of freedom =	663
Ha: diff < 0		Ha: diff != 0		Ha: diff > 0		
Pr(T < t) = 0.9515		Pr(T > t) = 0.0969		Pr(T > t) = 0.0485		

INSTITUTIONAL FIRIC

ttest tenure if irreg_exit==1, by(instfirc_entry)

Two-sample t test with equal variances

Group	Obs	Mean	Std. Err.	Std. Dev.	[95% Conf. Interval]	
0	658	1754.536	105.9909	2718.826	1546.415	1962.658
1	7	658.5714	590.9149	1563.414	-787.3452	2104.488
combined	665	1743	105.1222	2710.849	1536.588	1949.412
diff		1095.965	1029.938		-926.3675	3118.298
diff = mean(0) - mean(1)					t =	1.0641
Ho: diff = 0					degrees of freedom =	663
Ha: diff < 0		Ha: diff != 0		Ha: diff > 0		
Pr(T < t) = 0.8562		Pr(T > t) = 0.2877		Pr(T > t) = 0.1438		

FIGURE 4.4. RATES OF IRREGULAR AND REGULAR REMOVAL FOR FOREIGN-IMPOSED LEADERS (LEADER-SPELL DATA): RIGHT-HAND PANEL

REGULAR REMOVAL

Data = Archigos_2.9_leaderspell_ABD_Final_Compete_Reg

All FIRC

ttest tenure if regfail==1, by(foreign_entryabd)

Two-sample t test with equal variances

Group	Obs	Mean	Std. Err.	Std. Dev.	[95% Conf. Interval]	
0	1,994	1073.671	31.56438	1409.483	1011.768	1135.573
1	45	1453.956	338.0433	2267.663	772.6741	2135.237
combined	2,039	1082.063	31.76143	1434.197	1019.775	1144.352
diff		-380.285	216.0853		-804.0562	43.48606
diff = mean(0) - mean(1)					t = -1.7599	
Ho: diff = 0					degrees of freedom = 2037	
Ha: diff < 0		Ha: diff != 0		Ha: diff > 0		
Pr(T < t) = 0.0393		Pr(T > t) = 0.0786		Pr(T > t) = 0.9607		

LEADERSHIP FIRC

ttest tenure if regfail==1, by(leadfirc_entry)

Two-sample t test with equal variances

Group	Obs	Mean	Std. Err.	Std. Dev.	[95% Conf. Interval]	
0	2,021	1080.407	31.91328	1434.678	1017.821	1142.994
1	18	1268	331.3908	1405.972	568.8264	1967.174
combined	2,039	1082.063	31.76143	1434.197	1019.775	1144.352
diff		-187.5928	339.6033		-853.5988	478.4132
diff = mean(0) - mean(1)					t = -0.5524	
Ho: diff = 0					degrees of freedom = 2037	
Ha: diff < 0		Ha: diff != 0		Ha: diff > 0		
Pr(T < t) = 0.2904		Pr(T > t) = 0.5807		Pr(T > t) = 0.7096		

INSTITUTIONAL FIRC

ttest tenure if regfail==1, by(instfirc_entry)

Two-sample t test with equal variances

Group	Obs	Mean	Std. Err.	Std. Dev.	[95% Conf. Interval]	
0	2,025	1081.818	31.87943	1434.574	1019.298	1144.338
1	14	1117.5	382.206	1430.084	291.7942	1943.206
combined	2,039	1082.063	31.76143	1434.197	1019.775	1144.352
diff		-35.68173	384.7215		-790.1703	718.8068
diff = mean(0) - mean(1)					t = -0.0927	
Ho: diff = 0					degrees of freedom = 2037	
Ha: diff < 0		Ha: diff != 0		Ha: diff > 0		
Pr(T < t) = 0.4631		Pr(T > t) = 0.9261		Pr(T > t) = 0.5369		

RATES OF IRREGULAR FOR FOREIGN-IMPOSED LEADERS (LEADER-YEAR DATA; NOT IN BOOK)

IRREGULAR REMOVAL

Data = Irregfail_Competing_ABDStata.dta

All FIRC

tab Ifail firc_entry, col chi2

```
+-----+
| Key   |
+-----+
|       |
| frequency |
| column percentage |
+-----+
```

Ifail	firc_entry		Total
	0	1	
0	10,093 95.62	403 92.86	10,496 95.51
1	462 4.38	31 7.14	493 4.49
Total	10,555 100.00	434 100.00	10,989 100.00

Pearson chi2(1) = 7.4417 Pr = 0.006

ttest Ifail, by(firc_entry)

Two-sample t test with equal variances

Group	Obs	Mean	Std. Err.	Std. Dev.	[95% Conf. Interval]	
0	10,555	.0437707	.0019914	.2045943	.0398672	.0476743
1	434	.0714286	.0123766	.2578366	.047103	.0957542
combined	10,989	.044863	.0019748	.2070127	.0409921	.048734
diff		-.0276578	.0101362		-.0475266	-.0077891

diff = mean(0) - mean(1) t = -2.7286
Ho: diff = 0 degrees of freedom = 10987

Ha: diff < 0 Pr(T < t) = 0.0032
Ha: diff != 0 Pr(|T| > |t|) = 0.0064
Ha: diff > 0 Pr(T > t) = 0.9968

LEADERSHIP FIRIC

tab Ifail leadfirc_entry, col chi2

```

+-----+
| Key   |
+-----+
|       |
| frequency |
| column percentage |
+-----+

```

Ifail	leadfirc_entry		Total
	0	1	
0	10,326 95.65	170 88.08	10,496 95.51
1	470 4.35	23 11.92	493 4.49
Total	10,796 100.00	193 100.00	10,989 100.00

Pearson chi2(1) = 25.3145 Pr = 0.000

ttest Ifail, by(leadfirc_entry)

Two-sample t test with equal variances

Group	Obs	Mean	Std. Err.	Std. Dev.	[95% Conf. Interval]	
0	10,796	.0435346	.001964	.2040667	.0396848	.0473844
1	193	.119171	.0233819	.3248322	.0730525	.1652894
combined	10,989	.044863	.0019748	.2070127	.0409921	.048734
diff		-.0756363	.0150171		-.1050725	-.0462002

diff = mean(0) - mean(1) t = -5.0367
 Ho: diff = 0 degrees of freedom = 10987

Ha: diff < 0 Ha: diff != 0 Ha: diff > 0
 Pr(T < t) = 0.0000 Pr(|T| > |t|) = 0.0000 Pr(T > t) = 1.0000

INSTITUTIONAL FIRIC

tab Ifail instfirc_entry, col chi2

```

+-----+
| Key   |
+-----+
|       |
| frequency |
| column percentage |
+-----+

```

Ifail	instfirc_entry		Total
	0	1	
0	10,429 95.54	67 91.78	10,496 95.51
1	487 4.46	6 8.22	493 4.49
Total	10,916 100.00	73 100.00	10,989 100.00

Pearson chi2(1) = 2.3897 Pr = 0.122

ttest Ifail, by(instfirc_entry)

Two-sample t test with equal variances

Group	Obs	Mean	Std. Err.	Std. Dev.	[95% Conf. Interval]	
0	10,916	.0446134	.0019761	.206463	.0407399	.0484869
1	73	.0821918	.0323686	.2765574	.0176662	.1467174
combined	10,989	.044863	.0019748	.2070127	.0409921	.048734
diff		-.0375784	.0243083		-.0852271	.0100704

diff = mean(0) - mean(1) t = -1.5459
 Ho: diff = 0 degrees of freedom = 10987

Ha: diff < 0 Ha: diff != 0 Ha: diff > 0
 Pr(T < t) = 0.0611 Pr(|T| > |t|) = 0.1222 Pr(T > t) = 0.9389

RESTORATION FIRC

tab Ifail restfirc_entry, col chi2

```

+-----+
| Key   |
+-----+
|       |
| frequency |
| column percentage |
+-----+

```

Ifail	restfirc_entry		Total
	0	1	
0	10,330 95.46	166 98.81	10,496 95.51
1	491 4.54	2 1.19	493 4.49
Total	10,821 100.00	168 100.00	10,989 100.00

Pearson chi2(1) = 4.3249 Pr = 0.038

ttest Ifail, by(restfirc_entry)

Two-sample t test with equal variances

Group	Obs	Mean	Std. Err.	Std. Dev.	[95% Conf. Interval]	
0	10,821	.0453747	.0020008	.2081343	.0414527	.0492967
1	168	.0119048	.0083927	.1087818	-.0046647	.0284742
combined	10,989	.044863	.0019748	.2070127	.0409921	.048734
diff		.03347	.0160924		.0019259	.0650141

diff = mean(0) - mean(1) t = 2.0799
 Ho: diff = 0 degrees of freedom = 10987

Ha: diff < 0 Ha: diff != 0 Ha: diff > 0
 Pr(T < t) = 0.9812 Pr(|T| > |t|) = 0.0376 Pr(T > t) = 0.0188

CODE FOR RATES OF IRREGULAR AND REGULAR REMOVAL FOR FOREIGN-IMPOSED LEADERS (LEADER-YEAR DATA; NOT IN BOOK)

```

twoway (bar mean fftype if firc==0, fcolor(blue) lcolor(black)) (bar mean fftype if firc==1,
fcolor(gray) lcolor(black)) (rcap upper lower fftype), legend(order(1 "no FIRC" 2 "FIRC") )
xlabel( 0.5 "all FIRC" 3.5 "leadership" 6.5 "institutional" 9.5 "restoration", noticks)
xtitle("type of FIRC") ylabel(-.02 0 .02 .04 .06 .08 .10 .12 .14 .16 .18) ytitle("probability of
irregular removal")

```

RATES OF REGULAR REMOVAL FOR FOREIGN-IMPOSED LEADERS (LEADER-YEAR DATA; NOT IN BOOK)

REGULAR REMOVAL

Data = Regfail_Competing_ABDStata.dta

All FIRC

tab Rfail firc_entry, col chi2

```
+-----+
| Key   |
+-----+
|       |
| frequency |
| column percentage |
+-----+
```

Rfail	firc_entry		Total
	0	1	
0	9,265 87.78	403 92.86	9,668 87.98
1	1,290 12.22	31 7.14	1,321 12.02
Total	10,555 100.00	434 100.00	10,989 100.00

Pearson chi2(1) = 10.1671 Pr = 0.001

ttest Rfail, by(firc_entry)

Two-sample t test with equal variances

Group	Obs	Mean	Std. Err.	Std. Dev.	[95% Conf. Interval]	
0	10,555	.122217	.0031882	.3275517	.1159674	.1284665
1	434	.0714286	.0123766	.2578366	.047103	.0957542
combined	10,989	.1202111	.0031024	.325223	.1141298	.1262924
diff		.0507884	.0159223		.0195779	.0819989

diff = mean(0) - mean(1) t = 3.1898
 Ho: diff = 0 degrees of freedom = 10987

Ha: diff < 0 Ha: diff != 0 Ha: diff > 0
 Pr(T < t) = 0.9993 Pr(|T| > |t|) = 0.0014 Pr(T > t) = 0.0007

LEADERSHIP FIRG

tab Rfail leadfirc_entry, col chi2

```

+-----+
| Key   |
+-----+
|       |
| frequency |
| column percentage |
+-----+
    
```

Rfail	leadfirc_entry		Total
	0	1	
0	9,485 87.86	183 94.82	9,668 87.98
1	1,311 12.14	10 5.18	1,321 12.02
Total	10,796 100.00	193 100.00	10,989 100.00

Pearson chi2(1) = 8.6898 Pr = 0.003

ttest Rfail, by(leadfirc_entry)

Two-sample t test with equal variances

Group	Obs	Mean	Std. Err.	Std. Dev.	[95% Conf. Interval]	
0	10,796	.1214339	.0031437	.3266459	.1152716	.1275962
1	193	.0518135	.0159962	.2222267	.0202626	.0833644
combined	10,989	.1202111	.0031024	.325223	.1141298	.1262924
diff		.0696204	.0236101		.0233403	.1159005

diff = mean(0) - mean(1) t = 2.9488
 Ho: diff = 0 degrees of freedom = 10987

Ha: diff < 0 Ha: diff != 0 Ha: diff > 0
 Pr(T < t) = 0.9984 Pr(|T| > |t|) = 0.0032 Pr(T > t) = 0.0016

INSTITUTIONAL FIRIC

tab Rfail instfirc_entry, col chi2

```

+-----+
| Key   |
+-----+
|       |
| frequency |
| column percentage |
+-----+

```

Rfail	instfirc_entry		Total
	0	1	
0	9,603 87.97	65 89.04	9,668 87.98
1	1,313 12.03	8 10.96	1,321 12.02
Total	10,916 100.00	73 100.00	10,989 100.00

Pearson chi2(1) = 0.0784 Pr = 0.779

ttest Rfail, by(instfirc_entry)

Two-sample t test with equal variances

Group	Obs	Mean	Std. Err.	Std. Dev.	[95% Conf. Interval]	
0	10,916	.1202822	.0031136	.3253061	.114179	.1263853
1	73	.109589	.036814	.3145386	.0362017	.1829763
combined	10,989	.1202111	.0031024	.325223	.1141298	.1262924
diff		.0106931	.0381931		-.0641723	.0855586

diff = mean(0) - mean(1) t = 0.2800
 Ho: diff = 0 degrees of freedom = 10987

Ha: diff < 0 Ha: diff != 0 Ha: diff > 0
 Pr(T < t) = 0.6102 Pr(|T| > |t|) = 0.7795 Pr(T > t) = 0.3898

RESTORATION FIRC

tab Rfail restfirc_entry, col chi2

Key
frequency
column percentage

Rfail	restfirc_entry		Total
	0	1	
0	9,513 87.91	155 92.26	9,668 87.98
1	1,308 12.09	13 7.74	1,321 12.02
Total	10,821 100.00	168 100.00	10,989 100.00

Pearson chi2(1) = 2.9592 Pr = 0.085

ttest Rfail, by(restfirc_entry)

Two-sample t test with equal variances

Group	Obs	Mean	Std. Err.	Std. Dev.	[95% Conf. Interval]	
0	10,821	.1208761	.0031339	.3259983	.1147331	.127019
1	168	.077381	.0206762	.2679937	.0365606	.1182013
combined	10,989	.1202111	.0031024	.325223	.1141298	.1262924
diff		.0434951	.0252833		-.0060646	.0930549

diff = mean(0) - mean(1) t = 1.7203
 Ho: diff = 0 degrees of freedom = 10987

Ha: diff < 0	Ha: diff != 0	Ha: diff > 0
Pr(T < t) = 0.9573	Pr(T > t) = 0.0854	Pr(T > t) = 0.0427

CODE FOR RATES OF IRREGULAR AND REGULAR REMOVAL FOR FOREIGN-IMPOSED LEADERS (LEADER-YEAR DATA; NOT IN BOOK)

```
twoway (bar mean fftype if firc==0, fcolor(blue) lcolor(black)) (bar mean fftype if firc==1,
fcolor(gray) lcolor(black)) (rcap upper lower fftype), legend(order(1 "no FIRC" 2 "FIRC") )
xlabel( 0.5 "all FIRC" 3.5 "leadership" 6.5 "institutional" 9.5 "restoration", noticks)
xtitle("type of FIRC") ylabel(0 .02 .04 .06 .08 .10 .12 .14 .16 .18 .20) ytitle("probability of
regular removal")
```

YEARS TO IRREGULAR REMOVAL FOR FOREIGN-IMPOSED LEADERS (LEADER-YEAR DATA; NOT IN BOOK)

IRREGULAR REMOVAL

Data = Irregfail_Competing_ABDStata.dta

ALL FIRC

ttest sumten if Ifail==1, by(firc_entry)

Two-sample t test with equal variances

Group	Obs	Mean	Std. Err.	Std. Dev.	[95% Conf. Interval]	
0	462	1671.887	109.2447	2348.126	1457.208	1886.567
1	31	1735.839	488.3716	2719.138	738.4508	2733.227
combined	493	1675.909	106.7439	2370.098	1466.179	1885.639
diff		-63.95126	440.17		-928.8005	800.8979

diff = mean(0) - mean(1) t = -0.1453
Ho: diff = 0 degrees of freedom = 491

Ha: diff < 0 Ha: diff != 0 Ha: diff > 0
Pr(T < t) = 0.4423 Pr(|T| > |t|) = 0.8845 Pr(T > t) = 0.5577

LEADERSHIP FIRC

ttest sumten if Ifail==1, by(leadfirc_entry)

Two-sample t test with equal variances

Group	Obs	Mean	Std. Err.	Std. Dev.	[95% Conf. Interval]	
0	470	1698.362	111.2827	2412.551	1479.687	1917.036
1	23	1217.087	238.9757	1146.087	721.4817	1712.692
combined	493	1675.909	106.7439	2370.098	1466.179	1885.639
diff		481.2747	506.1968		-513.3043	1475.854

diff = mean(0) - mean(1) t = 0.9508
Ho: diff = 0 degrees of freedom = 491

Ha: diff < 0 Ha: diff != 0 Ha: diff > 0
Pr(T < t) = 0.8289 Pr(|T| > |t|) = 0.3422 Pr(T > t) = 0.1711

INSTITUTIONAL FIRC

ttest sumten if Ifail==1, by(instfirc_entry)

Two-sample t test with equal variances

Group	Obs	Mean	Std. Err.	Std. Dev.	[95% Conf. Interval]	
0	487	1687.62	107.6691	2376.049	1476.066	1899.174
1	6	725.3333	694.9647	1702.309	-1061.13	2511.797
combined	493	1675.909	106.7439	2370.098	1466.179	1885.639
diff		962.2868	973.5536		-950.5583	2875.132

diff = mean(0) - mean(1) t = 0.9884
Ho: diff = 0 degrees of freedom = 491

Ha: diff < 0 Ha: diff != 0 Ha: diff > 0
Pr(T < t) = 0.8383 Pr(|T| > |t|) = 0.3234 Pr(T > t) = 0.1617

RESTORATION FIRC

ttest sumten if Ifail==1, by(restfirc_entry)

Two-sample t test with equal variances

Group	Obs	Mean	Std. Err.	Std. Dev.	[95% Conf. Interval]	
0	491	1639.016	103.8517	2301.199	1434.967	1843.066
1	2	10733	1451	2052.024	-7703.703	29169.7
combined	493	1675.909	106.7439	2370.098	1466.179	1885.639
diff		-9093.984	1630.164		-12296.94	-5891.026

diff = mean(0) - mean(1) t = -5.5786
Ho: diff = 0 degrees of freedom = 491

Ha: diff < 0 Ha: diff != 0 Ha: diff > 0
Pr(T < t) = 0.0000 Pr(|T| > |t|) = 0.0000 Pr(T > t) = 1.0000

CODE FOR YEARS TO IRREGULAR AND REGULAR REMOVAL FOR FOREIGN-IMPOSED LEADERS (LEADER-SPELL DATA; NOT IN BOOK)

```
twoway (bar mean fftype if firc==0, fcolor(blue) lcolor(black)) (bar mean fftype if firc==1, fcolor(gray) lcolor(black)) (rcap upper lower fftype), legend(order(1 "no FIRC" 2 "FIRC") ) xlabel( 0.5 "all FIRC" 3.5 "leadership" 6.5 "institutional", noticks) xtitle("type of FIRC") ylabel(-3 -2 -1 0 1 2 3 4 5 6 7 8) ytitle("years to irregular removal")
```

YEARS TO REGULAR REMOVAL FOR FOREIGN-IMPOSED LEADERS (LEADER-YEAR DATA; NOT IN BOOK)

REGULAR REMOVAL

Data = Regfail_Competing_ABDStata.dta

ALL FIRIC

ttest sumten if Rfail==1, by(firc_entry)

Two-sample t test with equal variances

Group	Obs	Mean	Std. Err.	Std. Dev.	[95% Conf. Interval]	
0	1,290	1123.52	40.81147	1465.808	1043.456	1203.584
1	31	1856.194	466.9964	2600.126	902.4597	2809.927
combined	1,321	1140.714	41.39959	1504.691	1059.498	1221.93
diff		-732.6734	272.8373		-1267.916	-197.431

diff = mean(0) - mean(1) t = -2.6854
 Ho: diff = 0 degrees of freedom = 1319

Ha: diff < 0 Ha: diff != 0 Ha: diff > 0
 Pr(T < t) = 0.0037 Pr(|T| > |t|) = 0.0073 Pr(T > t) = 0.9963

LEADERSHIP FIRIC

ttest sumten if Rfail==1, by(leadfirc_entry)

Two-sample t test with equal variances

Group	Obs	Mean	Std. Err.	Std. Dev.	[95% Conf. Interval]	
0	1,311	1138.33	41.50971	1502.973	1056.898	1219.763
1	10	1453.2	562.0295	1777.293	181.801	2724.599
combined	1,321	1140.714	41.39959	1504.691	1059.498	1221.93
diff		-314.8697	477.7388		-1252.081	622.3412

diff = mean(0) - mean(1) t = -0.6591
 Ho: diff = 0 degrees of freedom = 1319

Ha: diff < 0 Ha: diff != 0 Ha: diff > 0
 Pr(T < t) = 0.2550 Pr(|T| > |t|) = 0.5100 Pr(T > t) = 0.7450

INSTITUTIONAL FIRIC

ttest sumten if Rfail==1, by(instfirc_entry)

Two-sample t test with equal variances

Group	Obs	Mean	Std. Err.	Std. Dev.	[95% Conf. Interval]	
0	1,313	1136.034	41.51341	1504.253	1054.594	1217.473
1	8	1908.875	519.1805	1468.464	681.2082	3136.542
combined	1,321	1140.714	41.39959	1504.691	1059.498	1221.93
diff		-772.8415	533.3848		-1819.217	273.5338

diff = mean(0) - mean(1) t = -1.4489
 Ho: diff = 0 degrees of freedom = 1319

Ha: diff < 0 Ha: diff != 0 Ha: diff > 0
 Pr(T < t) = 0.0738 Pr(|T| > |t|) = 0.1476 Pr(T > t) = 0.9262

RESTORATION FIRIC

ttest sumten if Rfail==1, by(restfirc_entry)

Two-sample t test with equal variances

```
-----+-----
Group |   Obs   Mean   Std. Err.   Std. Dev.   [95% Conf. Interval]
-----+-----
    0 |  1,308  1130.844   40.60754   1468.624    1051.181    1210.507
    1 |     13  2133.769   1002.075   3613.033   -49.56486   4317.103
-----+-----
combined |  1,321  1140.714   41.39959   1504.691    1059.498    1221.93
-----+-----
diff |          -1002.925   418.6442              -1824.206   -181.6441
-----+-----
```

```
diff = mean(0) - mean(1)               t =  -2.3957
Ho: diff = 0                             degrees of freedom =   1319
```

```
Ha: diff < 0           Ha: diff != 0           Ha: diff > 0
Pr(T < t) = 0.0084     Pr(|T| > |t|) = 0.0167     Pr(T > t) = 0.9916
```

CODE FOR YEARS TO IRREGULAR AND REGULAR REMOVAL FOR FOREIGN-IMPOSED LEADERS (LEADER-SPELL DATA; NOT IN BOOK)

```
twoway (bar mean fftype if firc==0, fcolor(blue) lcolor(black)) (bar mean fftype if firc==1,
fcolor(gray) lcolor(black)) (rcap upper lower fftype), legend(order(1 "no FIRC" 2 "FIRC") )
xlabel( 0.5 "all FIRC" 3.5 "leadership" 6.5 "institutional" 9.5 "restoration", noticks)
xtitle("type of FIRC") ylabel(-2 0 2 4 6 8 10 12) ytitle("years to regular removal")
```

CODE FOR FIGURES 4.5 AND 4.6. KAPLAN-MEIER FUNCTIONS FOR TYPES OF FOREIGN-IMPOSED REGIME CHANGE AND IRREGULAR AND REGULAR REMOVAL FROM OFFICE (LEADER-SPELL DATA)

Code for Kaplan-Meier Survival Estimates: Irregular Removal

```
Data = Irregular-Leaderspell-Compete.dta
sts graph, by(foreign_entryabd) tmax(15000) ci
sts graph, by(leadfirc_entry) tmax(15000) ci
sts graph, by(instfirc_entry) tmax(15000) ci
sts graph, by(restfirc_entry) tmax(15000) ci
```

Code for Kaplan-Meier Survival Estimates: Regular Removal

```
Data = Regular-Leaderspell-Compete.dta
sts graph, by(foreign_entryabd) tmax(15000) ci
sts graph, by(leadfirc_entry) tmax(15000) ci
sts graph, by(instfirc_entry) tmax(15000) ci
sts graph, by(restfirc_entry) tmax(15000) ci
```

CODE FOR TABLE 4.3. COMPETING RISKS ANALYSIS OF IRREGULAR REMOVAL FROM OFFICE, 1919-2004, LEADER-YEAR DATA

Data = Irregular-Leaderyear-Compete.dta

```
stcrreg firc_entry, compete(failtype==2 3) vce(cluster ccode)
```

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry, compete(failtype==2 3) vce(cluster ccode)
```

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry entry1 age0 powtimes, compete(failtype==2 3)  
tvc(restfirc_entry entry1) vce(cluster ccode)
```

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry tmixed tdempar1 tdempres trans,  
compete(failtype==2 3) tvc(restfirc_entry) vce(cluster ccode)
```

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry lngdpcapL growth tropen2L dopen2 lnpop,  
compete(failtype==2 3) tvc(restfirc_entry) vce(cluster ccode)
```

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry civwar initiator2 defender2 inherit dwinsh  
dloshesh ddrawsh dwinwar dlosewar ddrawwar, compete(failtype==2 3) tvc(restfirc_entry civwar)  
vce(cluster ccode)
```

```
stcrreg firc_entry irreg_entry age0 powtimes tmixed tdempar1 tdempres trans lngdpcapL growth  
tropen2L dopen2 lnpop civwar initiator2 defender2 inherit dwinsh dloshesh ddrawsh dwinwar dlosewar  
ddrawwar, compete(failtype==2 3) tvc(civwar) vce(cluster ccode)
```

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry irreg_entry age0 powtimes tmixed tdempar1  
tdempres trans lngdpcapL growth tropen2L dopen2 lnpop civwar initiator2 defender2 inherit dwinsh  
dloshesh ddrawsh dwinwar dlosewar ddrawwar, compete(failtype==2 3) tvc(restfirc_entry civwar)  
vce(cluster ccode)
```

TABLE 4.3. COMPETING RISKS ANALYSIS OF IRREGULAR REMOVAL FROM OFFICE, 1919-2004, LEADER-YEAR DATA: COMPLETE RESULTS

Model 1

```
stcrreg firc_entry, compete(failtype==2 3) vce(cluster ccode)
```

```
      failure _d: failtype == 1
analysis time _t: (endobs-origin)
              origin: time startobs
              id: leadid
```

```
Iteration 0: log pseudolikelihood = -3673.7137
Iteration 1: log pseudolikelihood = -3672.4118
Iteration 2: log pseudolikelihood = -3672.3752
Iteration 3: log pseudolikelihood = -3672.3752
```

```
Competing-risks regression           No. of obs       =    10,989
                                     No. of subjects  =     2,152
Failure event   : failtype == 1     No. failed       =     493
Competing events: failtype == 2 3   No. competing    =    1,498
                                     No. censored     =     161

                                     Wald chi2(1)     =     20.17
Log pseudolikelihood = -3672.3752   Prob > chi2      =     0.0000
```

(Std. Err. adjusted for 164 clusters in ccode)

_t	SHR	Robust Std. Err.	z	P> z	[95% Conf. Interval]	
firc_entry	2.327852	.4379101	4.49	0.000	1.610013	3.365747

Model 2

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry, compete(failtype==2 3) tvc(restfirc_entry)
vce(cluster ccode)
```

```
failure _d: failtype == 1
analysis time _t: (endobs-origin)
origin: time startobs
id: leadid
```

```
Iteration 0: log pseudolikelihood = -3660.9292
Iteration 1: log pseudolikelihood = -3659.5071
Iteration 2: log pseudolikelihood = -3658.8125
Iteration 3: log pseudolikelihood = -3658.7295
Iteration 4: log pseudolikelihood = -3658.7288
Iteration 5: log pseudolikelihood = -3658.7288
```

```
Competing-risks regression          No. of obs      =    10,989
                                   No. of subjects =     2,152
Failure event   : failtype == 1    No. failed      =     493
Competing events: failtype == 2 3  No. competing   =    1,498
                                   No. censored    =     161

                                   Wald chi2(4)     =     56.50
                                   Prob > chi2      =     0.0000
```

```
Log pseudolikelihood = -3658.7288
```

(Std. Err. adjusted for 164 clusters in ccode)

_t	SHR	Robust Std. Err.	z	P> z	[95% Conf. Interval]	
main						
leadfirc_entry	3.863908	.9166765	5.70	0.000	2.427097	6.151294
instfirc_entry	2.14469	1.070051	1.53	0.126	.8066298	5.702361
restfirc_entry	.0131855	.0174843	-3.26	0.001	.0009803	.1773437
tvc						
restfirc_entry	1.000606	.0001313	4.62	0.000	1.000349	1.000864

Note: Variables in tvc equation interacted with _t.

Model 3

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry irreg_entry age0 powtimes,
compete(failtype==2 3) tvc(restfirc_entry) vce(cluster ccode)
```

```
failure _d: failtype == 1
analysis time _t: (endobs-origin)
origin: time startobs
id: leadid
```

```
Iteration 0: log pseudolikelihood = -3554.4462
Iteration 1: log pseudolikelihood = -3539.5588
Iteration 2: log pseudolikelihood = -3534.7482
Iteration 3: log pseudolikelihood = -3534.7211
Iteration 4: log pseudolikelihood = -3534.721
```

```
Competing-risks regression      No. of obs      =      10,973
                               No. of subjects   =       2,142
Failure event : failtype == 1  No. failed      =       491
Competing events: failtype == 2 3 No. competing   =      1,490
                               No. censored     =       161
```

```
Log pseudolikelihood = -3534.721      Wald chi2(7)    =      195.38
                                       Prob > chi2     =       0.0000
```

(Std. Err. adjusted for 164 clusters in ccode)

_t	SHR	Robust Std. Err.	z	P> z	[95% Conf. Interval]	

main						
leadfirc_entry	5.156602	1.289995	6.56	0.000	3.158086	8.419831
instfirc_entry	3.650131	1.832516	2.58	0.010	1.36449	9.764424
restfirc_entry	.0158269	.0206272	-3.18	0.001	.0012304	.2035933
irreg_entry	3.524362	.4501197	9.86	0.000	2.743898	4.526819
age0	.9766326	.0038906	-5.94	0.000	.9690369	.9842879
powtimes	1.285785	.1015949	3.18	0.001	1.101315	1.501154

tvc						
restfirc_entry	1.000607	.0001322	4.59	0.000	1.000348	1.000866

Note: Variables in tvc equation interacted with _t.

Model 4

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry tmixed tdemparl tdempres trans,
compete(failtype==2 3) tvc(restfirc_entry) vce(cluster ccode)
```

```
failure _d: failtype == 1
analysis time _t: (endobs-origin)
origin: time startobs
id: leadid
```

```
Iteration 0: log pseudolikelihood = -3543.9366
Iteration 1: log pseudolikelihood = -3532.9647
Iteration 2: log pseudolikelihood = -3515.5598
Iteration 3: log pseudolikelihood = -3512.3095
Iteration 4: log pseudolikelihood = -3511.7301
Iteration 5: log pseudolikelihood = -3511.7032
Iteration 6: log pseudolikelihood = -3511.7032
```

```
Competing-risks regression          No. of obs      =    10,989
                                   No. of subjects =     2,152
Failure event   : failtype == 1    No. failed      =     493
Competing events: failtype == 2 3  No. competing   =     1,498
                                   No. censored      =     161

                                   Wald chi2(8)       =    131.12
Log pseudolikelihood = -3511.7032  Prob > chi2     =     0.0000
```

(Std. Err. adjusted for 164 clusters in ccode)

_t	SHR	Robust Std. Err.	z	P> z	[95% Conf. Interval]	

main						
leadfirc_entry	2.206695	.527604	3.31	0.001	1.381105	3.525804
instfirc_entry	1.760088	.9398297	1.06	0.290	.6180455	5.01243
restfirc_entry	.010691	.014333	-3.39	0.001	.0007724	.1479777
tmixed	.7339476	.0914962	-2.48	0.013	.5748462	.9370838
tdemparl	.0724042	.0213289	-8.91	0.000	.0406458	.1289767
tdempres	.2156332	.0507644	-6.52	0.000	.1359332	.3420627
trans	.8216471	.152791	-1.06	0.291	.5706876	1.182966

tvc						
restfirc_entry	1.000608	.000133	4.57	0.000	1.000347	1.000868

Note: Variables in tvc equation interacted with _t.

Model 5

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry lngdpcapL growth tropen2L dopen2 lnpop,
compete(failtype==2 3) tvc(restfirc_entry) vce(cluster ccode)
```

```
failure _d: failtype == 1
analysis time _t: (endobs-origin)
origin: time startobs
id: leadid
```

```
Iteration 0: log pseudolikelihood = -2714.7378
Iteration 1: log pseudolikelihood = -2711.9584
Iteration 2: log pseudolikelihood = -2696.4009
Iteration 3: log pseudolikelihood = -2694.7046
Iteration 4: log pseudolikelihood = -2694.5542
Iteration 5: log pseudolikelihood = -2694.5509
Iteration 6: log pseudolikelihood = -2694.5509
```

```
Competing-risks regression          No. of obs      =      9,390
                                   No. of subjects =      1,854
Failure event   : failtype == 1    No. failed      =       391
Competing events: failtype == 2 3  No. competing   =      1,298
                                   No. censored    =       165
```

```
Log pseudolikelihood = -2694.5509    Wald chi2(9)    =      211.63
                                   Prob > chi2     =       0.0000
```

(Std. Err. adjusted for 156 clusters in ccode)

_t	SHR	Robust Std. Err.	z	P> z	[95% Conf. Interval]	

main						
leadfirc_entry	2.434933	.7230873	3.00	0.003	1.360538	4.357758
instfirc_entry	.5229039	.4816361	-0.70	0.481	.08598	3.18014
restfirc_entry	.0148325	.0213016	-2.93	0.003	.0008887	.2475511
lngdpcapL	.4644001	.0428031	-8.32	0.000	.3876487	.5563477
growth	.0394621	.0215961	-5.91	0.000	.0135005	.1153479
tropen2L	.3127556	.1429456	-2.54	0.011	.1276914	.7660348
dopen2	.6736622	.1327737	-2.00	0.045	.457801	.9913056
lnpop	.858563	.0413064	-3.17	0.002	.7813039	.9434618

tvc						
restfirc_entry	1.000589	.0001324	4.45	0.000	1.00033	1.000849

Note: Variables in tvc equation interacted with _t.

Model 6

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry civwar initiator2 defender2 inherit dwinsh
dlosesesh ddrawsh dwinwar dlosewar ddrawwar, compete(failtype==2 3) tvc(restfirc_entry civwar)
vce(cluster ccode)
```

```
failure _d: failtype == 1
analysis time _t: (endobs-origin)
origin: time startobs
id: leadid
```

```
Iteration 0: log pseudolikelihood = -3583.0556
Iteration 1: log pseudolikelihood = -3578.5185
Iteration 2: log pseudolikelihood = -3569.5598
Iteration 3: log pseudolikelihood = -3568.7208
Iteration 4: log pseudolikelihood = -3568.6497
Iteration 5: log pseudolikelihood = -3568.6492
Iteration 6: log pseudolikelihood = -3568.6492
```

```
Competing-risks regression          No. of obs      =      10,989
                                   No. of subjects =       2,152
Failure event   : failtype == 1    No. failed      =        493
Competing events: failtype == 2 3  No. competing   =       1,498
                                   No. censored    =        161
```

```
Log pseudolikelihood = -3568.6492      Wald chi2(15)   =      307.27
                                           Prob > chi2     =       0.0000
```

(Std. Err. adjusted for 164 clusters in ccode)

_t	SHR	Robust Std. Err.	z	P> z	[95% Conf. Interval]	
main						
leadfirc_entry	2.819937	.6502931	4.50	0.000	1.794517	4.431301
instfirc_entry	2.652976	1.332556	1.94	0.052	.9912554	7.100369
restfirc_entry	.0078694	.0114076	-3.34	0.001	.0004592	.1348514
civwar	1.904097	.3299341	3.72	0.000	1.355802	2.674125
initiator2	.3210833	.1258024	-2.90	0.004	.1489744	.6920279
defender2	.9011996	.2404796	-0.39	0.697	.5341744	1.520404
inherit	.4017563	.1399978	-2.62	0.009	.2029314	.7953827
dwinsh	.5628284	.2661054	-1.22	0.224	.2228064	1.421753
dlosesesh	5.078454	1.534891	5.38	0.000	2.808458	9.183225
ddrawsh	1.055402	.4368166	0.13	0.896	.4689398	2.375301
dwinwar	.6540086	.5534751	-0.50	0.616	.1245168	3.435098
dlosewar	24.62134	8.54388	9.23	0.000	12.47198	48.60581
ddrawwar	1.223309	.5236835	0.47	0.638	.5286243	2.830903
tvc						
restfirc_entry	1.000647	.0001295	5.00	0.000	1.000393	1.0009
civwar	1.000132	.0000422	3.12	0.002	1.000049	1.000214

Note: Variables in tvc equation interacted with _t.

Model 7

```
stcrreg firc_entry irreg_entry age0 powtimes tmixed tdemparl tdempres trans lngdpcapL growth
tropen2L dopen2 lnpop civwar initiator2 defender2 inherit dwinsh dlosesesh ddrawsh dwinwar dlosewar
ddrawwar, compete(failtype==2 3) tvc(civwar) vce(cluster ccode)
```

```
failure _d: failtype == 1
analysis time _t: (endobs-origin)
origin: time startobs
id: leadid
```

```
Iteration 0: log pseudolikelihood = -2644.2287
Iteration 1: log pseudolikelihood = -2604.3023
Iteration 2: log pseudolikelihood = -2577.5429
Iteration 3: log pseudolikelihood = -2572.9683
Iteration 4: log pseudolikelihood = -2571.5948
Iteration 5: log pseudolikelihood = -2571.5189
Iteration 6: log pseudolikelihood = -2571.5188
```

```
Competing-risks regression          No. of obs      =      9,374
                                     No. of subjects =      1,844
Failure event   : failtype == 1      No. failed      =       389
Competing events: failtype == 2 3    No. competing   =      1,290
                                     No. censored    =       165
```

```
Wald chi2(24) = 527.09
Prob > chi2 = 0.0000
Log pseudolikelihood = -2571.5188
```

(Std. Err. adjusted for 156 clusters in ccode)

_t	SHR	Robust Std. Err.	z	P> z	[95% Conf. Interval]	

main						
firc_entry	1.473712	.3324871	1.72	0.086	.947047	2.293263
irreg_entry	1.480493	.1982154	2.93	0.003	1.138789	1.924727
age0	.9876175	.0047375	-2.60	0.009	.9783757	.9969467
powtimes	1.28747	.0984276	3.31	0.001	1.108313	1.495588
tmixed	.8099707	.104614	-1.63	0.103	.6288253	1.043299
tdemparl	.1560733	.051594	-5.62	0.000	.0816475	.2983422
tdempres	.310751	.0880533	-4.12	0.000	.1783279	.5415093
trans	.6020189	.1336049	-2.29	0.022	.3896768	.93007
lngdpcapL	.6978319	.0625459	-4.01	0.000	.5854079	.8318462
growth	.0985664	.05356	-4.26	0.000	.0339777	.2859322
tropen2L	.3243197	.1316859	-2.77	0.006	.1463369	.7187748
dopen2	.5934501	.1225082	-2.53	0.011	.3959746	.8894081
lnpop	.8766392	.0413766	-2.79	0.005	.7991807	.9616053
civwar	1.498886	.2119425	2.86	0.004	1.136079	1.977554
initiator2	.2042385	.1022257	-3.17	0.002	.0765761	.5447311
defender2	.9846039	.3327702	-0.05	0.963	.5076658	1.909613
inherit	.3943925	.2498799	-1.47	0.142	.113926	1.36532
dwinsh	.8881235	.4215432	-0.25	0.803	.350312	2.251603
dlosesesh	4.607498	1.769573	3.98	0.000	2.170449	9.780946
ddrawsh	1.224753	.6174047	0.40	0.688	.4559881	3.289606
dwinwar	.0066182	.0173464	-1.91	0.056	.0000389	1.12658
dlosewar	16.8982	7.197437	6.64	0.000	7.333118	38.93965
ddrawwar	.6179833	.2672673	-1.11	0.266	.2647565	1.442471

tvc						
civwar	1.000126	.0000459	2.74	0.006	1.000036	1.000216

Note: Variables in tv equation interacted with _t.

Model 8

```

stcrreg leadfirc_entry instfirc_entry restfirc_entry irreg_entry age0 powtimes tmixed tdempar1
tdempres trans lngdpcapL growth tropen2L dopen2 lnpop civwar initiator2 defender2 inherit dwinsh
dloshesh ddrawsh dwinwar dlosewar ddrawwar, compete(failtype==2 3) tvc(restfirc_entry civwar)
vce(cluster ccode)

```

```

failure _d: failtype == 1
analysis time _t: (endobs-origin)
origin: time startobs
id: leadid

```

```

Iteration 0: log pseudolikelihood = -2636.5446
Iteration 1: log pseudolikelihood = -2582.9829
Iteration 2: log pseudolikelihood = -2563.7697
Iteration 3: log pseudolikelihood = -2563.27
Iteration 4: log pseudolikelihood = -2563.2582
Iteration 5: log pseudolikelihood = -2563.2582

```

```

Competing-risks regression          No. of obs      =      9,374
                                   No. of subjects =      1,844
Failure event   : failtype == 1    No. failed     =       389
Competing events: failtype == 2 3  No. competing  =      1,290
                                   No. censored   =       165

                                   Wald chi2(27)   =      627.10
                                   Prob > chi2    =      0.0000
Log pseudolikelihood = -2563.2582

```

(Std. Err. adjusted for 156 clusters in ccode)

	_t	SHR	Robust Std. Err.	z	P> z	[95% Conf. Interval]	

main							
	leadfirc_entry	2.085633	.5706078	2.69	0.007	1.219995	3.565479
	instfirc_entry	.8754003	.7777264	-0.15	0.881	.1534543	4.993837
	restfirc_entry	.0088356	.0142958	-2.92	0.003	.0003707	.2106052
	irreg_entry	1.499081	.1981167	3.06	0.002	1.156994	1.942311
	age0	.9878551	.00477	-2.53	0.011	.9785501	.9972486
	powtimes	1.306111	.0966705	3.61	0.000	1.129742	1.510014
	tmixed	.8094553	.1055426	-1.62	0.105	.6269127	1.04515
	tdempar1	.1565065	.0525715	-5.52	0.000	.0810231	.3023125
	tdempres	.3148494	.0913133	-3.98	0.000	.1783346	.5558662
	trans	.6321663	.1401557	-2.07	0.039	.4093681	.9762223
	lngdpcapL	.709624	.0652395	-3.73	0.000	.5926153	.8497354
	growth	.1069018	.0587674	-4.07	0.000	.0363959	.3139918
	tropen2L	.3490893	.1337922	-2.75	0.006	.1647042	.7398925
	dopen2	.6100217	.1259753	-2.39	0.017	.4069716	.9143796
	lnpop	.8685443	.0425469	-2.88	0.004	.789032	.9560692
	civwar	1.462323	.2149609	2.59	0.010	1.096268	1.950606
	initiator2	.2098216	.1043829	-3.14	0.002	.0791391	.5563004
	defender2	.9762094	.3265495	-0.07	0.943	.5067685	1.880513
	inherit	.4735401	.280618	-1.26	0.207	.1482307	1.512779
	dwinsh	.8767768	.4242947	-0.27	0.786	.3396025	2.263639
	dloshesh	4.289173	1.580442	3.95	0.000	2.083192	8.831161
	ddrawsh	1.210917	.6077393	0.38	0.703	.4528043	3.23831
	dwinwar	.0078973	.0198175	-1.93	0.054	.0000577	1.080166
	dlosewar	17.37908	7.307675	6.79	0.000	7.622677	39.62286
	ddrawwar	.6246824	.2735415	-1.07	0.283	.2648058	1.473639

tvc							
	restfirc_entry	1.000608	.0001267	4.80	0.000	1.000359	1.000856
	civwar	1.000129	.0000456	2.84	0.005	1.00004	1.000219

Note: Variables in tv equation interacted with _t.

TABLE 4.3. COMPETING RISKS ANALYSIS OF IRREGULAR REMOVAL FROM OFFICE, 1919-2004, LEADER-YEAR DATA: INTERACTIONS WITH TIME TO CHECK PROPORTIONAL HAZARDS

Data = Irregular-Leaderyear-Compete.dta

stcrreg firc_entry, compete(failtype==2 3) tvc(firc_entry) vce(cluster ccode)

```

failure _d: failtype == 1
analysis time _t: (endobs-origin)
              origin: time startobs
              id: leadid

```

```

Iteration 0: log pseudolikelihood = -3674.3527
Iteration 1: log pseudolikelihood = -3673.7684
Iteration 2: log pseudolikelihood = -3672.1483
Iteration 3: log pseudolikelihood = -3672.146
Iteration 4: log pseudolikelihood = -3672.146

```

```

Competing-risks regression           No. of obs       =      10,989
                                     No. of subjects  =       2,152
Failure event   : failtype == 1     No. failed       =       493
Competing events: failtype == 2 3   No. competing    =     1,498
                                     No. censored     =       161

                                     Wald chi2(2)     =       21.48
Log pseudolikelihood = -3672.146    Prob > chi2      =       0.0000

```

(Std. Err. adjusted for 164 clusters in ccode)

	_t	SHR	Robust Std. Err.	z	P> z	[95% Conf. Interval]
main	firc_entry	2.14102	.5347852	3.05	0.002	1.312221 3.493287
tvc	firc_entry	1.000052	.0000829	0.63	0.527	.99989 1.000215

Note: Variables in tvc equation interacted with _t.

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry, compete(failtype==2 3) tvc(leadfirc_entry
instfirc_entry restfirc_entry) vce(cluster ccode)
```

```
failure _d: failtype == 1
analysis time _t: (endobs-origin)
origin: time startobs
id: leadid
```

```
Iteration 0: log pseudolikelihood = -3660.5416
Iteration 1: log pseudolikelihood = -3658.6113
Iteration 2: log pseudolikelihood = -3657.9968
Iteration 3: log pseudolikelihood = -3657.9342
Iteration 4: log pseudolikelihood = -3657.9337
Iteration 5: log pseudolikelihood = -3657.9337
```

```
Competing-risks regression          No. of obs      =      10,989
                                   No. of subjects =       2,152
Failure event   : failtype == 1    No. failed      =        493
Competing events: failtype == 2 3  No. competing   =       1,498
                                   No. censored    =         161
```

```
Log pseudolikelihood = -3657.9337      Wald chi2(6)    =       59.73
                                       Prob > chi2     =       0.0000
```

(Std. Err. adjusted for 164 clusters in ccode)

_t	SHR	Robust Std. Err.	z	P> z	[95% Conf. Interval]	
main						
leadfirc_entry	3.787447	.9551024	5.28	0.000	2.310437	6.208675
instfirc_entry	3.247817	2.417916	1.58	0.114	.754908	13.97298
restfirc_entry	.0131174	.0173914	-3.27	0.001	.0009757	.1763563
tvc						
leadfirc_entry	1.000018	.0000832	0.21	0.830	.9998548	1.000181
instfirc_entry	.9996083	.0006441	-0.61	0.543	.9983468	1.000871
restfirc_entry	1.000606	.0001314	4.62	0.000	1.000349	1.000864

Note: Variables in tv equation interacted with _t.

TABLE 4.3. COMPETING RISKS ANALYSIS OF IRREGULAR REMOVAL FROM OFFICE, 1919-2004, LEADER-YEAR DATA: COEFFICIENTS INSTEAD OF HAZARD RATIOS

Data = Irregular-Leaderyear-Compete.dta

Model 1

stcrreg firc_entry, compete(failtype==2 3) vce(cluster ccode) noshr

failure _d: failtype == 1
 analysis time _t: (endobs-origin)
 origin: time startobs
 id: leadid

Iteration 0: log pseudolikelihood = -3673.7137
 Iteration 1: log pseudolikelihood = -3672.4118
 Iteration 2: log pseudolikelihood = -3672.3752
 Iteration 3: log pseudolikelihood = -3672.3752

Competing-risks regression	No. of obs	=	10,989
	No. of subjects	=	2,152
Failure event : failtype == 1	No. failed	=	493
Competing events: failtype == 2 3	No. competing	=	1,498
	No. censored	=	161
	Wald chi2(1)	=	20.17
Log pseudolikelihood = -3672.3752	Prob > chi2	=	0.0000

(Std. Err. adjusted for 164 clusters in ccode)

_t	Coef.	Robust Std. Err.	z	P> z	[95% Conf. Interval]
firc_entry	.8449459	.1881177	4.49	0.000	.4762421 1.21365

Model 2

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry, compete(failtype==2 3) tvc(restfirc_entry)
vce(cluster ccode) noshr
```

```
failure _d: failtype == 1
analysis time _t: (endobs-origin)
origin: time startobs
id: leadid
```

```
Iteration 0: log pseudolikelihood = -3660.9292
Iteration 1: log pseudolikelihood = -3659.5071
Iteration 2: log pseudolikelihood = -3658.8125
Iteration 3: log pseudolikelihood = -3658.7295
Iteration 4: log pseudolikelihood = -3658.7288
Iteration 5: log pseudolikelihood = -3658.7288
```

```
Competing-risks regression          No. of obs      =    10,989
                                   No. of subjects =     2,152
Failure event   : failtype == 1    No. failed      =     493
Competing events: failtype == 2 3  No. competing   =    1,498
                                   No. censored    =     161

                                   Wald chi2(4)     =     56.50
                                   Prob > chi2      =     0.0000
```

Log pseudolikelihood = -3658.7288

(Std. Err. adjusted for 164 clusters in ccode)

_t	Coef.	Robust Std. Err.	z	P> z	[95% Conf. Interval]	
main						
leadfirc_entry	1.351679	.2372407	5.70	0.000	.886696	1.816663
instfirc_entry	.762995	.4989303	1.53	0.126	-.2148905	1.74088
restfirc_entry	-4.328641	1.326032	-3.26	0.001	-6.927617	-1.729665
tvc						
restfirc_entry	.0006063	.0001313	4.62	0.000	.000349	.0008635

Note: Variables in tvc equation interacted with _t.

Model 3

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry irreg_entry age0 powtimes,
compete(failtype==2 3) tvc(restfirc_entry) vce(cluster ccode) noshr
```

```
failure _d: failtype == 1
analysis time _t: (endobs-origin)
              origin: time startobs
              id: leadid
```

```
Iteration 0: log pseudolikelihood = -3554.4462
Iteration 1: log pseudolikelihood = -3539.5588
Iteration 2: log pseudolikelihood = -3534.7482
Iteration 3: log pseudolikelihood = -3534.7211
Iteration 4: log pseudolikelihood = -3534.721
```

```
Competing-risks regression      No. of obs      =      10,973
                               No. of subjects =       2,142
Failure event : failtype == 1  No. failed      =        491
Competing events: failtype == 2 3 No. competing   =       1,490
                               No. censored    =         161
```

```
Log pseudolikelihood = -3534.721      Wald chi2(7) =      195.38
                                       Prob > chi2 =       0.0000
```

(Std. Err. adjusted for 164 clusters in ccode)

_t	Coef.	Robust Std. Err.	z	P> z	[95% Conf. Interval]	

main						
leadfirc_entry	1.640278	.2501637	6.56	0.000	1.149966	2.13059
instfirc_entry	1.294763	.5020412	2.58	0.010	.3107804	2.278746
restfirc_entry	-4.146042	1.303295	-3.18	0.001	-6.700453	-1.591631
irreg_entry	1.259699	.1277167	9.86	0.000	1.009379	1.510019
age0	-.0236447	.0039837	-5.94	0.000	-.0314526	-.0158368
powtimes	.2513695	.0790139	3.18	0.001	.0965051	.4062339

tvc						
restfirc_entry	.0006069	.0001321	4.59	0.000	.0003479	.0008659

Note: Variables in tvc equation interacted with _t.

Model 4

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry tmixed tdemparl tdempres trans,
compete(failtype==2 3) tvc(restfirc_entry) vce(cluster ccode) noshr
```

```
failure _d: failtype == 1
analysis time _t: (endobs-origin)
origin: time startobs
id: leadid
```

```
Iteration 0: log pseudolikelihood = -3543.9366
Iteration 1: log pseudolikelihood = -3532.9647
Iteration 2: log pseudolikelihood = -3515.5598
Iteration 3: log pseudolikelihood = -3512.3095
Iteration 4: log pseudolikelihood = -3511.7301
Iteration 5: log pseudolikelihood = -3511.7032
Iteration 6: log pseudolikelihood = -3511.7032
```

```
Competing-risks regression          No. of obs      =    10,989
                                   No. of subjects =     2,152
Failure event   : failtype == 1    No. failed      =     493
Competing events: failtype == 2 3  No. competing   =     1,498
                                   No. censored     =       161

                                   Wald chi2(8)      =     131.12
Log pseudolikelihood = -3511.7032  Prob > chi2     =       0.0000
```

(Std. Err. adjusted for 164 clusters in ccode)

_t	Coef.	Robust Std. Err.	z	P> z	[95% Conf. Interval]	

main						
leadfirc_entry	.791496	.2390924	3.31	0.001	.3228836	1.260108
instfirc_entry	.5653638	.5339675	1.06	0.290	-.4811932	1.611921
restfirc_entry	-4.538357	1.340669	-3.39	0.001	-7.16602	-1.910694
tmixed	-.3093177	.1246631	-2.48	0.013	-.5536528	-.0649826
tdemparl	-2.625491	.2945807	-8.91	0.000	-3.202859	-2.048124
tdempres	-1.534177	.2354203	-6.52	0.000	-1.995592	-1.072761
trans	-.1964443	.185957	-1.06	0.291	-.5609134	.1680247

tvc						
restfirc_entry	.0006075	.000133	4.57	0.000	.0003469	.0008681

Note: Variables in tvc equation interacted with _t.

Model 5

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry lngdpcapL growth tropen2L dopen2 lnpop,
compete(failtype==2 3) tvc(restfirc_entry) vce(cluster ccode) noshr
```

```
failure _d: failtype == 1
analysis time _t: (endobs-origin)
origin: time startobs
id: leadid
```

```
Iteration 0: log pseudolikelihood = -2714.7378
Iteration 1: log pseudolikelihood = -2711.9584
Iteration 2: log pseudolikelihood = -2696.4009
Iteration 3: log pseudolikelihood = -2694.7046
Iteration 4: log pseudolikelihood = -2694.5542
Iteration 5: log pseudolikelihood = -2694.5509
Iteration 6: log pseudolikelihood = -2694.5509
```

```
Competing-risks regression          No. of obs      =      9,390
                                   No. of subjects =      1,854
Failure event   : failtype == 1    No. failed      =       391
Competing events: failtype == 2 3  No. competing   =      1,298
                                   No. censored    =       165
```

```
Log pseudolikelihood = -2694.5509      Wald chi2(9)    =      211.63
                                   Prob > chi2     =       0.0000
```

(Std. Err. adjusted for 156 clusters in ccode)

_t	Coef.	Robust Std. Err.	z	P> z	[95% Conf. Interval]	

main						
leadfirc_entry	.8899191	.296964	3.00	0.003	.3078804	1.471958
instfirc_entry	-.6483575	.9210796	-0.70	0.481	-2.45364	1.156925
restfirc_entry	-4.210936	1.436147	-2.93	0.003	-7.025733	-1.396138
lngdpcapL	-.7670089	.0921685	-8.32	0.000	-.9476559	-.5863619
growth	-3.232415	.5472609	-5.91	0.000	-4.305026	-2.159803
tropen2L	-1.162333	.457052	-2.54	0.011	-2.058139	-.2665277
dopen2	-.3950265	.1970925	-2.00	0.045	-.7813206	-.0087324
lnpop	-.1524953	.048111	-3.17	0.002	-.2467911	-.0581994

tvc						
restfirc_entry	.0005891	.0001323	4.45	0.000	.0003298	.0008484

Note: Variables in tvc equation interacted with _t.

Model 6

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry civwar initiator2 defender2 inherit dwinsh
dlosesesh ddrawsh dwinwar dlosewar ddrawwar, compete(failtype==2 3) tvc(restfirc_entry civwar)
vce(cluster ccode) noshr
```

```
failure _d: failtype == 1
analysis time _t: (endobs-origin)
origin: time startobs
id: leadid
```

```
Iteration 0: log pseudolikelihood = -3583.0556
Iteration 1: log pseudolikelihood = -3578.5185
Iteration 2: log pseudolikelihood = -3569.5598
Iteration 3: log pseudolikelihood = -3568.7208
Iteration 4: log pseudolikelihood = -3568.6497
Iteration 5: log pseudolikelihood = -3568.6492
Iteration 6: log pseudolikelihood = -3568.6492
```

```
Competing-risks regression          No. of obs      =      10,989
                                   No. of subjects =       2,152
Failure event   : failtype == 1    No. failed      =        493
Competing events: failtype == 2 3  No. competing   =       1,498
                                   No. censored     =        161
```

```
Log pseudolikelihood = -3568.6492      Wald chi2(15)   =       307.27
                                           Prob > chi2     =        0.0000
```

(Std. Err. adjusted for 164 clusters in ccode)

_t	Coef.	Robust Std. Err.	z	P> z	[95% Conf. Interval]	

main						
leadfirc_entry	1.036715	.2306055	4.50	0.000	.5847361	1.488693
instfirc_entry	.9756819	.5022873	1.94	0.052	-.008783	1.960147
restfirc_entry	-4.84477	1.449612	-3.34	0.001	-7.685958	-2.003582
civwar	.6440076	.173276	3.72	0.000	.304393	.9836223
initiator2	-1.136055	.391806	-2.90	0.004	-1.90398	-.368129
defender2	-.1040285	.2668439	-0.39	0.697	-.6270329	.4189759
inherit	-.9119097	.3484644	-2.62	0.009	-1.594887	-.2289319
dwinsh	-.5747805	.4728002	-1.22	0.224	-1.501452	.3518909
dlosesesh	1.625007	.3022359	5.38	0.000	1.032635	2.217378
ddrawsh	.0539216	.4138865	0.13	0.896	-.757281	.8651242
dwinwar	-.4246347	.846281	-0.50	0.616	-2.083315	1.234046
dlosewar	3.203614	.3470111	9.23	0.000	2.523484	3.883743
ddrawwar	.2015592	.4280878	0.47	0.638	-.6374774	1.040596

tvc						
restfirc_entry	.0006465	.0001294	5.00	0.000	.0003929	.0009
civwar	.0001316	.0000422	3.12	0.002	.000049	.0002143

Note: Variables in tv equation interacted with _t.

Model 7

```
stcrreg firc_entry irreg_entry age0 powtimes tmixed tdemparl tdempres trans lngdpcapL growth
tropen2L dopen2 lnpop civwar initiator2 defender2 inherit dwinsh dlosesesh ddrawsh dwinwar dlosewar
ddrawwar, compete(failtype==2 3) tvc(civwar) vce(cluster ccode) noshr
```

```
failure _d: failtype == 1
analysis time _t: (endobs-origin)
origin: time startobs
id: leadid
```

```
Iteration 0: log pseudolikelihood = -2644.2287
Iteration 1: log pseudolikelihood = -2604.3023
Iteration 2: log pseudolikelihood = -2577.5429
Iteration 3: log pseudolikelihood = -2572.9683
Iteration 4: log pseudolikelihood = -2571.5948
Iteration 5: log pseudolikelihood = -2571.5189
Iteration 6: log pseudolikelihood = -2571.5188
```

```
Competing-risks regression          No. of obs      =      9,374
                                   No. of subjects =      1,844
Failure event   : failtype == 1    No. failed      =       389
Competing events: failtype == 2 3  No. competing   =      1,290
                                   No. censored    =       165
```

```
                                   Wald chi2(24)   =      527.09
Log pseudolikelihood = -2571.5188  Prob > chi2    =      0.0000
```

(Std. Err. adjusted for 156 clusters in ccode)

_t	Coef.	Robust Std. Err.	z	P> z	[95% Conf. Interval]	

main						
firc_entry	.3877846	.2256119	1.72	0.086	-.0544066	.8299759
irreg_entry	.392375	.1338847	2.93	0.003	.1299658	.6547842
age0	-.0124598	.0047969	-2.60	0.009	-.0218615	-.003058
powtimes	.2526792	.0764504	3.31	0.001	.1028392	.4025193
tmixed	-.2107572	.1291578	-1.63	0.103	-.4639018	.0423874
tdemparl	-1.857429	.3305751	-5.62	0.000	-2.505345	-1.209514
tdempres	-1.168763	.2833564	-4.12	0.000	-1.724131	-.613395
trans	-.5074665	.2219281	-2.29	0.022	-.9424376	-.0724954
lngdpcapL	-.359777	.0896289	-4.01	0.000	-.5354463	-.1841077
growth	-2.317025	.5433898	-4.26	0.000	-3.38205	-1.252001
tropen2L	-1.126026	.4060372	-2.77	0.006	-1.921844	-.3302072
dopen2	-.5218021	.2064339	-2.53	0.011	-.9264052	-.1171991
lnpop	-.1316597	.0471991	-2.79	0.005	-.2241683	-.0391512
civwar	.404722	.1414	2.86	0.004	.127583	.681861
initiator2	-1.588467	.5005213	-3.17	0.002	-2.56947	-.6074631
defender2	-.0155158	.3379737	-0.05	0.963	-.677932	.6469004
inherit	-.9304087	.6335819	-1.47	0.142	-2.172206	.3113889
dwinsh	-.1186445	.4746448	-0.25	0.803	-1.048931	.8116423
dlosesesh	1.527685	.3840638	3.98	0.000	.7749338	2.280436
ddrawsh	.2027395	.5041053	0.40	0.688	-.7852887	1.190768
dwinwar	-5.017935	2.621028	-1.91	0.056	-10.15506	.1191862
dlosewar	2.827207	.4259293	6.64	0.000	1.992401	3.662013
ddrawwar	-.4812938	.432483	-1.11	0.266	-1.328945	.3663574

tvc						
civwar	.000126	.0000459	2.74	0.006	.000036	.0002161

Note: Variables in tvc equation interacted with _t.

Model 8

```

stcrreg leadfirc_entry instfirc_entry restfirc_entry irreg_entry age0 powtimes tmixed tdempar1
tdempres trans lngdpcapL growth tropen2L dopen2 lnpop civwar initiator2 defender2 inherit dwinsh
dloshesh ddrawsh dwinwar dlosewar ddrawwar, compete(failtype==2 3) tvc(restfirc_entry civwar)
vce(cluster ccode) noshr

```

```

failure _d: failtype == 1
analysis time _t: (endobs-origin)
origin: time startobs
id: leadid

```

```

Iteration 0: log pseudolikelihood = -2636.5446
Iteration 1: log pseudolikelihood = -2582.9829
Iteration 2: log pseudolikelihood = -2563.7697
Iteration 3: log pseudolikelihood = -2563.27
Iteration 4: log pseudolikelihood = -2563.2582
Iteration 5: log pseudolikelihood = -2563.2582

```

```

Competing-risks regression          No. of obs      =      9,374
                                   No. of subjects =      1,844
Failure event   : failtype == 1    No. failed      =       389
Competing events: failtype == 2 3  No. competing   =      1,290
                                   No. censored    =       165

                                   Wald chi2(27)    =      627.10
                                   Prob > chi2     =      0.0000
Log pseudolikelihood = -2563.2582

```

(Std. Err. adjusted for 156 clusters in ccode)

_t	Coef.	Robust Std. Err.	z	P> z	[95% Conf. Interval]	
main						
leadfirc_entry	.7350726	.2735897	2.69	0.007	.1988466	1.271299
instfirc_entry	-.133074	.8884237	-0.15	0.881	-1.874352	1.608204
restfirc_entry	-4.72897	1.617989	-2.92	0.003	-7.90017	-1.55777
irreg_entry	.404852	.1321588	3.06	0.002	.1458256	.6638785
age0	-.0122192	.0048287	-2.53	0.011	-.0216832	-.0027552
powtimes	.2670542	.074014	3.61	0.000	.1219895	.4121189
tmixed	-.2113937	.1303872	-1.62	0.105	-.4669479	.0441605
tdempar1	-1.854658	.335906	-5.52	0.000	-2.513021	-1.196294
tdempres	-1.155661	.2900222	-3.98	0.000	-1.724094	-.5872277
trans	-.4586028	.221707	-2.07	0.039	-.8931405	-.024065
lngdpcapL	-.3430201	.0919353	-3.73	0.000	-.5232099	-.1628302
growth	-2.235844	.5497324	-4.07	0.000	-3.3133	-1.158389
tropen2L	-1.052427	.3832606	-2.75	0.006	-1.803604	-.3012504
dopen2	-.4942607	.2065095	-2.39	0.017	-.8990119	-.0895095
lnpop	-.1409367	.0489865	-2.88	0.004	-.2369485	-.044925
civwar	.3800259	.1469996	2.59	0.010	.091912	.6681399
initiator2	-1.561498	.4974841	-3.14	0.002	-2.536549	-.5864469
defender2	-.0240782	.3345076	-0.07	0.943	-.6797011	.6315447
inherit	-.7475187	.592596	-1.26	0.207	-1.908986	.4139482
dwinsh	-.1315028	.4839256	-0.27	0.786	-1.079979	.8169739
dloshesh	1.456094	.3684724	3.95	0.000	.7339012	2.178287
ddrawsh	.1913782	.5018834	0.38	0.703	-.7922952	1.175052
dwinwar	-4.841235	2.509408	-1.93	0.054	-9.759585	.0771145
dlosewar	2.855267	.420487	6.79	0.000	2.031128	3.679406
ddrawwar	-.4705119	.4378889	-1.07	0.283	-1.328758	.3877346
tvc						
restfirc_entry	.0006075	.0001266	4.80	0.000	.0003594	.0008556
civwar	.0001295	.0000456	2.84	0.005	.0000401	.0002188

Note: Variables in tv equation interacted with _t.

TABLE 4.3. COMPETING RISKS ANALYSIS OF IRREGULAR REMOVAL FROM OFFICE, 1919-2004, LEADER-YEAR DATA: IMPUTED DATA (COEFFICIENTS INSTEAD OF HAZARD RATIOS)

Code for Imputation

```
mi set mlong

mi register imputed lngdpcapL growth tropen2L dopen2 lnpop age0
(1615 m=0 obs. now marked as incomplete)

mi register regular tmixed tdemparl tdempres trans civwar powtimes initiator2 defender2 inherit
dwinsh dloesh ddrawsh dwinwar dlosewar ddrawwar firc_entry leadfirc_entry instfirc_entry
restfirc_entry failtype

mi impute chained (regress) lngdpcapL growth tropen2L dopen2 lnpop age0 = tmixed tdemparl
tdempres trans civwar powtimes initiator2 defender2 inherit dwinsh dloesh ddrawsh dwinwar
dlosewar ddrawwar leadfirc_entry instfirc_entry restfirc_entry failtype, add(5)
```

Code for Models

```
Data = Irregular-Leaderyear-Compete.dta and Irregular-Leaderyear-Compete-Imputed.dta

stcrreg firc_entry, compete(failtype==2 3) vce(cluster ccode) noshr

stcrreg leadfirc_entry instfirc_entry restfirc_entry, compete(failtype==2 3) tvc(restfirc_entry)
vce(cluster ccode) noshr

mi estimate: stcrreg leadfirc_entry instfirc_entry restfirc_entry irreg_entry age0 powtimes,
compete(failtype==2 3) tvc(restfirc_entry) vce(cluster ccode)

stcrreg leadfirc_entry instfirc_entry restfirc_entry tmixed tdemparl tdempres trans,
compete(failtype==2 3) tvc(restfirc_entry) vce(cluster ccode) noshr

mi estimate: stcrreg leadfirc_entry instfirc_entry restfirc_entry lngdpcapL growth tropen2L
dopen2 lnpop, compete(failtype==2 3) tvc(restfirc_entry) vce(cluster ccode)

stcrreg leadfirc_entry instfirc_entry restfirc_entry civwar initiator2 defender2 inherit dwinsh
dloesh ddrawsh dwinwar dlosewar ddrawwar, compete(failtype==2 3) tvc(restfirc_entry civwar)
vce(cluster ccode) noshr

mi estimate: stcrreg firc_entry irreg_entry age0 powtimes tmixed tdemparl tdempres trans
lngdpcapL growth tropen2L dopen2 lnpop civwar initiator2 defender2 inherit dwinsh dloesh ddrawsh
dwinwar dlosewar ddrawwar, compete(failtype==2 3) tvc(civwar) vce(cluster ccode)

mi estimate: stcrreg leadfirc_entry instfirc_entry restfirc_entry irreg_entry age0 powtimes
tmixed tdemparl tdempres trans lngdpcapL growth tropen2L dopen2 lnpop civwar initiator2 defender2
inherit dwinsh dloesh ddrawsh dwinwar dlosewar ddrawwar, compete(failtype==2 3)
tvc(restfirc_entry civwar) vce(cluster ccode)
```

Model 1 (Not imputed)

Data = Irregular-Leaderyear-Compete.dta

stcrreg firc_entry, compete(failtype==2 3) vce(cluster ccode) noshr

failure _d: failtype == 1
analysis time _t: (endobs-origin)
origin: time startobs
id: leadid

Iteration 0: log pseudolikelihood = -3673.7137
Iteration 1: log pseudolikelihood = -3672.4118
Iteration 2: log pseudolikelihood = -3672.3752
Iteration 3: log pseudolikelihood = -3672.3752

Competing-risks regression	No. of obs	=	10,989
	No. of subjects	=	2,152
Failure event : failtype == 1	No. failed	=	493
Competing events: failtype == 2 3	No. competing	=	1,498
	No. censored	=	161

	Wald chi2(1)	=	20.17
Log pseudolikelihood = -3672.3752	Prob > chi2	=	0.0000

(Std. Err. adjusted for 164 clusters in ccode)

_t	Coef.	Robust Std. Err.	z	P> z	[95% Conf. Interval]
firc_entry	.8449459	.1881177	4.49	0.000	.4762421 1.21365

Model 2 (Not imputed)

Data = Irregular-Leaderyear-Compete.dta

stcrreg leadfirc_entry instfirc_entry restfirc_entry, compete(failtype==2 3) tvc(restfirc_entry)
vce(cluster ccode) noshr

failure _d: failtype == 1
analysis time _t: (endobs-origin)
origin: time startobs
id: leadid

Iteration 0: log pseudolikelihood = -3660.9292
Iteration 1: log pseudolikelihood = -3659.5071
Iteration 2: log pseudolikelihood = -3658.8125
Iteration 3: log pseudolikelihood = -3658.7295
Iteration 4: log pseudolikelihood = -3658.7288
Iteration 5: log pseudolikelihood = -3658.7288

Competing-risks regression	No. of obs	=	10,989
	No. of subjects	=	2,152
Failure event : failtype == 1	No. failed	=	493
Competing events: failtype == 2 3	No. competing	=	1,498
	No. censored	=	161

Log pseudolikelihood = -3658.7288	Wald chi2(4)	=	56.50
	Prob > chi2	=	0.0000

(Std. Err. adjusted for 164 clusters in ccode)

_t	Coef.	Robust Std. Err.	z	P> z	[95% Conf. Interval]	

main						
leadfirc_entry	1.351679	.2372407	5.70	0.000	.886696	1.816663
instfirc_entry	.762995	.4989303	1.53	0.126	-.2148905	1.74088
restfirc_entry	-4.328641	1.326032	-3.26	0.001	-6.927617	-1.729665

tvc						
restfirc_entry	.0006063	.0001313	4.62	0.000	.000349	.0008635

Note: Variables in tvc equation interacted with _t.

Model 3 (Imputed)

Data = Irregular-Leaderyear-Compete-Imputed.dta

mi estimate: stcrreg leadfirc_entry instfirc_entry restfirc_entry irreg_entry age0 powtimes,
 compete(failtype==2 3) tvc(restfirc_entry) vce(cluster ccode)
 (60 values of regular variable trans in m>0 updated to match values in m=0)

Multiple-imputation estimates		Imputations	=	5
Competing-risks regression		Number of obs	=	10,989
		Average RVI	=	0.0005
		Largest FMI	=	0.0032
DF adjustment:	Large sample	DF: min	=	382,432.04
		avg	=	1.51e+14
		max	=	1.06e+15
Model F test:	Equal FMI	F(7, 7.5e+07)	=	28.06
Within VCE type:	Robust	Prob > F	=	0.0000

(Within VCE adjusted for 164 clusters in ccode)

_t	Coef.	Std. Err.	t	P> t	[95% Conf. Interval]	

main						
leadfirc_entry	1.640376	.2494895	6.57	0.000	1.151386	2.129367
instfirc_entry	1.296224	.5014399	2.59	0.010	.3134201	2.279029
restfirc_entry	-4.141687	1.302313	-3.18	0.001	-6.694173	-1.589202
irreg_entry	1.255382	.1277315	9.83	0.000	1.005033	1.505731
age0	-.0236634	.003999	-5.92	0.000	-.0315013	-.0158255
powtimes	.253018	.0787478	3.21	0.001	.0986752	.4073609

tvc						
restfirc_entry	.0006071	.0001321	4.60	0.000	.0003483	.000866

Model 4 (Not imputed)

Data = Irregular-Leaderyear-Compete.dta

stcrreg leadfirc_entry instfirc_entry restfirc_entry tmixed tdemparl tdempres trans,
 compete(failtype==2 3) tvc(restfirc_entry) vce(cluster ccode) noshr

failure _d: failtype == 1
 analysis time _t: (endobs-origin)
 origin: time startobs
 id: leadid

Iteration 0: log pseudolikelihood = -3543.9366
 Iteration 1: log pseudolikelihood = -3532.9647
 Iteration 2: log pseudolikelihood = -3515.5598
 Iteration 3: log pseudolikelihood = -3512.3095
 Iteration 4: log pseudolikelihood = -3511.7301
 Iteration 5: log pseudolikelihood = -3511.7032
 Iteration 6: log pseudolikelihood = -3511.7032

Competing-risks regression	No. of obs	=	10,989
	No. of subjects	=	2,152
Failure event : failtype == 1	No. failed	=	493
Competing events: failtype == 2 3	No. competing	=	1,498
	No. censored	=	161

Log pseudolikelihood = -3511.7032	Wald chi2(8)	=	131.12
	Prob > chi2	=	0.0000

(Std. Err. adjusted for 164 clusters in ccode)

_t	Coef.	Robust Std. Err.	z	P> z	[95% Conf. Interval]	

main						
leadfirc_entry	.791496	.2390924	3.31	0.001	.3228836	1.260108
instfirc_entry	.5653638	.5339675	1.06	0.290	-.4811932	1.611921
restfirc_entry	-4.538357	1.340669	-3.39	0.001	-7.16602	-1.910694
tmixed	-.3093177	.1246631	-2.48	0.013	-.5536528	-.0649826
tdemparl	-2.625491	.2945807	-8.91	0.000	-3.202859	-2.048124
tdempres	-1.534177	.2354203	-6.52	0.000	-1.995592	-1.072761
trans	-.1964443	.185957	-1.06	0.291	-.5609134	.1680247

tvc						
restfirc_entry	.0006075	.000133	4.57	0.000	.0003469	.0008681

Note: Variables in tvc equation interacted with _t.

Model 5 (Imputed)

Data = Irregular-Leaderyear-Compete-Imputed.dta

mi estimate: stcrreg leadfirc_entry instfirc_entry restfirc_entry lngdpcapL growth tropen2L
dopen2 lnpop, compete(failtype==2 3) tvc(restfirc_entry) vce(cluster ccode)

Multiple-imputation estimates		Imputations	=	5
Competing-risks regression		Number of obs	=	10,989
		Average RVI	=	0.1123
		Largest FMI	=	0.3247
DF adjustment:	Large sample	DF: min	=	45.73
		avg	=	1.53e+08
		max	=	8.89e+08
Model F test:	Equal FMI	F(9, 2839.4)	=	16.23
Within VCE type:	Robust	Prob > F	=	0.0000

(Within VCE adjusted for 164 clusters in ccode)

_t	Coef.	Std. Err.	t	P> t	[95% Conf. Interval]	

main						
leadfirc_entry	.7838149	.2692966	2.91	0.004	.2554771	1.312153
instfirc_entry	.635846	.5053092	1.26	0.208	-.3547554	1.626447
restfirc_entry	-4.428531	1.428869	-3.10	0.002	-7.229064	-1.627999
lngdpcapL	-.6817005	.0785804	-8.68	0.000	-.8360691	-.5273319
growth	-2.655289	.4650791	-5.71	0.000	-3.567512	-1.743067
tropen2L	-.3885852	.2654159	-1.46	0.150	-.9229253	.1457549
dopen2	-.3225475	.231358	-1.39	0.168	-.7836474	.1385524
lnpop	-.0740552	.0412142	-1.80	0.072	-.1548759	.0067655

tvc						
restfirc_entry	.0006154	.0001347	4.57	0.000	.0003515	.0008794

Model 6 (Not Imputed)

Data = Irregular-Leaderyear-Compete.dta

```

stcrreg leadfirc_entry instfirc_entry restfirc_entry civwar initiator2 defender2 inherit dwinsh
dlosesesh ddrawsh dwinwar dlosewar ddrawwar, compete(failtype==2 3) tvc(restfirc_entry civwar)
vce(cluster ccode) noshr

```

```

failure _d: failtype == 1
analysis time _t: (endobs-origin)
origin: time startobs
id: leadid

```

```

Iteration 0: log pseudolikelihood = -3583.0556
Iteration 1: log pseudolikelihood = -3578.5185
Iteration 2: log pseudolikelihood = -3569.5598
Iteration 3: log pseudolikelihood = -3568.7208
Iteration 4: log pseudolikelihood = -3568.6497
Iteration 5: log pseudolikelihood = -3568.6492
Iteration 6: log pseudolikelihood = -3568.6492

```

```

Competing-risks regression          No. of obs      =    10,989
                                   No. of subjects =     2,152
Failure event : failtype == 1      No. failed      =     493
Competing events: failtype == 2 3  No. competing   =    1,498
                                   No. censored    =     161

```

```

Log pseudolikelihood = -3568.6492      Wald chi2(15) =    307.27
                                       Prob > chi2   =     0.0000

```

(Std. Err. adjusted for 164 clusters in ccode)

	_t	Coef.	Robust Std. Err.	z	P> z	[95% Conf. Interval]	
main							
	leadfirc_entry	1.036715	.2306055	4.50	0.000	.5847361	1.488693
	instfirc_entry	.9756819	.5022873	1.94	0.052	-.008783	1.960147
	restfirc_entry	-4.84477	1.449612	-3.34	0.001	-7.685958	-2.003582
	civwar	.6440076	.173276	3.72	0.000	.304393	.9836223
	initiator2	-1.136055	.391806	-2.90	0.004	-1.90398	-.368129
	defender2	-.1040285	.2668439	-0.39	0.697	-.6270329	.4189759
	inherit	-.9119097	.3484644	-2.62	0.009	-1.594887	-.2289319
	dwinsh	-.5747805	.4728002	-1.22	0.224	-1.501452	.3518909
	dlosesesh	1.625007	.3022359	5.38	0.000	1.032635	2.217378
	ddrawsh	.0539216	.4138865	0.13	0.896	-.757281	.8651242
	dwinwar	-.4246347	.846281	-0.50	0.616	-2.083315	1.234046
	dlosewar	3.203614	.3470111	9.23	0.000	2.523484	3.883743
	ddrawwar	.2015592	.4280878	0.47	0.638	-.6374774	1.040596
tvc							
	restfirc_entry	.0006465	.0001294	5.00	0.000	.0003929	.0009
	civwar	.0001316	.0000422	3.12	0.002	.000049	.0002143

Note: Variables in tv equation interacted with _t.

Model 7 (Imputed)

Data = Irregular-Leaderyear-Compete-Imputed.dta

mi estimate: stcrreg firc_entry irreg_entry age0 powtimes tmixed tdemparl tdempres trans
 lngdpcapL growth tropen2L dopen2 lnpop civwar initiator2 defender2 inherit dwinsh dlosesesh ddrawsh
 dwinwar dlosewar ddrawwar, compete(failtype==2 3) tvc(civwar) vce(cluster ccode)
 (60 values of regular variable trans in m>0 updated to match values in m=0)

Multiple-imputation estimates	Imputations	=	5
Competing-risks regression	Number of obs	=	10,989
	Average RVI	=	0.0838
	Largest FMI	=	0.4569
DF adjustment: Large sample	DF: min	=	23.50
	avg	=	382,579.06
	max	=	2875297.04
Model F test: Equal FMI	F(24,14815.2)	=	26.15
Within VCE type: Robust	Prob > F	=	0.0000

(Within VCE adjusted for 164 clusters in ccode)

_t	Coef.	Std. Err.	t	P> t	[95% Conf. Interval]	

main						
firc_entry	.5504018	.1999859	2.75	0.006	.1584335	.9423702
irreg_entry	.5913419	.1268992	4.66	0.000	.3426237	.8400601
age0	-.0140679	.0039887	-3.53	0.000	-.0218857	-.0062501
powtimes	.267192	.0640742	4.17	0.000	.1415929	.3927912
tmixed	-.0881445	.1201418	-0.73	0.463	-.3236188	.1473299
tdemparl	-1.92955	.3092254	-6.24	0.000	-2.535625	-1.323475
tdempres	-.9638822	.2359563	-4.09	0.000	-1.426352	-.5014121
trans	-.4218118	.1861013	-2.27	0.023	-.7865661	-.0570576
lngdpcapL	-.275728	.0783924	-3.52	0.001	-.4311404	-.1203157
growth	-1.620653	.4387087	-3.69	0.000	-2.482998	-.7583091
tropen2L	-.4503852	.285516	-1.58	0.128	-1.040321	.1395509
dopen2	-.3232835	.2370493	-1.36	0.181	-.8038955	.1573284
lnpop	-.0503667	.0371542	-1.36	0.176	-.1232763	.0225428
civwar	.3991949	.1181181	3.38	0.001	.1676714	.6307183
initiator2	-1.387572	.4217485	-3.29	0.001	-2.214189	-.5609546
defender2	.1299883	.2798462	0.46	0.642	-.418504	.6784805
inherit	-.8783341	.4097671	-2.14	0.032	-1.681471	-.0751973
dwinsh	-.2574016	.4267896	-0.60	0.546	-1.093894	.5790912
dlosesesh	1.51835	.3191276	4.76	0.000	.892867	2.143833
ddrawsh	.201427	.4122416	0.49	0.625	-.606552	1.009406
dwinwar	-.7657841	.8274835	-0.93	0.355	-2.388487	.856919
dlosewar	2.889321	.3452665	8.37	0.000	2.2126	3.566042
ddrawwar	-.2899835	.4773979	-0.61	0.544	-1.225668	.6457011

tvc						
civwar	.0001269	.0000424	3.00	0.003	.0000439	.0002099

Model 8 (Imputed)

Data = Irregular-Leaderyear-Compete-Imputed.dta

```
mi estimate: stcrreg leadfirc_entry instfirc_entry restfirc_entry irreg_entry age0 powtimes
tmixed tdemparl tdempres trans lngdpcapL growth tropen2L dopen2 lnpop civwar initiator2 defender2
inherit dwinsh dlosesesh ddrawsh dwinwar dlosewar ddrawwar, compete(failtype==2 3)
tvc(restfirc_entry civwar) vce(cluster ccode)
```

```
Multiple-imputation estimates      Imputations      =      5
Competing-risks regression        Number of obs    =    10,989
                                   Average RVI       =     0.0689
                                   Largest FMI       =     0.4273
DF adjustment: Large sample        DF: min         =     26.82
                                   avg              =    3.01e+07
                                   max              =    6.04e+08
Model F test: Equal FMI           F( 27,24161.3) =     26.46
Within VCE type: Robust           Prob > F        =     0.0000
```

(Within VCE adjusted for 164 clusters in ccode)

_t	Coef.	Std. Err.	t	P> t	[95% Conf. Interval]	
main						
leadfirc_entry	.7503484	.2297461	3.27	0.001	.300004	1.200693
instfirc_entry	1.165258	.5145982	2.26	0.024	.1566445	2.173872
restfirc_entry	-4.882907	1.597917	-3.06	0.002	-8.014767	-1.751046
irreg_entry	.6025203	.1260573	4.78	0.000	.3554522	.8495884
age0	-.0147458	.0040602	-3.63	0.000	-.0227037	-.006788
powtimes	.2861425	.0617329	4.64	0.000	.1651275	.4071574
tmixed	-.0679966	.1215408	-0.56	0.576	-.306213	.1702198
tdemparl	-1.909413	.3125963	-6.11	0.000	-2.522095	-1.296731
tdempres	-.9519193	.2380506	-4.00	0.000	-1.418494	-.4853445
trans	-.3766869	.1838149	-2.05	0.040	-.7369597	-.0164141
lngdpcapL	-.262197	.0797805	-3.29	0.001	-.4201359	-.1042581
growth	-1.545192	.4402934	-3.51	0.000	-2.410316	-.6800682
tropen2L	-.4076201	.2730759	-1.49	0.147	-.9681003	.15286
dopen2	-.3045348	.2373862	-1.28	0.207	-.7842921	.1752226
lnpop	-.0557288	.0384067	-1.45	0.147	-.1310662	.0196087
civwar	.3872274	.1214427	3.19	0.001	.1491933	.6252614
initiator2	-1.385256	.4173272	-3.32	0.001	-2.203205	-.5673069
defender2	.1075011	.276189	0.39	0.697	-.4338232	.6488253
inherit	-.7967487	.3735584	-2.13	0.033	-1.528925	-.064572
dwinsh	-.3187801	.4312764	-0.74	0.460	-1.164067	.5265068
dlosesesh	1.514006	.3082683	4.91	0.000	.9098066	2.118206
ddrawsh	.2019874	.4109691	0.49	0.623	-.6034976	1.007472
dwinwar	-.7320103	.8297666	-0.88	0.378	-2.35899	.8949695
dlosewar	2.965186	.338824	8.75	0.000	2.30109	3.629283
ddrawwar	-.2730098	.4766247	-0.57	0.567	-1.20718	.6611604
tvc						
restfirc_entry	.0006424	.0001299	4.95	0.000	.0003878	.000897
civwar	.0001307	.0000416	3.14	0.002	.0000491	.0002123

CODE FOR TABLE 4.4. COMPETING RISKS ANALYSIS OF IRREGULAR REMOVAL FROM OFFICE, 1875-2004, LEADER-SPELL DATA

Data = Irregular-Leaderspell-Compete.dta

```
stcrreg foreign_entryabd, compete(failtype==2 3) vce(cluster ccode)
```

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry, compete(failtype==2 3) vce(cluster ccode)
```

```
stcrreg foreign_entryabd irreg_entryabd lnpec4_fill lntpop4_banks mountainous newstate losewar  
cw1000ongoing2014 gdbuffer leaderage prevtimesinoffice pol_democ pol_mixed, compete(failtype==2  
3) vce(cluster ccode)
```

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry irreg_entryabd lnpec4_fill lntpop4_banks  
mountainous newstate losewar gdbuffer cw1000ongoing2014 leaderage prevtimesinoffice pol_democ  
pol_mixed, compete(failtype==2 3) vce(cluster ccode)
```

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry irreg_entryabd lnpec4_fill lntpop4_banks  
mountainous newstate losewar gdbuffer cw1000ongoing2014 leaderage prevtimesinoffice pol_democ  
pol_mixed elfroeder oil_colgan if year>1945, compete(failtype==2 3) vce(cluster ccode)
```

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry irreg_entryabd lnpec4_fill lntpop4_banks  
mountainous newstate losewar gdbuffer cw1000ongoing2014 leaderage prevtimesinoffice pol_democ  
pol_mixed ldiscrimpop if year>1945, compete(failtype==2 3) vce(cluster ccode)
```

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry irreg_entryabd lnpec4_fill lntpop4_banks  
mountainous newstate losewar gdbuffer cw1000ongoing2014 leaderage prevtimesinoffice pol_democ  
pol_mixed lexclpop if year>1945, compete(failtype==2 3) vce(cluster ccode)
```

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry irreg_entryabd lnpec4_fill lntpop4_banks  
mountainous newstate losewar gdbuffer cw1000ongoing2014 leaderage prevtimesinoffice pol_democ  
pol_mixed oil_ross, compete(failtype==2 3) vce(cluster ccode)
```

TABLE 4.4. COMPETING RISKS ANALYSIS OF IRREGULAR REMOVAL FROM OFFICE, 1875-2004, LEADER-SPELL DATA: COMPLETE RESULTS

Data = Irregular-Leaderspell-Compete.dta

Model 1

stcrreg foreign_entryabd, compete(failtype==2 3) vce(cluster ccode)

failure _d: failtype == 1
analysis time _t: tenure

Iteration 0: log pseudolikelihood = -5188.5809
Iteration 1: log pseudolikelihood = -5187.2926
Iteration 2: log pseudolikelihood = -5187.2744
Iteration 3: log pseudolikelihood = -5187.2744

Competing-risks regression	No. of obs	=	3,057
	No. of subjects	=	3,057
Failure event : failtype == 1	No. failed	=	664
Competing events: failtype == 2 3	No. competing	=	2,222
	No. censored	=	171

Log pseudolikelihood = -5187.2744	Wald chi2(1)	=	32.89
	Prob > chi2	=	0.0000

(Std. Err. adjusted for 186 clusters in ccode)

_t	SHR	Robust Std. Err.	z	P> z	[95% Conf. Interval]
foreign_entryabd	2.767396	.4911772	5.74	0.000	1.954313 3.91876

Model 2

stcrreg leadfirc_entry instfirc_entry restfirc_entry, compete(failtype==2 3) vce(cluster ccode)

failure _d: failtype == 1
analysis time _t: tenure

Iteration 0: log pseudolikelihood = -5177.1266
Iteration 1: log pseudolikelihood = -5175.3916
Iteration 2: log pseudolikelihood = -5175.3483
Iteration 3: log pseudolikelihood = -5175.3483

Competing-risks regression		No. of obs	=	3,057
		No. of subjects	=	3,057
Failure event	: failtype == 1	No. failed	=	664
Competing events:	failtype == 2 3	No. competing	=	2,222
		No. censored	=	171
		Wald chi2(3)	=	61.98
Log pseudolikelihood = -5175.3483		Prob > chi2	=	0.0000

(Std. Err. adjusted for 186 clusters in ccode)

_t	SHR	Robust Std. Err.	z	P> z	[95% Conf. Interval]	
leadfirc_entry	4.36155	.8426781	7.62	0.000	2.986645	6.369396
instfirc_entry	1.701365	.7954089	1.14	0.256	.6805347	4.253482
restfirc_entry	.4279066	.287642	-1.26	0.207	.1145948	1.597839

Model 3

```
stcrreg foreign_entryabd irreg_entryabd lnpec4_fill lntpop4_banks mountainous newstate losewar
cw1000ongoing2014 gdbuffer leaderage prevtimesinoffice pol_democ pol_mixed, compete(failtype==2
3) vce(cluster ccode)
```

```
failure _d: failtype == 1
analysis time _t: tenure
```

```
Iteration 0: log pseudolikelihood = -4536.3304
Iteration 1: log pseudolikelihood = -4485.4858
Iteration 2: log pseudolikelihood = -4483.5609
Iteration 3: log pseudolikelihood = -4483.5596
Iteration 4: log pseudolikelihood = -4483.5596
```

```
Competing-risks regression          No. of obs      =      2,876
                                   No. of subjects =      2,876
Failure event   : failtype == 1    No. failed      =       612
Competing events: failtype == 2 3  No. competing   =      2,102
                                   No. censored    =       162
```

```
Log pseudolikelihood = -4483.5596      Wald chi2(13)   =      284.18
                                           Prob > chi2     =      0.0000
```

(Std. Err. adjusted for 172 clusters in ccode)

_t	SHR	Robust Std. Err.	z	P> z	[95% Conf. Interval]	
foreign_entryabd	2.219985	.4089222	4.33	0.000	1.547242	3.185237
irreg_entryabd	2.296938	.226096	8.45	0.000	1.893924	2.785712
lnpec4_fill	.915792	.0151593	-5.31	0.000	.8865571	.9459909
lntpop4_banks	1.100404	.0514858	2.04	0.041	1.003982	1.206086
mountainous	.9485646	.2476272	-0.20	0.840	.5686654	1.582257
newstate	1.54596	.2188678	3.08	0.002	1.171359	2.040357
losewar	1.320029	.2985901	1.23	0.220	.8473095	2.056482
cw1000ongoing2014	1.053938	.1285673	0.43	0.667	.8298112	1.338601
gdbuffer	.8310572	.1383973	-1.11	0.266	.5996238	1.151816
leaderage	.9884072	.0037492	-3.07	0.002	.9810861	.995783
prevtimesinoffice	1.244942	.0792626	3.44	0.001	1.098892	1.410403
pol_democ	.2433958	.053067	-6.48	0.000	.158755	.373163
pol_mixed	.8531381	.0873321	-1.55	0.121	.6980483	1.042685

Model 4

stcrreg leadfirc_entry instfirc_entry restfirc_entry irreg_entryabd lnpec4_fill lntpop4_banks mountainous newstate losewar gdbuffer cw1000ongoing2014 leaderage prevtimesinoffice pol_democ pol_mixed, compete(failtype==2 3) vce(cluster ccode)

failure_d: failtype == 1
analysis time_t: tenure

Iteration 0: log pseudolikelihood = -4530.8224
Iteration 1: log pseudolikelihood = -4478.788
Iteration 2: log pseudolikelihood = -4476.4766
Iteration 3: log pseudolikelihood = -4476.4741
Iteration 4: log pseudolikelihood = -4476.4741

Competing-risks regression No. of obs = 2,876
No. of subjects = 2,876
Failure event : failtype == 1 No. failed = 612
Competing events: failtype == 2 3 No. competing = 2,102
No. censored = 162

Log pseudolikelihood = -4476.4741 Wald chi2(15) = 292.60
Prob > chi2 = 0.0000

(Std. Err. adjusted for 172 clusters in ccode)

Table with 7 columns: _t, SHR, Robust Std. Err., z, P>|z|, [95% Conf. Interval]. Rows include variables like leadfirc_entry, instfirc_entry, restfirc_entry, etc.

Model 5

stcrreg leadfirc_entry instfirc_entry restfirc_entry irreg_entryabd lnpec4_fill lntpop4_banks mountainous newstate losewar gdbuffer cw1000ongoing2014 leaderage prevtimesinoffice pol_democ pol_mixed elfroeder oil_colgan if year>1945, compete(failtype==2 3) vce(cluster ccode)

failure_d: failtype == 1
analysis time_t: tenure

Iteration 0: log pseudolikelihood = -2247.3667
Iteration 1: log pseudolikelihood = -2216.1482
Iteration 2: log pseudolikelihood = -2215.2422
Iteration 3: log pseudolikelihood = -2215.2409
Iteration 4: log pseudolikelihood = -2215.2409

Competing-risks regression
Failure event : failtype == 1
Competing events: failtype == 2 3

No. of obs	=	1,619
No. of subjects	=	1,619
No. failed	=	335
No. competing	=	1,126
No. censored	=	158

Log pseudolikelihood = -2215.2409	Wald chi2(17)	=	956.78
	Prob > chi2	=	0.0000

(Std. Err. adjusted for 167 clusters in ccode)

_t	SHR	Robust Std. Err.	z	P> z	[95% Conf. Interval]	
leadfirc_entry	3.249359	1.064173	3.60	0.000	1.710122	6.174022
instfirc_entry	2.48e-08	2.31e-08	-18.78	0.000	3.98e-09	1.54e-07
restfirc_entry	.2540902	.2368864	-1.47	0.142	.0408714	1.579635
irreg_entryabd	1.895087	.2881501	4.20	0.000	1.406705	2.553026
lnpec4_fill	.8859289	.0201388	-5.33	0.000	.8473239	.9262928
lntpop4_banks	1.112073	.0585669	2.02	0.044	1.003009	1.232995
mountainous	.6983946	.2240538	-1.12	0.263	.3724129	1.309716
newstate	1.254073	.1980387	1.43	0.152	.9202463	1.708998
losewar	2.297893	1.336354	1.43	0.153	.7350352	7.183755
gdbuffer	.7179094	.198814	-1.20	0.231	.4171983	1.235369
cw1000ongoing2014	1.116323	.168467	0.73	0.466	.8304877	1.500537
leaderage	.9931429	.0053219	-1.28	0.199	.9827668	1.003629
prevtimesinoffice	1.38639	.1286262	3.52	0.000	1.15588	1.662869
pol_democ	.20213	.0570951	-5.66	0.000	.1161968	.3516149
pol_mixed	.9281916	.1243764	-0.56	0.578	.7138021	1.206973
elfroeder	.9298086	.2293968	-0.29	0.768	.573311	1.507984
oil_colgan	1.331267	.2624576	1.45	0.147	.9045901	1.959199

Model 6

```

stcrreg leadfirc_entry instfirc_entry restfirc_entry irreg_entryabd lnpec4_fill lntpop4_banks
mountainous newstate losewar gdbuffer cw1000ongoing2014 leaderage prevtimesinoffice pol_democ
pol_mixed ldiscrimpop if year>1945, compete(failtype==2 3) vce(cluster ccode)

```

```

failure _d: failtype == 1
analysis time _t: tenure

```

```

Iteration 0: log pseudolikelihood = -2142.1762
Iteration 1: log pseudolikelihood = -2110.6587
Iteration 2: log pseudolikelihood = -2109.8518
Iteration 3: log pseudolikelihood = -2109.8498
Iteration 4: log pseudolikelihood = -2109.8498

```

```

Competing-risks regression           No. of obs      =      1,551
                                     No. of subjects =      1,551
Failure event   : failtype == 1      No. failed      =       321
Competing events: failtype == 2 3    No. competing   =      1,081
                                     No. censored   =       149

```

```

Log pseudolikelihood = -2109.8498      Wald chi2(16)   =      875.26
                                     Prob > chi2     =      0.0000

```

(Std. Err. adjusted for 158 clusters in ccode)

_t	SHR	Robust Std. Err.	z	P> z	[95% Conf. Interval]	
leadfirc_entry	2.855239	1.099154	2.73	0.006	1.342653	6.071854
instfirc_entry	3.08e-07	2.52e-07	-18.30	0.000	6.17e-08	1.53e-06
restfirc_entry	.2913069	.2825484	-1.27	0.204	.0435253	1.949664
irreg_entryabd	1.855831	.2881782	3.98	0.000	1.368868	2.516027
lnpec4_fill	.8897394	.0202262	-5.14	0.000	.850967	.9302784
lntpop4_banks	1.113557	.0657788	1.82	0.069	.9918165	1.250241
mountainous	.6064062	.2258885	-1.34	0.179	.2922052	1.25846
newstate	1.145629	.1941182	0.80	0.422	.8218911	1.596885
losewar	2.292222	1.376457	1.38	0.167	.7065104	7.436948
gdbuffer	.7269212	.1983512	-1.17	0.242	.4258183	1.240939
cw1000ongoing2014	1.128173	.1725321	0.79	0.430	.8359897	1.522476
leaderage	.9906446	.0054116	-1.72	0.085	.9800945	1.001308
prevtimesinoffice	1.417543	.1294454	3.82	0.000	1.185242	1.695372
pol_democ	.2016437	.0564615	-5.72	0.000	.1164777	.3490811
pol_mixed	.912882	.1266165	-0.66	0.511	.6955898	1.198053
ldiscrimpop	1.129977	.3288631	0.42	0.675	.6387635	1.998938

Model 7

stcrreg leadfirc_entry instfirc_entry restfirc_entry irreg_entryabd lnpec4_fill lntpop4_banks mountainous newstate losewar gdbuffer cw1000ongoing2014 leaderage prevtimesinoffice pol_democ pol_mixed lexclpop if year>1945, compete(failtype==2 3) vce(cluster ccode)

failure_d: failtype == 1
analysis time_t: tenure

Iteration 0: log pseudolikelihood = -2141.7805
Iteration 1: log pseudolikelihood = -2110.286
Iteration 2: log pseudolikelihood = -2109.4698
Iteration 3: log pseudolikelihood = -2109.4678
Iteration 4: log pseudolikelihood = -2109.4678

Competing-risks regression No. of obs = 1,551
No. of subjects = 1,551
Failure event : failtype == 1 No. failed = 321
Competing events: failtype == 2 3 No. competing = 1,081
No. censored = 149

Log pseudolikelihood = -2109.4678 Wald chi2(16) = 837.54
Prob > chi2 = 0.0000

(Std. Err. adjusted for 158 clusters in ccode)

Table with 7 columns: _t, SHR, Robust Std. Err., z, P>|z|, [95% Conf. Interval]. Rows include variables like leadfirc_entry, instfirc_entry, restfirc_entry, etc.

Model 8

stcrreg leadfirc_entry instfirc_entry restfirc_entry irreg_entryabd lnpec4_fill lntpop4_banks
 mountainous newstate losewar gdbuffer cw1000ongoing2014 leaderage prevtimesinoffice pol_democ
 pol_mixed oil_ross, compete(failtype==2 3) vce(cluster ccode)

failure_d: failtype == 1
 analysis time_t: tenure

Iteration 0: log pseudolikelihood = -1594.8344
 Iteration 1: log pseudolikelihood = -1573.2408
 Iteration 2: log pseudolikelihood = -1572.8338
 Iteration 3: log pseudolikelihood = -1572.8333
 Iteration 4: log pseudolikelihood = -1572.8333

Competing-risks regression	No. of obs	=	1,261
	No. of subjects	=	1,261
Failure event : failtype == 1	No. failed	=	247
Competing events: failtype == 2 3	No. competing	=	860
	No. censored	=	154

Log pseudolikelihood = -1572.8333	Wald chi2(16)	=	3102.47
	Prob > chi2	=	0.0000

(Std. Err. adjusted for 160 clusters in ccode)

_t	SHR	Robust Std. Err.	z	P> z	[95% Conf. Interval]
leadfirc_entry	3.186081	1.120381	3.30	0.001	1.599311 6.347179
instfirc_entry	1.14e-08	9.53e-09	-21.83	0.000	2.20e-09 5.88e-08
restfirc_entry	1.15e-08	5.34e-09	-39.48	0.000	4.66e-09 2.86e-08
irreg_entryabd	1.775447	.327918	3.11	0.002	1.236216 2.549889
lnpec4_fill	.8964952	.0226526	-4.32	0.000	.8531783 .9420114
lntpop4_banks	1.091787	.0719763	1.33	0.183	.9594495 1.242377
mountainous	.787821	.2589419	-0.73	0.468	.4136696 1.500381
newstate	1.322938	.2586688	1.43	0.152	.9017941 1.940759
losewar	1.248822	.7229183	0.38	0.701	.4015662 3.883687
gdbuffer	.673351	.2196607	-1.21	0.225	.3552731 1.276206
cw1000ongoing2014	1.066544	.1763976	0.39	0.697	.7712535 1.474893
leaderage	.9959814	.0067709	-0.59	0.554	.9827988 1.009341
prevtimesinoffice	1.496515	.1462271	4.13	0.000	1.235688 1.812398
pol_democ	.1894183	.0548027	-5.75	0.000	.1074365 .3339583
pol_mixed	.7754233	.1218381	-1.62	0.106	.5698941 1.055076
oil_ross	1.005704	.0344017	0.17	0.868	.9404882 1.075442

CODE FOR TABLE 4.5. COMPETING RISKS ANALYSIS OF REGULAR REMOVAL FROM OFFICE, 1919-2004, LEADER-YEAR DATA

Data = Regular-Leaderyear-Compete.dta

```
stcrreg firc_entry, compete(failtype==2 3) tvc(firc_entry) vce(cluster ccode)
```

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry, compete(failtype==2 3) tvc(instfirc_entry restfirc_entry) vce(cluster ccode)
```

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry irreg_entry age0 powtimes, compete(failtype==2 3) tvc(instfirc_entry restfirc_entry irreg_entry age0) vce(cluster ccode)
```

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry tmixed tdemparl tdempres trans, compete(failtype==2 3) tvc(instfirc_entry restfirc_entry tmixed tdemparl tdempres trans) vce(cluster ccode)
```

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry lngdpcapL growth tropen2L dopen2 lnpop, compete(failtype==2 3) tvc(instfirc_entry restfirc_entry lngdpcapL) vce(cluster ccode)
```

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry civwar initiator2 defender2 inherit dwinsh dloshesh ddrawsh dwinwar dlosewar ddrawwar, compete(failtype==2 3) tvc(instfirc_entry restfirc_entry) vce(cluster ccode)
```

```
stcrreg firc_entry irreg_entry age0 powtimes tmixed tdemparl tdempres trans lngdpcapL growth tropen2L dopen2 lnpop civwar initiator2 defender2 inherit dwinsh dloshesh ddrawsh dwinwar dlosewar ddrawwar, compete(failtype==2 3) tvc(firc_entry irreg_entry age0 tmixed tdemparl tdempres trans lngdpcapL) vce(cluster ccode)
```

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry irreg_entry age0 powtimes tmixed tdemparl tdempres trans lngdpcapL growth tropen2L dopen2 lnpop civwar initiator2 defender2 inherit dwinsh dloshesh ddrawsh dwinwar dlosewar ddrawwar, compete(failtype==2 3) tvc(instfirc_entry restfirc_entry irreg_entry age0 tmixed tdemparl tdempres trans lngdpcapL) vce(cluster ccode)
```


TABLE 4.5. COMPETING RISKS ANALYSIS OF REGULAR REMOVAL FROM OFFICE, 1919-2004, LEADER-YEAR DATA: COMPLETE RESULTS

Data = Regular-Leaderyear-Compete.dta

Model 1

stcrreg firc_entry, compete(failtype==2 3) tvc(firc_entry) vce(cluster ccode)

```

failure _d: failtype == 1
analysis time _t: (endobs-origin)
              origin: time startobs
              id: leadid
    
```

```

Iteration 0: log pseudolikelihood = -9509.4677
Iteration 1: log pseudolikelihood = -9509.1313
Iteration 2: log pseudolikelihood = -9509.1289
Iteration 3: log pseudolikelihood = -9509.1289
    
```

```

Competing-risks regression           No. of obs      =      10,989
                                     No. of subjects =       2,152
Failure event   : failtype == 1      No. failed      =       1,321
Competing events: failtype == 2 3     No. competing   =         670
                                     No. censored    =         161

                                     Wald chi2(2)     =         9.27
Log pseudolikelihood = -9509.1289     Prob > chi2     =       0.0097
    
```

(Std. Err. adjusted for 164 clusters in ccode)

	_t	SHR	Robust Std. Err.	z	P> z	[95% Conf. Interval]

main						
	firc_entry	.4654133	.1195055	-2.98	0.003	.2813671 .7698468

tvc						
	firc_entry	1.000149	.0000837	1.78	0.075	.9999851 1.000313

Note: Variables in tvc equation interacted with _t.

Model 2

stcrreg leadfirc_entry instfirc_entry restfirc_entry, compete(failtype==2 3) tvc(instfirc_entry restfirc_entry) vce(cluster ccode)

failure _d: failtype == 1
 analysis time _t: (endobs-origin)
 origin: time startobs
 id: leadid

Iteration 0: log pseudolikelihood = -9518.1781
 Iteration 1: log pseudolikelihood = -9508.6525
 Iteration 2: log pseudolikelihood = -9503.1772
 Iteration 3: log pseudolikelihood = -9503.0629
 Iteration 4: log pseudolikelihood = -9503.0618
 Iteration 5: log pseudolikelihood = -9503.0618

Competing-risks regression	No. of obs	=	10,989
	No. of subjects	=	2,152
Failure event : failtype == 1	No. failed	=	1,321
Competing events: failtype == 2 3	No. competing	=	670
	No. censored	=	161
	Wald chi2(5)	=	22.00
Log pseudolikelihood = -9503.0618	Prob > chi2	=	0.0005

(Std. Err. adjusted for 164 clusters in ccode)

_t	SHR	Robust Std. Err.	z	P> z	[95% Conf. Interval]	

main						
leadfirc_entry	.3318459	.1194278	-3.07	0.002	.1639073	.6718538
instfirc_entry	.4734625	.1592889	-2.22	0.026	.2448569	.9155009
restfirc_entry	.8715333	.3813185	-0.31	0.753	.36971	2.054503

tvc						
instfirc_entry	1.000198	.0000883	2.24	0.025	1.000025	1.000371
restfirc_entry	1.00024	.0001196	2.00	0.045	1.000005	1.000474

Note: Variables in tvc equation interacted with _t.

Model 3

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry irreg_entry age0 powtimes,
compete(failtype==2 3) tvc(instfirc_entry restfirc_entry irreg_entry age0) vce(cluster ccode)
```

```
failure _d: failtype == 1
analysis time _t: (endobs-origin)
origin: time startobs
id: leadid
```

```
Iteration 0: log pseudolikelihood = -9401.0833
Iteration 1: log pseudolikelihood = -9371.1219
Iteration 2: log pseudolikelihood = -9360.6614
Iteration 3: log pseudolikelihood = -9360.4622
Iteration 4: log pseudolikelihood = -9360.4611
Iteration 5: log pseudolikelihood = -9360.4611
```

```
Competing-risks regression          No. of obs      =    10,973
                                   No. of subjects =     2,142
Failure event   : failtype == 1     No. failed      =     1,313
Competing events: failtype == 2 3   No. competing   =       668
                                   No. censored    =       161
```

```
Log pseudolikelihood = -9360.4611      Wald chi2(10)   =    109.04
                                       Prob > chi2     =     0.0000
```

(Std. Err. adjusted for 164 clusters in ccode)

_t	SHR	Robust Std. Err.	z	P> z	[95% Conf. Interval]	

main						
leadfirc_entry	.3024852	.1101047	-3.28	0.001	.1482062	.6173646
instfirc_entry	.4017961	.1321062	-2.77	0.006	.2109308	.7653701
restfirc_entry	.8348333	.3710095	-0.41	0.685	.3493945	1.994727
irreg_entry	.6837689	.1154475	-2.25	0.024	.4911256	.9519763
age0	1.018842	.0041803	4.55	0.000	1.010681	1.027068
powtimes	.9988538	.0575779	-0.02	0.984	.8921447	1.118326

tvc						
instfirc_entry	1.000172	.0000932	1.84	0.065	.9999891	1.000355
restfirc_entry	1.00019	.0001219	1.56	0.120	.9999507	1.000429
irreg_entry	.999709	.0001179	-2.47	0.014	.999478	.999994
age0	.9999963	1.58e-06	-2.34	0.019	.9999932	.9999994

Note: Variables in tvc equation interacted with _t.

Model 4

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry tmixed tdemparl tdempres trans,
compete(failtype==2 3) tvc(instfirc_entry restfirc_entry tmixed tdemparl tdempres trans)
vce(cluster ccode)
```

```
failure _d: failtype == 1
analysis time _t: (endobs-origin)
origin: time startobs
id: leadid
```

```
Iteration 0: log pseudolikelihood = -9298.0657
Iteration 1: log pseudolikelihood = -9278.6905
Iteration 2: log pseudolikelihood = -9262.1053
Iteration 3: log pseudolikelihood = -9260.4424
Iteration 4: log pseudolikelihood = -9260.4344
Iteration 5: log pseudolikelihood = -9260.4344
```

```
Competing-risks regression          No. of obs      =    10,983
                                     No. of subjects =     2,149
Failure event   : failtype == 1     No. failed      =     1,319
Competing events: failtype == 2 3   No. competing   =       669
                                     No. censored    =       161
```

```
Log pseudolikelihood = -9260.4344    Wald chi2(13)   =    239.73
                                     Prob > chi2     =     0.0000
```

(Std. Err. adjusted for 164 clusters in ccode)

_t	SHR	Robust Std. Err.	z	P> z	[95% Conf. Interval]	

main						
leadfirc_entry	.4891548	.1824632	-1.92	0.055	.2354688	1.016153
instfirc_entry	.5789659	.1917386	-1.65	0.099	.3025221	1.108024
restfirc_entry	1.016011	.3347329	0.05	0.962	.5326766	1.93791
tmixed	4.055841	.938878	6.05	0.000	2.576547	6.384454
tdemparl	7.919258	1.80437	9.08	0.000	5.066894	12.37734
tdempres	3.964243	.8622032	6.33	0.000	2.588381	6.07145
trans	6.645129	1.773003	7.10	0.000	3.939057	11.21023

tvc						
instfirc_entry	1.000146	.0001047	1.40	0.162	.9999411	1.000352
restfirc_entry	1.000302	.0001078	2.80	0.005	1.00009	1.000513
tmixed	.9998046	.0000902	-2.17	0.030	.9996278	.9999815
tdemparl	.9999346	.0000818	-0.80	0.424	.9997743	1.000095
tdempres	1.000106	.000077	1.37	0.170	.9999549	1.000257
trans	.9994164	.0001975	-2.95	0.003	.9990293	.9998036

Note: Variables in tvc equation interacted with _t.

Model 5

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry lngdpcapL growth tropen2L dopen2 lnpop,
compete(failtype==2 3) tvc(instfirc_entry restfirc_entry lngdpcapL) vce(cluster ccode)
```

```
failure _d: failtype == 1
analysis time _t: (endobs-origin)
origin: time startobs
id: leadid
```

```
Iteration 0: log pseudolikelihood = -7967.4845
Iteration 1: log pseudolikelihood = -7959.5537
Iteration 2: log pseudolikelihood = -7945.8704
Iteration 3: log pseudolikelihood = -7945.71
Iteration 4: log pseudolikelihood = -7945.7098
```

```
Competing-risks regression      No. of obs      =      9,390
                               No. of subjects   =      1,854
Failure event : failtype == 1  No. failed      =      1,153
Competing events: failtype == 2 3 No. competing   =       536
                               No. censored     =       165
```

```
Log pseudolikelihood = -7945.7098      Wald chi2(11)   =      138.06
                                       Prob > chi2     =       0.0000
```

(Std. Err. adjusted for 156 clusters in ccode)

_t	SHR	Robust Std. Err.	z	P> z	[95% Conf. Interval]	

main						
leadfirc_entry	.2253357	.1132843	-2.96	0.003	.0841202	.6036143
instfirc_entry	.7551007	.3323511	-0.64	0.523	.3186807	1.78918
restfirc_entry	1.06625	.5968706	0.11	0.909	.355934	3.194102
lngdpcapL	1.243491	.0816233	3.32	0.001	1.093376	1.414217
growth	1.193877	.7882785	0.27	0.788	.3272947	4.354923
tropen2L	.7508351	.1791955	-1.20	0.230	.4703223	1.198653
dopen2	.8738528	.1384955	-0.85	0.395	.6405201	1.192186
lnpop	1.108289	.0404373	2.82	0.005	1.031801	1.190447

tvc						
instfirc_entry	1.000208	.0001068	1.95	0.051	.999999	1.000418
restfirc_entry	1.000157	.0001184	1.33	0.185	.999925	1.000389
lngdpcapL	1.000132	.0000349	3.78	0.000	1.000063	1.0002

Note: Variables in tvc equation interacted with _t.

Model 6

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry civwar initiator2 defender2 inherit dwinsh
dlosesesh ddrawsh dwinwar dlosewar ddrawwar, compete(failtype==2 3) tvc(instfirc_entry
restfirc_entry) vce(cluster ccode)
```

```
failure _d: failtype == 1
analysis time _t: (endobs-origin)
origin: time startobs
id: leadid
```

```
Iteration 0: log pseudolikelihood = -9512.6342
Iteration 1: log pseudolikelihood = -9491.513
Iteration 2: log pseudolikelihood = -9480.5354
Iteration 3: log pseudolikelihood = -9480.1521
Iteration 4: log pseudolikelihood = -9480.1507
Iteration 5: log pseudolikelihood = -9480.1507
```

```
Competing-risks regression          No. of obs      =    10,989
                                   No. of subjects =     2,152
Failure event   : failtype == 1    No. failed      =     1,321
Competing events: failtype == 2 3  No. competing   =       670
                                   No. censored    =       161

                                   Wald chi2(15)     =     49.10
                                   Prob > chi2      =     0.0000

Log pseudolikelihood = -9480.1507
```

(Std. Err. adjusted for 164 clusters in ccode)

_t	SHR	Robust Std. Err.	z	P> z	[95% Conf. Interval]	

main						
leadfirc_entry	.3669536	.1335062	-2.76	0.006	.1798558	.748683
instfirc_entry	.444714	.1517412	-2.37	0.018	.2278462	.8680002
restfirc_entry	.8801578	.3923672	-0.29	0.775	.3673684	2.108722
civwar	.8071861	.1001039	-1.73	0.084	.6330108	1.029286
initiator2	.4225777	.1264721	-2.88	0.004	.2350459	.7597318
defender2	.8252018	.1754343	-0.90	0.366	.5439994	1.251762
inherit	1.213009	.4162258	0.56	0.574	.6191374	2.376518
dwinsh	1.251764	.2867127	0.98	0.327	.7990196	1.961045
dlosesesh	.6989088	.1854174	-1.35	0.177	.4155283	1.175548
ddrawsh	1.171229	.2300855	0.80	0.421	.796939	1.721308
dwinwar	.6748165	.2489639	-1.07	0.286	.3274516	1.390671
dlosewar	.3899413	.156026	-2.35	0.019	.1779961	.8542555
ddrawwar	.8014204	.3956446	-0.45	0.654	.3045369	2.109021

tvc						
instfirc_entry	1.000198	.0000879	2.25	0.025	1.000025	1.00037
restfirc_entry	1.000233	.0001201	1.94	0.052	.9999977	1.000468

Note: Variables in tv equation interacted with _t.

Model 7

```

stcrreg firc_entry irreg_entry age0 powtimes tmixed tdemparl tdempres trans lngdpcapL growth
tropen2L dopen2 lnpop civwar initiator2 defender2 inherit dwinsh dlosesesh ddrawsh dwinwar dlosewar
ddrawwar, compete(failtype==2 3) tvc(firc_entry irreg_entry age0 tmixed tdemparl tdempres trans
lngdpcapL) vce(cluster ccode)

```

```

failure _d: failtype == 1
analysis time _t: (endobs-origin)
origin: time startobs
id: leadid

```

```

Iteration 0: log pseudolikelihood = -7833.7668
Iteration 1: log pseudolikelihood = -7772.0681
Iteration 2: log pseudolikelihood = -7741.1811
Iteration 3: log pseudolikelihood = -7736.3081
Iteration 4: log pseudolikelihood = -7725.3227
Iteration 5: log pseudolikelihood = -7724.6874
Iteration 6: log pseudolikelihood = -7724.6857
Iteration 7: log pseudolikelihood = -7724.6857

```

```

Competing-risks regression          No. of obs      =      9,374
                                   No. of subjects =      1,844
Failure event : failtype == 1      No. failed      =      1,145
Competing events: failtype == 2 3  No. competing   =       534
                                   No. censored    =       165

```

```

Log pseudolikelihood = -7724.6857          Wald chi2(31) =      406.63
                                           Prob > chi2    =       0.0000

```

(Std. Err. adjusted for 156 clusters in ccode)

_t	SHR	Robust Std. Err.	z	P> z	[95% Conf. Interval]	
main						
firc_entry	.6503021	.2087356	-1.34	0.180	.3466526 1.219933	
irreg_entry	1.269362	.2417147	1.25	0.210	.8739727 1.843628	
age0	1.015234	.0047203	3.25	0.001	1.006024 1.024528	
powtimes	.9539513	.0678848	-0.66	0.508	.8297614 1.096729	
tmixed	4.708909	1.131598	6.45	0.000	2.94014 7.541757	
tdemparl	7.779353	1.946924	8.20	0.000	4.763375 12.70492	
tdempres	3.703753	.8402918	5.77	0.000	2.374242 5.777754	
trans	6.385709	1.830639	6.47	0.000	3.640733 11.20029	
lngdpcapL	1.015708	.0708701	0.22	0.823	.8858846 1.164557	
growth	.5887585	.4021112	-0.78	0.438	.1543769 2.245392	
tropen2L	.8008079	.1701488	-1.05	0.296	.5280467 1.214463	
dopen2	.9896565	.1413989	-0.07	0.942	.7479415 1.309488	
lnpop	1.114084	.0403548	2.98	0.003	1.037733 1.196054	
civwar	.7919834	.0827883	-2.23	0.026	.6452641 .9720636	
initiator2	.4771983	.161482	-2.19	0.029	.2458417 .9262797	
defender2	.7248402	.1543681	-1.51	0.131	.4774888 1.100326	
inherit	1.130536	.4389268	0.32	0.752	.5282123 2.419695	
dwinsh	.7805796	.2017708	-0.96	0.338	.4703178 1.295517	
dlosesesh	.8672924	.2168396	-0.57	0.569	.5313112 1.415736	
ddrawsh	1.085105	.2276666	0.39	0.697	.7192516 1.637054	
dwinwar	.5831034	.2252724	-1.40	0.163	.2734625 1.24335	
dlosewar	.6108357	.2759113	-1.09	0.275	.2520235 1.480497	
ddrawwar	1.126569	.5475777	0.25	0.806	.4345349 2.920727	
tvc						
firc_entry	1.000149	.0000915	1.63	0.102	.9999701 1.000329	
irreg_entry	.9997034	.0001408	-2.11	0.035	.9994274 .9999795	
age0	.9999932	2.30e-06	-2.95	0.003	.9999887 .9999977	
tmixed	.9997824	.0000937	-2.32	0.020	.9995987 .9999661	
tdemparl	.9997882	.0000892	-2.38	0.018	.9996135 .999963	
tdempres	1.000053	.0000832	0.63	0.526	.9998898 1.000216	
trans	.9996259	.0001859	-2.01	0.044	.9992616 .9999903	
lngdpcapL	1.00012	.0000354	3.39	0.001	1.000051 1.000189	

Note: Variables in tvc equation interacted with _t.

Model 8

```

stcrreg leadfirc_entry instfirc_entry restfirc_entry irreg_entry age0 powtimes tmixed tdemparl
tdempres trans lngdpcapL growth tropen2L dopen2 lnpop civwar initiator2 defender2 inherit dwinsh
dlosesesh ddrawsh dwinwar dlosewar ddrawwar, compete(failtype==2 3) tvc(instfirc_entry
restfirc_entry irreg_entry age0 tmixed tdemparl tdempres trans lngdpcapL) vce(cluster ccode)

```

```

      failure _d: failtype == 1
      analysis time _t: (endobs-origin)
      origin: time startobs
      id: leadid

```

```

Iteration 0: log pseudolikelihood = -7828.5442
Iteration 1: log pseudolikelihood = -7817.4261
Iteration 2: log pseudolikelihood = -7762.8419
Iteration 3: log pseudolikelihood = -7755.1192
Iteration 4: log pseudolikelihood = -7723.6557
Iteration 5: log pseudolikelihood = -7719.5395
Iteration 6: log pseudolikelihood = -7719.3581
Iteration 7: log pseudolikelihood = -7719.357
Iteration 8: log pseudolikelihood = -7719.357

```

```

Competing-risks regression      No. of obs      =      9,374
                               No. of subjects =      1,844
Failure event : failtype == 1  No. failed      =      1,145
Competing events: failtype == 2 3 No. competing   =       534
                               No. censored    =       165

```

```

Log pseudolikelihood = -7719.357      Wald chi2(34) =      449.39
                                       Prob > chi2   =      0.0000

```

(Std. Err. adjusted for 156 clusters in ccode)

_t	SHR	Robust Std. Err.	z	P> z	[95% Conf. Interval]	

main						
leadfirc_entry	.3192208	.1772917	-2.06	0.040	.1074839	.948067
instfirc_entry	.6233643	.2896032	-1.02	0.309	.2507783	1.549508
restfirc_entry	1.54716	.6189681	1.09	0.275	.7063136	3.389012
irreg_entry	1.275547	.2418723	1.28	0.199	.8796088	1.849709
age0	1.015211	.0047014	3.26	0.001	1.006038	1.024467
powtimes	.9460561	.0678243	-0.77	0.439	.8220398	1.088782
tmixed	4.669691	1.146738	6.28	0.000	2.885746	7.556456
tdemparl	7.687915	1.946268	8.06	0.000	4.680788	12.62694
tdempres	3.672752	.8439432	5.66	0.000	2.340983	5.762155
trans	6.226373	1.787988	6.37	0.000	3.546509	10.93124
lngdpcapL	1.019594	.0715019	0.28	0.782	.8886576	1.169823
growth	.5792854	.3913733	-0.81	0.419	.1541022	2.177591
tropen2L	.7982774	.1711291	-1.05	0.293	.52442	1.215146
dopen2	.9842255	.1414951	-0.11	0.912	.7425462	1.304565
lnpop	1.114438	.0405648	2.98	0.003	1.037702	1.196848
civwar	.7944057	.0827891	-2.21	0.027	.6476409	.9744295
initiator2	.4765114	.1617512	-2.18	0.029	.2449819	.9268567
defender2	.7479318	.157706	-1.38	0.168	.4947444	1.130689
inherit	1.216475	.4650081	0.51	0.608	.5750743	2.573252
dwinsh	.7663408	.1953809	-1.04	0.297	.4649493	1.263102
dlosesesh	.8869084	.2168221	-0.49	0.623	.54927	1.432094
ddrawsh	1.062319	.2231032	0.29	0.773	.7038654	1.60332
dwinwar	.5746391	.2212993	-1.44	0.150	.27014	1.222367
dlosewar	.6425332	.2918211	-0.97	0.330	.2638171	1.564906
ddrawwar	1.099856	.5385658	0.19	0.846	.4212393	2.871727

tvc						
instfirc_entry	1.00025	.0001192	2.10	0.036	1.000017	1.000484
restfirc_entry	1.000112	.0001048	1.07	0.286	.9999064	1.000317
irreg_entry	.9996945	.0001422	-2.15	0.032	.9994158	.9999732
age0	.999993	2.35e-06	-2.96	0.003	.9999884	.9999976
tmixed	.9997973	.0000998	-2.03	0.042	.9996018	.9999928
tdemparl	.9997968	.0000904	-2.25	0.025	.9996196	.9999741
tdempres	1.00006	.0000847	0.71	0.478	.999894	1.000226
trans	.9996554	.0001892	-1.82	0.069	.9992846	1.000026
lngdpcapL	1.000118	.0000356	3.31	0.001	1.000048	1.000188

Note: Variables in tv equation interacted with _t.

TABLE 4.5. COMPETING RISKS ANALYSIS OF REGULAR REMOVAL FROM OFFICE, 1919-2004, LEADER-YEAR DATA: INTERACTIONS WITH TIME TO CHECK PROPORTIONAL HAZARDS

Data = Regular-Leaderyear-Compete.dta

```
stcrreg firc_entry, compete(failtype==2 3) tvc(firc_entry) vce(cluster ccode)
```

```

failure _d: failtype == 1
analysis time _t: (endobs-origin)
origin: time startobs
id: leadid

```

```

Iteration 0: log pseudolikelihood = -9509.4677
Iteration 1: log pseudolikelihood = -9509.1313
Iteration 2: log pseudolikelihood = -9509.1289
Iteration 3: log pseudolikelihood = -9509.1289

```

```

Competing-risks regression          No. of obs      =      10,989
                                   No. of subjects =       2,152
Failure event   : failtype == 1    No. failed      =       1,321
Competing events: failtype == 2 3  No. competing   =        670
                                   No. censored    =        161

                                   Wald chi2(2)     =         9.27
Log pseudolikelihood = -9509.1289  Prob > chi2     =        0.0097

```

(Std. Err. adjusted for 164 clusters in ccode)

	_t	SHR	Robust Std. Err.	z	P> z	[95% Conf. Interval]	
main							
	firc_entry	.4654133	.1195055	-2.98	0.003	.2813671	.7698468
tvc							
	firc_entry	1.000149	.0000837	1.78	0.075	.9999851	1.000313

Note: Variables in tvc equation interacted with _t.

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry, compete(failtype==2 3) tvc(leadfirc_entry
instfirc_entry restfirc_entry) vce(cluster ccode)
```

```
failure _d: failtype == 1
analysis time _t: (endobs-origin)
origin: time startobs
id: leadid
```

```
Iteration 0: log pseudolikelihood = -9518.1923
Iteration 1: log pseudolikelihood = -9508.6412
Iteration 2: log pseudolikelihood = -9503.1788
Iteration 3: log pseudolikelihood = -9503.0609
Iteration 4: log pseudolikelihood = -9503.0597
Iteration 5: log pseudolikelihood = -9503.0597
```

```
Competing-risks regression          No. of obs      =      10,989
                                   No. of subjects =       2,152
Failure event   : failtype == 1    No. failed      =       1,321
Competing events: failtype == 2 3  No. competing   =        670
                                   No. censored    =        161
```

```
Log pseudolikelihood = -9503.0597      Wald chi2(6)    =       21.99
                                       Prob > chi2     =       0.0012
```

(Std. Err. adjusted for 164 clusters in ccode)

_t	SHR	Robust Std. Err.	z	P> z	[95% Conf. Interval]	
main						
leadfirc_entry	.3264549	.142211	-2.57	0.010	.1390019	.7667002
instfirc_entry	.4733881	.1592987	-2.22	0.026	.2447832	.9154889
restfirc_entry	.8713966	.3813205	-0.31	0.753	.3696006	2.054467
tvc						
leadfirc_entry	1.000012	.0001841	0.06	0.948	.9996511	1.000373
instfirc_entry	1.000198	.0000884	2.24	0.025	1.000025	1.000372
restfirc_entry	1.00024	.0001196	2.00	0.045	1.000005	1.000474

Note: Variables in tv equation interacted with _t.

TABLE 4.5. COMPETING RISKS ANALYSIS OF REGULAR REMOVAL FROM OFFICE, 1919-2004, LEADER-YEAR DATA: COEFFICIENTS INSTEAD OF HAZARD RATIOS

Data = Regular-Leaderyear-Compete.dta

Model 1

Data = Regfail_Competing_ABDStata.dta

stcrreg firc_entry, compete(failtype==2 3) tvc(firc_entry) vce(cluster ccode) noshr

```

failure _d: failtype == 1
analysis time _t: (endobs-origin)
              origin: time startobs
              id: leadid

```

```

Iteration 0: log pseudolikelihood = -9509.4677
Iteration 1: log pseudolikelihood = -9509.1313
Iteration 2: log pseudolikelihood = -9509.1289
Iteration 3: log pseudolikelihood = -9509.1289

```

```

Competing-risks regression          No. of obs      =      10,989
                                   No. of subjects =       2,152
Failure event   : failtype == 1    No. failed      =       1,321
Competing events: failtype == 2 3  No. competing   =        670
                                   No. censored    =        161

                                   Wald chi2(2)      =        9.27
                                   Prob > chi2      =       0.0097

Log pseudolikelihood = -9509.1289

```

(Std. Err. adjusted for 164 clusters in ccode)

	_t	Coef.	Robust Std. Err.	z	P> z	[95% Conf. Interval]
main	firc_entry	-.7648294	.2567729	-2.98	0.003	-1.268095 - .2615637
tvc	firc_entry	.0001492	.0000837	1.78	0.075	-.0000149 .0003133

Note: Variables in tvc equation interacted with _t.

Model 2

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry, compete(failtype==2 3) tvc(instfirc_entry
restfirc_entry) vce(cluster ccode) nosh
```

```
failure _d: failtype == 1
analysis time _t: (endobs-origin)
origin: time startobs
id: leadid
```

```
Iteration 0: log pseudolikelihood = -9518.1781
Iteration 1: log pseudolikelihood = -9508.6525
Iteration 2: log pseudolikelihood = -9503.1772
Iteration 3: log pseudolikelihood = -9503.0629
Iteration 4: log pseudolikelihood = -9503.0618
Iteration 5: log pseudolikelihood = -9503.0618
```

```
Competing-risks regression          No. of obs      =    10,989
                                   No. of subjects =     2,152
Failure event   : failtype == 1    No. failed      =     1,321
Competing events: failtype == 2 3  No. competing   =       670
                                   No. censored     =       161

                                   Wald chi2(5)      =     22.00
Log pseudolikelihood = -9503.0618  Prob > chi2     =     0.0005
```

(Std. Err. adjusted for 164 clusters in ccode)

_t	Coef.	Robust Std. Err.	z	P> z	[95% Conf. Interval]	

main						
leadfirc_entry	-1.103084	.3598892	-3.07	0.002	-1.808454	-.3977146
instfirc_entry	-.7476826	.3364341	-2.22	0.026	-1.407081	-.0882839
restfirc_entry	-.1375012	.437526	-0.31	0.753	-.9950364	.720034

tvc						
instfirc_entry	.0001982	.0000883	2.24	0.025	.0000251	.0003713
restfirc_entry	.0002397	.0001195	2.00	0.045	5.36e-06	.0004739

Note: Variables in tvc equation interacted with _t.

Model 3

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry irreg_entry age0 powtimes,
compete(failtype==2 3) tvc(instfirc_entry restfirc_entry irreg_entry age0) vce(cluster ccode)
noshr
```

```
failure _d: failtype == 1
analysis time _t: (endobs-origin)
origin: time startobs
id: leadid
```

```
Iteration 0: log pseudolikelihood = -9401.0833
Iteration 1: log pseudolikelihood = -9371.1219
Iteration 2: log pseudolikelihood = -9360.6614
Iteration 3: log pseudolikelihood = -9360.4622
Iteration 4: log pseudolikelihood = -9360.4611
Iteration 5: log pseudolikelihood = -9360.4611
```

```
Competing-risks regression          No. of obs      =    10,973
                                     No. of subjects =     2,142
Failure event   : failtype == 1     No. failed      =     1,313
Competing events: failtype == 2 3   No. competing   =       668
                                     No. censored   =       161

                                     Wald chi2(10)   =    109.04
Log pseudolikelihood = -9360.4611   Prob > chi2     =     0.0000
```

(Std. Err. adjusted for 164 clusters in ccode)

_t	Coef.	Robust Std. Err.	z	P> z	[95% Conf. Interval]	

main						
leadfirc_entry	-1.195723	.3640003	-3.28	0.001	-1.909151	-.4822955
instfirc_entry	-.9118104	.328789	-2.77	0.006	-1.556225	-.2673958
restfirc_entry	-.1805232	.4444115	-0.41	0.685	-1.051554	.6905073
irreg_entry	-.3801352	.1688399	-2.25	0.024	-.7110553	-.0492151
age0	.0186663	.004103	4.55	0.000	.0106246	.026708
powtimes	-.0011468	.057644	-0.02	0.984	-.1141269	.1118333

tvc						
instfirc_entry	.0001718	.0000932	1.84	0.065	-.0000109	.0003545
restfirc_entry	.0001896	.0001219	1.56	0.120	-.0000493	.0004286
irreg_entry	-.0002911	.0001179	-2.47	0.014	-.0005222	-.000006
age0	-3.70e-06	1.58e-06	-2.34	0.019	-6.79e-06	-6.02e-07

Note: Variables in tvc equation interacted with _t.

Model 4

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry tmixed tdemparl tdempres trans,
compete(failtype==2 3) tvc(instfirc_entry restfirc_entry tmixed tdemparl tdempres trans)
vce(cluster ccode) noshr
```

```
failure _d: failtype == 1
analysis time _t: (endobs-origin)
origin: time startobs
id: leadid
```

```
Iteration 0: log pseudolikelihood = -9313.3263
Iteration 1: log pseudolikelihood = -9294.6275
Iteration 2: log pseudolikelihood = -9278.8929
Iteration 3: log pseudolikelihood = -9277.3519
Iteration 4: log pseudolikelihood = -9277.3456
Iteration 5: log pseudolikelihood = -9277.3456
```

```
Competing-risks regression          No. of obs      =    10,989
                                   No. of subjects =     2,152
Failure event   : failtype == 1    No. failed      =     1,321
Competing events: failtype == 2 3  No. competing   =       670
                                   No. censored    =       161

                                   Wald chi2(13)     =     237.27
Log pseudolikelihood = -9277.3456  Prob > chi2     =     0.0000
```

(Std. Err. adjusted for 164 clusters in ccode)

_t	Coef.	Robust Std. Err.	z	P> z	[95% Conf. Interval]	

main						
leadfirc_entry	-.6213969	.3711832	-1.67	0.094	-1.348903	.1061088
instfirc_entry	-.5052908	.3309429	-1.53	0.127	-1.153927	.1433453
restfirc_entry	.0057784	.3306856	0.02	0.986	-.6423534	.6539102
tmixed	1.375016	.222552	6.18	0.000	.9388219	1.81121
tdemparl	2.044891	.2238491	9.14	0.000	1.606155	2.483628
tdempres	1.353559	.2154225	6.28	0.000	.9313385	1.775779
trans	1.889393	.2651396	7.13	0.000	1.369729	2.409057

tvc						
instfirc_entry	.00014	.0001059	1.32	0.186	-.0000675	.0003475
restfirc_entry	.0003069	.0001088	2.82	0.005	.0000937	.0005201
tmixed	-.0001872	.0000891	-2.10	0.036	-.0003618	-.0000126
tdemparl	-.0000572	.0000821	-0.70	0.486	-.000218	.0001037
tdempres	.0001132	.0000781	1.45	0.147	-.0000398	.0002662
trans	-.000573	.0001982	-2.89	0.004	-.0009615	-.0001845

Note: Variables in tvc equation interacted with _t.

Model 5

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry lngdpcapL growth tropen2L dopen2 lnpop,
compete(failtype==2 3) tvc(instfirc_entry restfirc_entry lngdpcapL) vce(cluster ccode) noshr
```

```
failure _d: failtype == 1
analysis time _t: (endobs-origin)
              origin: time startobs
              id: leadid
```

```
Iteration 0: log pseudolikelihood = -7967.4845
Iteration 1: log pseudolikelihood = -7959.5537
Iteration 2: log pseudolikelihood = -7945.8704
Iteration 3: log pseudolikelihood = -7945.71
Iteration 4: log pseudolikelihood = -7945.7098
```

```
Competing-risks regression      No. of obs      =      9,390
                                No. of subjects   =      1,854
Failure event : failtype == 1  No. failed      =      1,153
Competing events: failtype == 2 3 No. competing   =       536
                                No. censored     =       165
```

```
Log pseudolikelihood = -7945.7098      Wald chi2(11)   =      138.06
                                         Prob > chi2     =       0.0000
```

(Std. Err. adjusted for 156 clusters in ccode)

_t	Coef.	Robust Std. Err.	z	P> z	[95% Conf. Interval]	

main						
leadfirc_entry	-1.490164	.5027359	-2.96	0.003	-2.475508	-.5048199
instfirc_entry	-.2809042	.4401414	-0.64	0.523	-1.143566	.5817572
restfirc_entry	.0641479	.5597848	0.11	0.909	-1.03301	1.161306
lngdpcapL	.2179231	.0656404	3.32	0.001	.0892702	.3465759
growth	.1772064	.6602675	0.27	0.788	-1.116894	1.471307
tropen2L	-.2865692	.2386615	-1.20	0.230	-.7543372	.1811988
dopen2	-.1348433	.1584884	-0.85	0.395	-.4454749	.1757882
lnpop	.1028171	.0364863	2.82	0.005	.0313054	.1743289

tvc						
instfirc_entry	.0002082	.0001068	1.95	0.051	-9.82e-07	.0004175
restfirc_entry	.0001571	.0001184	1.33	0.185	-.000075	.0003892
lngdpcapL	.0001318	.0000349	3.78	0.000	.0000635	.0002001

Note: Variables in tvc equation interacted with _t.

Model 6

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry civwar initiator2 defender2 inherit dwinsh
dlosesesh ddrawsh dwinwar dlosewar ddrawwar, compete(failtype==2 3) tvc(instfirc_entry
restfirc_entry) vce(cluster ccode) noshr
```

```
failure _d: failtype == 1
analysis time _t: (endobs-origin)
origin: time startobs
id: leadid
```

```
Iteration 0: log pseudolikelihood = -9512.6342
Iteration 1: log pseudolikelihood = -9491.513
Iteration 2: log pseudolikelihood = -9480.5354
Iteration 3: log pseudolikelihood = -9480.1521
Iteration 4: log pseudolikelihood = -9480.1507
Iteration 5: log pseudolikelihood = -9480.1507
```

```
Competing-risks regression          No. of obs      =    10,989
                                   No. of subjects =     2,152
Failure event   : failtype == 1    No. failed      =     1,321
Competing events: failtype == 2 3  No. competing   =       670
                                   No. censored     =       161

                                   Wald chi2(15)     =     49.10
                                   Prob > chi2      =     0.0000

Log pseudolikelihood = -9480.1507
```

(Std. Err. adjusted for 164 clusters in ccode)

_t	Coef.	Robust Std. Err.	z	P> z	[95% Conf. Interval]	

main						
leadfirc_entry	-1.00252	.3638231	-2.76	0.006	-1.7156	-.2894397
instfirc_entry	-.8103239	.3412107	-2.37	0.018	-1.479085	-.1415633
restfirc_entry	-.1276541	.4457919	-0.29	0.775	-1.00139	.746082
civwar	-.214201	.1240159	-1.73	0.084	-.4572677	.0288657
initiator2	-.861382	.2992873	-2.88	0.004	-1.447974	-.2747898
defender2	-.1921274	.2125956	-0.90	0.366	-.6088071	.2245523
inherit	.1931041	.343135	0.56	0.574	-.479428	.8656363
dwinsh	.2245538	.2290469	0.98	0.327	-.2243698	.6734775
dlosesesh	-.358235	.2652955	-1.35	0.177	-.8782046	.1617346
ddrawsh	.1580537	.1964479	0.80	0.421	-.2269772	.5430846
dwinwar	-.3933144	.3689357	-1.07	0.286	-1.116415	.3297862
dlosewar	-.9417592	.4001269	-2.35	0.019	-1.725993	-.1575249
ddrawwar	-.2213696	.4936792	-0.45	0.654	-1.188963	.7462238

tvc						
instfirc_entry	.0001976	.0000878	2.25	0.025	.0000254	.0003698
restfirc_entry	.000233	.0001201	1.94	0.052	-2.27e-06	.0004683

Note: Variables in tv equation interacted with _t.

Model 7

```

stcrreg firc_entry irreg_entry age0 powtimes tmixed tdemparl tdempres trans lngdpcapL growth
tropen2L dopen2 lnpop civwar initiator2 defender2 inherit dwinsh dlosesesh ddrawsh dwinwar dlosewar
ddrawwar, compete(failtype==2 3) tvc(firc_entry irreg_entry age0 tmixed tdemparl tdempres trans
lngdpcapL) vce(cluster ccode) noshr

```

```

failure _d: failtype == 1
analysis time _t: (endobs-origin)
origin: time startobs
id: leadid

```

```

Iteration 0: log pseudolikelihood = -7831.2327
Iteration 1: log pseudolikelihood = -7770.0935
Iteration 2: log pseudolikelihood = -7739.6653
Iteration 3: log pseudolikelihood = -7734.127
Iteration 4: log pseudolikelihood = -7724.5092
Iteration 5: log pseudolikelihood = -7724.1035
Iteration 6: log pseudolikelihood = -7724.1029

```

```

Competing-risks regression      No. of obs      =      9,374
                               No. of subjects =      1,844
Failure event : failtype == 1  No. failed      =      1,145
Competing events: failtype == 2 3 No. competing   =       534
                               No. censored      =       165

                               Wald chi2(31)      =      404.65
Log pseudolikelihood = -7724.1029 Prob > chi2      =      0.0000

```

(Std. Err. adjusted for 156 clusters in ccode)

_t	Coef.	Robust Std. Err.	z	P> z	[95% Conf. Interval]	

main						
firc_entry	-.4384518	.3226002	-1.36	0.174	-1.070737	.193833
irreg_entry	.2422945	.1896122	1.28	0.201	-.1293385	.6139275
age0	.0149669	.0046476	3.22	0.001	.0058578	.024076
powtimes	-.0465715	.0711577	-0.65	0.513	-.1860379	.092895
tmixed	1.554268	.2407779	6.46	0.000	1.082352	2.026184
tdemparl	2.057281	.2503212	8.22	0.000	1.56666	2.547901
tdempres	1.314905	.2266181	5.80	0.000	.870742	1.759069
trans	1.867042	.2874496	6.50	0.000	1.303651	2.430432
lngdpcapL	.0155394	.0697664	0.22	0.824	-.1212002	.152279
growth	-.5261481	.6840727	-0.77	0.442	-1.866906	.8146097
tropen2L	-.2223448	.2122807	-1.05	0.295	-.6384074	.1937178
dopen2	-.0076213	.1424294	-0.05	0.957	-.2867779	.2715352
lnpop	.108522	.0363204	2.99	0.003	.0373353	.1797088
civwar	-.2361048	.1051312	-2.25	0.025	-.4421581	-.0300515
initiator2	-.7327995	.3369584	-2.17	0.030	-1.393226	-.0723733
defender2	-.3256175	.2134899	-1.53	0.127	-.74405	.092815
inherit	.1406816	.3869857	0.36	0.716	-.6177965	.8991597
dwinsh	-.2496805	.2591755	-0.96	0.335	-.7576552	.2582942
dlosesesh	-.1385804	.2511538	-0.55	0.581	-.6308329	.3536721
ddrawsh	.0810152	.2093566	0.39	0.699	-.3293163	.4913466
dwinwar	-.5394353	.3853111	-1.40	0.162	-1.294631	.2157607
dlosewar	-.408755	.4500169	-0.91	0.364	-1.290772	.4732618
ddrawwar	.1143144	.4863716	0.24	0.814	-.8389564	1.067585

tvc						
firc_entry	.00015	.0000914	1.64	0.101	-.0000292	.0003292
irreg_entry	-.0002977	.0001405	-2.12	0.034	-.0005731	-.0000223
age0	-6.77e-06	2.30e-06	-2.94	0.003	-.0000113	-2.25e-06
tmixed	-.0002183	.0000937	-2.33	0.020	-.000402	-.0000346
tdemparl	-.0002129	.0000892	-2.39	0.017	-.0003878	-.000038
tdempres	.000052	.0000831	0.63	0.531	-.0001109	.000215
trans	-.0003736	.0001854	-2.02	0.044	-.0007369	-.0000103
lngdpcapL	.0001201	.0000354	3.39	0.001	.0000507	.0001896

Note: Variables in tvc equation interacted with _t.

Model 8

```

stcrreg leadfirc_entry instfirc_entry restfirc_entry irreg_entry age0 powtimes tmixed tdemparl
tdempres trans lngdpcapL growth tropen2L dopen2 lnpop civwar initiator2 defender2 inherit dwinsh
dloshesh ddrawsh dwinwar dlosewar ddrawwar, compete(failtype==2 3) tvc(instfirc_entry
restfirc_entry irreg_entry age0 tmixed tdemparl tdempres trans lngdpcapL) vce(cluster ccode)
noshr

```

```

failure _d: failtype == 1
analysis time _t: (endobs-origin)
origin: time startobs
id: leadid

```

```

Iteration 0: log pseudolikelihood = -7826.0656
Iteration 1: log pseudolikelihood = -7815.7978
Iteration 2: log pseudolikelihood = -7761.8093
Iteration 3: log pseudolikelihood = -7754.6547
Iteration 4: log pseudolikelihood = -7722.9979
Iteration 5: log pseudolikelihood = -7718.902
Iteration 6: log pseudolikelihood = -7718.7046
Iteration 7: log pseudolikelihood = -7718.7033
Iteration 8: log pseudolikelihood = -7718.7033

```

```

Competing-risks regression          No. of obs      =      9,374
                                   No. of subjects =      1,844
Failure event   : failtype == 1    No. failed      =      1,145
Competing events: failtype == 2 3  No. competing   =       534
                                   No. censored    =       165

```

```

                                   Wald chi2(34)    =     447.10
                                   Prob > chi2     =      0.0000
Log pseudolikelihood = -7718.7033

```

(Std. Err. adjusted for 156 clusters in ccode)

_t	Coef.	Robust Std. Err.	z	P> z	[95% Conf. Interval]	

main						
leadfirc_entry	-1.157867	.5591959	-2.07	0.038	-2.25387	-.0618627
instfirc_entry	-.4741658	.4636367	-1.02	0.306	-1.382877	.4345453
restfirc_entry	.430725	.3986847	1.08	0.280	-.3506827	1.212133
irreg_entry	.2474818	.1887934	1.31	0.190	-.1225465	.6175101
age0	.014919	.0046314	3.22	0.001	.0058416	.0239964
powtimes	-.0547893	.0716754	-0.76	0.445	-.1952704	.0856918
tmixed	1.546406	.246023	6.29	0.000	1.06421	2.028602
tdemparl	2.04608	.2532657	8.08	0.000	1.549688	2.542472
tdempres	1.306996	.2295434	5.69	0.000	.8570988	1.756893
trans	1.842261	.2876858	6.40	0.000	1.278407	2.406114
lngdpcapL	.0193368	.0701256	0.28	0.783	-.1181069	.1567805
growth	-.542869	.6764797	-0.80	0.422	-1.868745	.783007
tropen2L	-.2254272	.214153	-1.05	0.293	-.6451594	.1943051
dopen2	-.0126116	.1431553	-0.09	0.930	-.2931909	.2679677
lnpop	.1088734	.036504	2.98	0.003	.0373269	.1804199
civwar	-.2334901	.1048516	-2.23	0.026	-.4389954	-.0279848
initiator2	-.7353456	.3382781	-2.17	0.030	-1.398358	-.0723327
defender2	-.2950237	.2113566	-1.40	0.163	-.709275	.1192276
inherit	.2166601	.3810355	0.57	0.570	-.5301558	.963476
dwinsh	-.2682537	.2556784	-1.05	0.294	-.7693741	.2328668
dloshesh	-.1139044	.2453028	-0.46	0.642	-.5946891	.3668804
ddrawsh	.0600772	.2094597	0.29	0.774	-.3504562	.4706106
dwinwar	-.5534726	.383899	-1.44	0.149	-1.305901	.1989555
dlosewar	-.3435461	.4521721	-0.76	0.447	-1.229787	.5426948
ddrawwar	.0899085	.4901202	0.18	0.854	-.8707095	1.050526

tvc						
instfirc_entry	.000251	.000119	2.11	0.035	.0000177	.0004843
restfirc_entry	.0001129	.0001045	1.08	0.280	-.000092	.0003177
irreg_entry	-.0003068	.0001418	-2.16	0.031	-.0005848	-.0000289
age0	-6.95e-06	2.36e-06	-2.95	0.003	-.0000116	-2.33e-06
tmixed	-.0002031	.0000998	-2.03	0.042	-.0003987	-7.47e-06
tdemparl	-.0002042	.0000906	-2.25	0.024	-.0003818	-.0000267
tdempres	.0000594	.0000848	0.70	0.483	-.0001068	.0002257
trans	-.0003428	.0001888	-1.82	0.069	-.0007127	.0000272

```
lnqpcapL | .0001179 .0000356 3.31 0.001 .0000481 .0001878
-----
```

Note: Variables in tv equation interacted with _t.

TABLE 4.5. COMPETING RISKS ANALYSIS OF REGULAR REMOVAL FROM OFFICE, 1919-2004, LEADER-YEAR DATA: IMPUTED DATA

Data = Regular-Leaderyear-Compete.dta and Regular-Leaderyear-Compete-Imputed.dta

Model 1 (Not imputed)

Data = Regular-Leaderyear-Compete.dta

stcrreg firc_entry, compete(failtype==2 3) tvc(firc_entry) vce(cluster ccode) noshr

```

failure _d: failtype == 1
analysis time _t: (endobs-origin)
              origin: time startobs
              id: leadid

```

```

Iteration 0: log pseudolikelihood = -9509.4677
Iteration 1: log pseudolikelihood = -9509.1313
Iteration 2: log pseudolikelihood = -9509.1289
Iteration 3: log pseudolikelihood = -9509.1289

```

```

Competing-risks regression          No. of obs      =    10,989
                                   No. of subjects =     2,152
Failure event   : failtype == 1    No. failed      =     1,321
Competing events: failtype == 2 3  No. competing   =       670
                                   No. censored    =       161

```

```

                                   Wald chi2(2)     =       9.27
Log pseudolikelihood = -9509.1289  Prob > chi2    =     0.0097

```

(Std. Err. adjusted for 164 clusters in ccode)

	_t	Coef.	Robust Std. Err.	z	P> z	[95% Conf. Interval]
-----+-----						
main						
	firc_entry	-.7648294	.2567729	-2.98	0.003	-1.268095 - .2615637
-----+-----						
tvc						
	firc_entry	.0001492	.0000837	1.78	0.075	-.0000149 .0003133
-----+-----						

Note: Variables in tvc equation interacted with _t.

Model 2 (Not Imputed)

Data = Regular-Leaderyear-Compete.dta

stcrreg leadfirc_entry instfirc_entry restfirc_entry, compete(failtype==2 3) tvc(instfirc_entry restfirc_entry) vce(cluster ccode) noshr

failure _d: failtype == 1
 analysis time _t: (endobs-origin)
 origin: time startobs
 id: leadid

Iteration 0: log pseudolikelihood = -9518.1781
 Iteration 1: log pseudolikelihood = -9508.6525
 Iteration 2: log pseudolikelihood = -9503.1772
 Iteration 3: log pseudolikelihood = -9503.0629
 Iteration 4: log pseudolikelihood = -9503.0618
 Iteration 5: log pseudolikelihood = -9503.0618

Competing-risks regression	No. of obs	=	10,989
	No. of subjects	=	2,152
Failure event : failtype == 1	No. failed	=	1,321
Competing events: failtype == 2 3	No. competing	=	670
	No. censored	=	161

Log pseudolikelihood = -9503.0618	Wald chi2(5)	=	22.00
	Prob > chi2	=	0.0005

(Std. Err. adjusted for 164 clusters in ccode)

_t	Coef.	Robust Std. Err.	z	P> z	[95% Conf. Interval]	

main						
leadfirc_entry	-1.103084	.3598892	-3.07	0.002	-1.808454	-.3977146
instfirc_entry	-.7476826	.3364341	-2.22	0.026	-1.407081	-.0882839
restfirc_entry	-.1375012	.437526	-0.31	0.753	-.9950364	.720034

tvc						
instfirc_entry	.0001982	.0000883	2.24	0.025	.0000251	.0003713
restfirc_entry	.0002397	.0001195	2.00	0.045	5.36e-06	.0004739

Note: Variables in tvc equation interacted with _t.

Model 3 (Imputed)

Data = Regular-Leaderyear-Compete-Imputed.dta

mi estimate: stcrreg leadfirc_entry instfirc_entry restfirc_entry irreg_entry age0 powtimes,
 compete(failtype==2 3) tvc(instfirc_entry restfirc_entry irreg_entry age0) vce(cluster ccode)

Multiple-imputation estimates		Imputations	=	5
Competing-risks regression		Number of obs	=	10,989
		Average RVI	=	0.0004
		Largest FMI	=	0.0031
DF adjustment:	Large sample	DF: min	=	420,763.73
		avg	=	2.00e+11
		max	=	1.08e+12
Model F test:	Equal FMI	F(10, 2.0e+08)	=	10.60
Within VCE type:	Robust	Prob > F	=	0.0000

(Within VCE adjusted for 164 clusters in ccode)

_t	Coef.	Std. Err.	t	P> t	[95% Conf. Interval]	

main						
leadfirc_entry	-1.198554	.3639939	-3.29	0.001	-1.911969	-.4851386
instfirc_entry	-.912349	.3288322	-2.77	0.006	-1.556848	-.2678498
restfirc_entry	-.1823725	.4434379	-0.41	0.681	-1.051495	.6867499
irreg_entry	-.3370652	.1671796	-2.02	0.044	-.6647313	-.0093991
age0	.0185003	.0040797	4.53	0.000	.0105042	.0264965
powtimes	-.0029469	.0575857	-0.05	0.959	-.1158128	.1099191

tvc						
instfirc_entry	.0001714	.0000931	1.84	0.066	-.0000112	.0003539
restfirc_entry	.0001896	.0001217	1.56	0.119	-.0000489	.0004281
irreg_entry	-.000314	.0001211	-2.59	0.010	-.0005514	-.0000766
age0	-3.67e-06	1.57e-06	-2.34	0.020	-6.76e-06	-5.91e-07

Model 4 (Not Imputed)

Data = Regular-Leaderyear-Compete.dta

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry tmixed tdemparl tdempres trans,
compete(failtype==2 3) tvc(instfirc_entry restfirc_entry tmixed tdemparl tdempres trans)
vce(cluster ccode) noshr
```

```
failure _d: failtype == 1
analysis time _t: (endobs-origin)
origin: time startobs
id: leadid
```

```
Iteration 0: log pseudolikelihood = -9313.3263
Iteration 1: log pseudolikelihood = -9294.6275
Iteration 2: log pseudolikelihood = -9278.8929
Iteration 3: log pseudolikelihood = -9277.3519
Iteration 4: log pseudolikelihood = -9277.3456
Iteration 5: log pseudolikelihood = -9277.3456
```

```
Competing-risks regression      No. of obs      =      10,989
                               No. of subjects =       2,152
Failure event : failtype == 1  No. failed      =       1,321
Competing events: failtype == 2 3 No. competing   =        670
                               No. censored    =        161
```

```
Log pseudolikelihood = -9277.3456      Wald chi2(13) =      237.27
                                       Prob > chi2   =       0.0000
```

(Std. Err. adjusted for 164 clusters in ccode)

_t	Coef.	Robust Std. Err.	z	P> z	[95% Conf. Interval]	

main						
leadfirc_entry	-.6213969	.3711832	-1.67	0.094	-1.348903	.1061088
instfirc_entry	-.5052908	.3309429	-1.53	0.127	-1.153927	.1433453
restfirc_entry	.0057784	.3306856	0.02	0.986	-.6423534	.6539102
tmixed	1.375016	.222552	6.18	0.000	.9388219	1.81121
tdemparl	2.044891	.2238491	9.14	0.000	1.606155	2.483628
tdempres	1.353559	.2154225	6.28	0.000	.9313385	1.775779
trans	1.889393	.2651396	7.13	0.000	1.369729	2.409057

tvc						
instfirc_entry	.00014	.0001059	1.32	0.186	-.0000675	.0003475
restfirc_entry	.0003069	.0001088	2.82	0.005	.0000937	.0005201
tmixed	-.0001872	.0000891	-2.10	0.036	-.0003618	-.0000126
tdemparl	-.0000572	.0000821	-0.70	0.486	-.000218	.0001037
tdempres	.0001132	.0000781	1.45	0.147	-.0000398	.0002662
trans	-.000573	.0001982	-2.89	0.004	-.0009615	-.0001845

Note: Variables in tv equation interacted with _t.

Model 5 (Imputed)

Data = Regular-Leaderyear-Compete-Imputed.dta

mi estimate: stcrreg leadfirc_entry instfirc_entry restfirc_entry lngdpcapL growth tropen2L
dopen2 lnpop, compete(failtype==2 3) tvc(instfirc_entry restfirc_entry lngdpcapL) vce(cluster
ccode)

Multiple-imputation estimates		Imputations	=	5
Competing-risks regression		Number of obs	=	10,989
		Average RVI	=	0.1096
		Largest FMI	=	0.3562
DF adjustment:	Large sample	DF: min	=	38.24
		avg	=	4516429.90
		max	=	4.43e+07
Model F test:	Equal FMI	F(11, 3774.8)	=	9.99
Within VCE type:	Robust	Prob > F	=	0.0000

(Within VCE adjusted for 164 clusters in ccode)

_t	Coef.	Std. Err.	t	P> t	[95% Conf. Interval]	

main						
leadfirc_entry	-.9503521	.3656009	-2.60	0.009	-1.666922	-.2337825
instfirc_entry	-.6690509	.359742	-1.86	0.063	-1.374132	.0360307
restfirc_entry	-.0204015	.4699061	-0.04	0.965	-.9414005	.9005975
lngdpcapL	.2254826	.0615056	3.67	0.000	.1048006	.3461646
growth	.3978831	.5234511	0.76	0.447	-.6287561	1.424522
tropen2L	-.2295753	.1955256	-1.17	0.242	-.6159515	.1568009
dopen2	-.0931619	.1495188	-0.62	0.534	-.3869967	.2006728
lnpop	.0742854	.0352414	2.11	0.035	.0052095	.1433612

tvc						
instfirc_entry	.0001396	.0001242	1.12	0.268	-.0001119	.000391
restfirc_entry	.0001746	.0001174	1.49	0.137	-.0000555	.0004047
lngdpcapL	.0001234	.0000337	3.66	0.000	.0000571	.0001898

Model 6 (Not Imputed)

Data = Regular-Leaderyear-Compete.dta

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry civwar initiator2 defender2 inherit dwinsh
dlosesesh ddrawsh dwinwar dlosewar ddrawwar, compete(failtype==2 3) tvc(instfirc_entry
restfirc_entry) vce(cluster ccode) noshr
```

```
failure _d: failtype == 1
analysis time _t: (endobs-origin)
origin: time startobs
id: leadid
```

```
Iteration 0: log pseudolikelihood = -9512.6342
Iteration 1: log pseudolikelihood = -9491.513
Iteration 2: log pseudolikelihood = -9480.5354
Iteration 3: log pseudolikelihood = -9480.1521
Iteration 4: log pseudolikelihood = -9480.1507
Iteration 5: log pseudolikelihood = -9480.1507
```

```
Competing-risks regression      No. of obs      =      10,989
                               No. of subjects =       2,152
Failure event : failtype == 1  No. failed      =       1,321
Competing events: failtype == 2 3 No. competing   =        670
                               No. censored    =        161
```

```
Log pseudolikelihood = -9480.1507      Wald chi2(15) =      49.10
                                       Prob > chi2   =      0.0000
```

(Std. Err. adjusted for 164 clusters in ccode)

_t	Coef.	Robust Std. Err.	z	P> z	[95% Conf. Interval]	

main						
leadfirc_entry	-1.00252	.3638231	-2.76	0.006	-1.7156	-.2894397
instfirc_entry	-.8103239	.3412107	-2.37	0.018	-1.479085	-.1415633
restfirc_entry	-.1276541	.4457919	-0.29	0.775	-1.00139	.746082
civwar	-.214201	.1240159	-1.73	0.084	-.4572677	.0288657
initiator2	-.861382	.2992873	-2.88	0.004	-1.447974	-.2747898
defender2	-.1921274	.2125956	-0.90	0.366	-.6088071	.2245523
inherit	.1931041	.343135	0.56	0.574	-.479428	.8656363
dwinsh	.2245538	.2290469	0.98	0.327	-.2243698	.6734775
dlosesesh	-.358235	.2652955	-1.35	0.177	-.8782046	.1617346
ddrawsh	.1580537	.1964479	0.80	0.421	-.2269772	.5430846
dwinwar	-.3933144	.3689357	-1.07	0.286	-1.116415	.3297862
dlosewar	-.9417592	.4001269	-2.35	0.019	-1.725993	-.1575249
ddrawwar	-.2213696	.4936792	-0.45	0.654	-1.188963	.7462238

tvc						
instfirc_entry	.0001976	.0000878	2.25	0.025	.0000254	.0003698
restfirc_entry	.000233	.0001201	1.94	0.052	-2.27e-06	.0004683

Note: Variables in tv equation interacted with _t.

Model 7 (Imputed)

Data = Regular-Leaderyear-Compete-Imputed.dta

```
mi estimate: stcrreg firc_entry irreg_entry age0 powtimes tmixed tdemparl tdempres trans
lngdpcapL growth tropen2L dopen2 lnpop civwar initiator2 defender2 inherit dwinsh dloshesh ddrawsh
dwinwar dlosewar ddrawwar, compete(failtype==2 3) tvc(firc_entry irreg_entry age0 tmixed tdemparl
tdempres trans lngdpcapL) vce (cluster ccode)
```

```
Multiple-imputation estimates      Imputations      =      5
Competing-risks regression        Number of obs    =    10,989
                                   Average RVI      =     0.0443
                                   Largest FMI     =     0.2106
DF adjustment: Large sample        DF: min         =    104.53
                                   avg             = 3790594.80
                                   max             =    7.42e+07
Model F test: Equal FMI           F( 31,64690.9) =     14.73
Within VCE type: Robust           Prob > F        =     0.0000
```

(Within VCE adjusted for 164 clusters in ccode)

_t	Coef.	Std. Err.	t	P> t	[95% Conf. Interval]	
main						
firc_entry	-.3857255	.2558568	-1.51	0.132	-.8871981	.1157471
irreg_entry	.0785865	.1725926	0.46	0.649	-.2596902	.4168631
age0	.0141693	.0042832	3.31	0.001	.0057743	.0225643
powtimes	-.0241015	.0611601	-0.39	0.694	-.1439733	.0957702
tmixed	1.275209	.2104171	6.06	0.000	.8627963	1.687622
tdemparl	1.874971	.2309807	8.12	0.000	1.422253	2.327688
tdempres	1.212311	.2204662	5.50	0.000	.7801985	1.644423
trans	1.8515	.2673145	6.93	0.000	1.327572	2.375428
lngdpcapL	.0109673	.06415	0.17	0.864	-.1149486	.1368831
growth	-.414855	.4903637	-0.85	0.398	-1.37614	.5464297
tropen2L	-.1884853	.1741037	-1.08	0.281	-.5337187	.1567481
dopen2	-.017394	.1345223	-0.13	0.897	-.2816552	.2468672
lnpop	.0723024	.0344197	2.10	0.036	.0048175	.1397874
civwar	-.1936256	.1007862	-1.92	0.055	-.3911634	.0039123
initiator2	-.6897639	.2925317	-2.36	0.018	-1.263116	-.1164122
defender2	-.3452821	.2026919	-1.70	0.088	-.742551	.0519868
inherit	.0675541	.3285769	0.21	0.837	-.5764477	.711556
dwinsh	-.0863291	.2474827	-0.35	0.727	-.5713887	.3987305
dloshesh	-.3156859	.2610387	-1.21	0.227	-.8273411	.1959694
ddrawsh	.1017724	.1870218	0.54	0.586	-.2647841	.468329
dwinwar	-.984102	.3907553	-2.52	0.012	-1.749972	-.2182322
dlosewar	-.7921398	.3947782	-2.01	0.045	-1.565894	-.0183856
ddrawwar	.0778413	.4308966	0.18	0.857	-.7667111	.9223937
tvc						
firc_entry	.0001075	.00009	1.19	0.232	-.0000689	.000284
irreg_entry	-.0002498	.0001162	-2.15	0.032	-.0004775	-.0000221
age0	-6.84e-06	2.08e-06	-3.28	0.001	-.0000109	-2.76e-06
tmixed	-.0001603	.0000825	-1.94	0.052	-.000322	1.40e-06
tdemparl	-.0001523	.0000814	-1.87	0.061	-.0003118	7.14e-06
tdempres	.000056	.0000786	0.71	0.476	-.0000981	.0002102
trans	-.0004703	.0001915	-2.46	0.014	-.0008456	-.000095
lngdpcapL	.0001142	.0000348	3.29	0.001	.0000456	.0001829

Model 8 (Imputed)

Data = Regular-Leaderyear-Compete-Imputed.dta

```
mi estimate: stcrreg leadfirc_entry instfirc_entry restfirc_entry irreg_entry age0 powtimes
tmixed tdemparl tdempres trans lngdpcapL growth tropen2L dopen2 lnpop civwar initiator2 defender2
inherit dwinsh dloshesh ddrawsh dwinwar dlosewar ddrawwar, compete(failtype==2 3)
tvc(instfirc_entry restfirc_entry irreg_entry age0 tmixed tdemparl tdempres trans lngdpcapL)
vce(cluster ccode)
```

```
Multiple-imputation estimates          Imputations          =          5
Competing-risks regression           Number of obs         =        10,989
                                       Average RVI           =         0.0496
                                       Largest FMI           =         0.2012
DF adjustment:  Large sample          DF:  min              =         114.02
                                       avg                  =      1817866.06
                                       max                  =        3.21e+07
Model F test:  Equal FMI              F( 34,57438.6)       =         13.66
Within VCE type:  Robust               Prob > F              =         0.0000
```

(Within VCE adjusted for 164 clusters in ccode)

_t	Coef.	Std. Err.	t	P> t	[95% Conf. Interval]	
main						
leadfirc_entry	-.5691019	.385213	-1.48	0.140	-1.324106	.1859021
instfirc_entry	-.6680874	.3618673	-1.85	0.065	-1.377348	.0411729
restfirc_entry	.14659	.3428792	0.43	0.669	-.5254414	.8186214
irreg_entry	.0775275	.1717956	0.45	0.652	-.259187	.414242
age0	.0142578	.0043341	3.29	0.001	.005763	.0227526
powtimes	-.0321512	.0617604	-0.52	0.603	-.1531996	.0888971
tmixed	1.255958	.2133483	5.89	0.000	.8377996	1.674117
tdemparl	1.854624	.2303357	8.05	0.000	1.40317	2.306078
tdempres	1.194477	.2211109	5.40	0.000	.7611006	1.627853
trans	1.831753	.2674505	6.85	0.000	1.307558	2.355949
lngdpcapL	.0137867	.064425	0.21	0.831	-.1126812	.1402547
growth	-.4312271	.4878726	-0.88	0.377	-1.387649	.5251948
tropen2L	-.1929352	.1748871	-1.10	0.272	-.5393848	.1535143
dopen2	-.0209531	.1347167	-0.16	0.876	-.2856051	.243699
lnpop	.072718	.0344674	2.11	0.035	.0051413	.1402946
civwar	-.1925134	.0995912	-1.93	0.053	-.387709	.0026822
initiator2	-.6899887	.2923579	-2.36	0.018	-1.263	-.1169776
defender2	-.3341422	.2020921	-1.65	0.098	-.7302354	.061951
inherit	.1032958	.327491	0.32	0.752	-.5385764	.7451679
dwinsh	-.0897795	.2482712	-0.36	0.718	-.5763841	.3968252
dloshesh	-.3135458	.2526547	-1.24	0.215	-.8087581	.1816665
ddrawsh	.09585	.1864012	0.51	0.607	-.2694902	.4611903
dwinwar	-.986493	.3889677	-2.54	0.011	-1.748859	-.224127
dlosewar	-.7913656	.3935924	-2.01	0.044	-1.562797	-.0199344
ddrawwar	.0629295	.4329737	0.15	0.884	-.7856934	.9115525
tvc						
instfirc_entry	.0001557	.0001271	1.23	0.223	-.0000957	.0004071
restfirc_entry	.0001676	.0001029	1.63	0.104	-.0000342	.0003694
irreg_entry	-.0002507	.0001171	-2.14	0.032	-.0004802	-.0000211
age0	-6.79e-06	2.14e-06	-3.17	0.002	-.000011	-2.59e-06
tmixed	-.0001435	.0000879	-1.63	0.102	-.0003158	.0000287
tdemparl	-.0001377	.0000833	-1.65	0.098	-.0003011	.0000256
tdempres	.0000694	.0000804	0.86	0.388	-.0000882	.0002271
trans	-.0004517	.0001936	-2.33	0.020	-.0008312	-.0000723
lngdpcapL	.000112	.0000349	3.21	0.002	.000043	.000181

CODE FOR TABLE 4.6. COMPETING RISKS ANALYSIS OF REGULAR REMOVAL FROM OFFICE, 1875-2004, LEADER-SPELL DATA

Data = Regular-Leaderspell-Compete.dta

```
stcrreg foreign_entryabd, compete(failtype==2 3) vce(cluster ccode)
```

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry, compete(failtype==2 3) vce(cluster ccode)
```

```
stcrreg foreign_entryabd irreg_entryabd lnpec4_fill lntpop4_banks mountainous newstate losewar  
cw1000ongoing2014 gdbuffer leaderage prevtimesinoffice pol_democ pol_mixed, compete(failtype==2  
3) vce(cluster ccode)
```

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry irreg_entryabd lnpec4_fill lntpop4_banks  
mountainous newstate losewar gdbuffer cw1000ongoing2014 leaderage prevtimesinoffice pol_democ  
pol_mixed, compete(failtype==2 3) vce(cluster ccode)
```

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry irreg_entryabd lnpec4_fill lntpop4_banks  
mountainous newstate losewar gdbuffer cw1000ongoing2014 leaderage prevtimesinoffice pol_democ  
pol_mixed elfroeder oil_colgan if year>1945, compete(failtype==2 3) vce(cluster ccode)
```

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry irreg_entryabd lnpec4_fill lntpop4_banks  
mountainous newstate losewar gdbuffer cw1000ongoing2014 leaderage prevtimesinoffice pol_democ  
pol_mixed ldiscrimpop if year>1945, compete(failtype==2 3) vce(cluster ccode)
```

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry irreg_entryabd lnpec4_fill lntpop4_banks  
mountainous newstate losewar gdbuffer cw1000ongoing2014 leaderage prevtimesinoffice pol_democ  
pol_mixed lexclpop if year>1945, compete(failtype==2 3) vce(cluster ccode)
```

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry irreg_entryabd lnpec4_fill lntpop4_banks  
mountainous newstate losewar gdbuffer cw1000ongoing2014 leaderage prevtimesinoffice pol_democ  
pol_mixed oil_ross, compete(failtype==2 3) vce(cluster ccode)
```

TABLE 4.6. COMPETING RISKS ANALYSIS OF REGULAR REMOVAL FROM OFFICE, 1875-2004, LEADER-SPELL DATA: COMPLETE RESULTS

Data = Regular-Leaderspell-Compete.dta

Model 1

stcrreg foreign_entryabd, compete(failtype==2 3) vce(cluster ccode)

failure _d: failtype == 1
analysis time _t: tenure

Iteration 0: log pseudolikelihood = -15322.716
Iteration 1: log pseudolikelihood = -15321.405
Iteration 2: log pseudolikelihood = -15321.405

Competing-risks regression	No. of obs	=	3,057
	No. of subjects	=	3,057
Failure event : failtype == 1	No. failed	=	2,037
Competing events: failtype == 2 3	No. competing	=	849
	No. censored	=	171

Log pseudolikelihood = -15321.405	Wald chi2(1)	=	17.42
	Prob > chi2	=	0.0000

(Std. Err. adjusted for 186 clusters in ccode)

_t	SHR	Robust Std. Err.	z	P> z	[95% Conf. Interval]	
foreign_entryabd	.4790177	.0844798	-4.17	0.000	.3390262	.6768149

Model 2

stcrreg leadfirc_entry instfirc_entry restfirc_entry, compete(failtype==2 3) vce(cluster ccode)

failure _d: failtype == 1
analysis time _t: tenure

Iteration 0: log pseudolikelihood = -15317.141
Iteration 1: log pseudolikelihood = -15314.138
Iteration 2: log pseudolikelihood = -15314.05
Iteration 3: log pseudolikelihood = -15314.05

Competing-risks regression	No. of obs	=	3,057
	No. of subjects	=	3,057
Failure event : failtype == 1	No. failed	=	2,037
Competing events: failtype == 2 3	No. competing	=	849
	No. censored	=	171

Log pseudolikelihood = -15314.05	Wald chi2(3)	=	24.54
	Prob > chi2	=	0.0000

(Std. Err. adjusted for 186 clusters in ccode)

_t	SHR	Robust Std. Err.	z	P> z	[95% Conf. Interval]	
leadfirc_entry	.2825186	.0722657	-4.94	0.000	.1711266	.4664195
instfirc_entry	.8449038	.2681595	-0.53	0.595	.4535748	1.573858
restfirc_entry	.9504123	.2888479	-0.17	0.867	.5238611	1.724281

Model 3

```
stcrreg foreign_entryabd irreg_entryabd lnpec4_fill lntpop4_banks mountainous newstate losewar
cw1000ongoing2014 gdbuffer leaderage prevtimesinoffice pol_democ pol_mixed, compete(failtype==2
3) vce(cluster ccode)
```

```
failure _d: failtype == 1
analysis time _t: tenure
```

```
Iteration 0: log pseudolikelihood = -14216.074
Iteration 1: log pseudolikelihood = -14172.618
Iteration 2: log pseudolikelihood = -14172.288
Iteration 3: log pseudolikelihood = -14172.288
```

```
Competing-risks regression          No. of obs      =      2,876
                                     No. of subjects =      2,876
Failure event   : failtype == 1     No. failed      =      1,944
Competing events: failtype == 2 3    No. competing   =       770
                                     No. censored    =       162
```

```
Log pseudolikelihood = -14172.288    Wald chi2(13)   =      277.55
                                     Prob > chi2     =       0.0000
```

(Std. Err. adjusted for 172 clusters in ccode)

_t	SHR	Robust Std. Err.	z	P> z	[95% Conf. Interval]	
foreign_entryabd	.5797719	.1078642	-2.93	0.003	.4026194	.8348717
irreg_entryabd	.6806864	.0690331	-3.79	0.000	.557983	.8303731
lnpec4_fill	1.03286	.0148986	2.24	0.025	1.004068	1.062477
lntpop4_banks	.9990308	.0487463	-0.02	0.984	.9079161	1.099289
mountainous	1.545728	.402676	1.67	0.095	.9276574	2.575602
newstate	.573501	.0743173	-4.29	0.000	.4448677	.7393285
losewar	1.064534	.1789803	0.37	0.710	.7656789	1.480036
cw1000ongoing2014	.8962267	.0941299	-1.04	0.297	.7294859	1.10108
gdbuffer	1.325511	.1098334	3.40	0.001	1.126813	1.559247
leaderage	1.010055	.0028886	3.50	0.000	1.004409	1.015732
prevtimesinoffice	1.012498	.038678	0.33	0.745	.9394591	1.091216
pol_democ	3.114766	.4280203	8.27	0.000	2.379339	4.077505
pol_mixed	2.041439	.2728866	5.34	0.000	1.570917	2.652892

Model 4

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry irreg_entryabd lnpec4_fill lntpop4_banks
mountainous newstate losewar gdbuffer cw1000ongoing2014 leaderage prevtimesinoffice pol_democ
pol_mixed, compete(failtype==2 3) vce(cluster ccode)
```

```
failure _d: failtype == 1
analysis time _t: tenure
```

```
Iteration 0: log pseudolikelihood = -14212.188
Iteration 1: log pseudolikelihood = -14166.982
Iteration 2: log pseudolikelihood = -14166.467
Iteration 3: log pseudolikelihood = -14166.466
```

```
Competing-risks regression          No. of obs      =      2,876
                                     No. of subjects =      2,876
Failure event   : failtype == 1     No. failed      =      1,944
Competing events: failtype == 2 3   No. competing   =       770
                                     No. censored    =       162
```

```
Log pseudolikelihood = -14166.466      Wald chi2(15)   =      280.42
                                     Prob > chi2     =       0.0000
```

(Std. Err. adjusted for 172 clusters in ccode)

_t	SHR	Robust Std. Err.	z	P> z	[95% Conf. Interval]	
leadfirc_entry	.3108375	.087783	-4.14	0.000	.1787093	.5406541
instfirc_entry	1.004208	.3756205	0.01	0.991	.4824303	2.090319
restfirc_entry	.9966844	.3393038	-0.01	0.992	.5114238	1.942381
irreg_entryabd	.6755908	.0684858	-3.87	0.000	.5538549	.8240839
lnpec4_fill	1.032183	.014896	2.19	0.028	1.003396	1.061795
lntpop4_banks	1.000544	.0487223	0.01	0.991	.9094654	1.100743
mountainous	1.571487	.4102027	1.73	0.083	.9421564	2.62119
newstate	.578346	.0739872	-4.28	0.000	.4500848	.7431578
losewar	1.085863	.1807663	0.49	0.621	.7835617	1.504792
gdbuffer	1.320991	.1094472	3.36	0.001	1.12299	1.553903
cw1000ongoing2014	.9074198	.0942463	-0.94	0.350	.7402883	1.112284
leaderage	1.009614	.0028584	3.38	0.001	1.004027	1.015232
prevtimesinoffice	1.010322	.0389071	0.27	0.790	.9368718	1.08953
pol_democ	3.132274	.432312	8.27	0.000	2.389891	4.105267
pol_mixed	2.059904	.2740169	5.43	0.000	1.587145	2.673482

Model 5

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry irreg_entryabd lnpec4_fill lntpop4_banks
mountainous newstate losewar gdbuffer cw1000ongoing2014 leaderage prevtimesinoffice pol_democ
pol_mixed elfroeder oil_colgan if year>1945, compete(failtype==2 3) vce(cluster ccode)
```

```
failure_d: failtype == 1
analysis time_t: tenure
```

```
Iteration 0: log pseudolikelihood = -7028.6432
Iteration 1: log pseudolikelihood = -6992.6238
Iteration 2: log pseudolikelihood = -6991.5859
Iteration 3: log pseudolikelihood = -6991.5809
Iteration 4: log pseudolikelihood = -6991.5809
```

```
Competing-risks regression          No. of obs      =      1,619
                                    No. of subjects =      1,619
Failure event : failtype == 1      No. failed      =      1,048
Competing events: failtype == 2 3  No. competing   =       413
                                    No. censored   =       158
```

```
Log pseudolikelihood = -6991.5809      Wald chi2(17)   =      305.90
                                    Prob > chi2     =       0.0000
```

(Std. Err. adjusted for 167 clusters in ccode)

_____	_____	_____	_____	_____	_____	_____
_t	SHR	Robust Std. Err.	z	P> z	[95% Conf. Interval]	
leadfirc_entry	.3490262	.1346691	-2.73	0.006	.1638432	.7435113
instfirc_entry	1.629567	1.089147	0.73	0.465	.4397016	6.039294
restfirc_entry	.9785639	.3567505	-0.06	0.953	.4789284	1.999437
irreg_entryabd	.8231279	.1111523	-1.44	0.149	.6317192	1.072533
lnpec4_fill	1.064537	.020049	3.32	0.001	1.025958	1.104566
lntpop4_banks	.9814858	.0337379	-0.54	0.587	.9175389	1.049889
mountainous	2.116751	.6062547	2.62	0.009	1.207477	3.710742
newstate	.5412176	.0840274	-3.95	0.000	.3992248	.7337132
losewar	1.227928	.5928718	0.43	0.671	.4766434	3.163389
gdbuffer	1.055259	.1364203	0.42	0.677	.8190657	1.359564
cw1000ongoing2014	.8786991	.101573	-1.12	0.263	.7005607	1.102135
leaderage	1.00752	.0036133	2.09	0.037	1.000463	1.014627
prevtimesinoffice	.9470942	.0576522	-0.89	0.372	.8405784	1.067107
pol_democ	3.06828	.4321235	7.96	0.000	2.328174	4.043659
pol_mixed	1.976	.2865161	4.70	0.000	1.487183	2.625484
elfroeder	.9353229	.1768457	-0.35	0.724	.6456855	1.354884
oil_colgan	.6925415	.0918435	-2.77	0.006	.5340244	.8981119

Model 6

```
stcrreg leadfirc_entry instfirc_entry restfirc_entry irreg_entryabd lnpec4_fill lntpop4_banks
mountainous newstate losewar gdbuffer cw1000ongoing2014 leaderage prevtimesinoffice pol_democ
pol_mixed ldiscrimpop if year>1945, compete(failtype==2 3) vce(cluster ccode)
```

```
failure _d: failtype == 1
analysis time _t: tenure
```

```
Iteration 0: log pseudolikelihood = -6699.8597
Iteration 1: log pseudolikelihood = -6668.0799
Iteration 2: log pseudolikelihood = -6667.3106
Iteration 3: log pseudolikelihood = -6667.3073
Iteration 4: log pseudolikelihood = -6667.3073
```

```
Competing-risks regression           No. of obs           =           1,551
                                     No. of subjects      =           1,551
Failure event : failtype == 1        No. failed           =           1,005
Competing events: failtype == 2 3    No. competing        =            397
                                     No. censored         =            149
```

```
Log pseudolikelihood = -6667.3073    Wald chi2(16)        =           269.34
                                     Prob > chi2          =            0.0000
```

(Std. Err. adjusted for 158 clusters in ccode)

_t	SHR	Robust Std. Err.	z	P> z	[95% Conf. Interval]
leadfirc_entry	.3951451	.1645496	-2.23	0.026	.1746997 .8937603
instfirc_entry	2.830688	2.221878	1.33	0.185	.607803 13.18321
restfirc_entry	.7735403	.297612	-0.67	0.505	.3639079 1.644275
irreg_entryabd	.8417376	.1163791	-1.25	0.213	.6419321 1.103734
lnpec4_fill	1.051428	.0187745	2.81	0.005	1.015267 1.088877
lntpop4_banks	.993316	.0364107	-0.18	0.855	.9244555 1.067306
mountainous	2.23757	.6568511	2.74	0.006	1.25864 3.977879
newstate	.5365484	.0901458	-3.71	0.000	.3860095 .7457956
losewar	1.186259	.5121556	0.40	0.692	.5089579 2.764887
gdbuffer	1.145397	.1362986	1.14	0.254	.9071217 1.446259
cw1000ongoing2014	.8700355	.1006087	-1.20	0.229	.6935954 1.091359
leaderage	1.009169	.0037103	2.48	0.013	1.001923 1.016467
prevtimesinoffice	.9218645	.0570568	-1.31	0.189	.816552 1.040759
pol_democ	3.265873	.4631908	8.34	0.000	2.473292 4.31244
pol_mixed	2.056133	.30851	4.80	0.000	1.532264 2.759108
ldiscrimpop	.9969415	.2493451	-0.01	0.990	.6106265 1.62766

Model 7

```

stcrreg leadfirc_entry instfirc_entry restfirc_entry irreg_entryabd lnpec4_fill lntpop4_banks
mountainous newstate losewar gdbuffer cw1000ongoing2014 leaderage prevtimesinoffice pol_democ
pol_mixed lexclpop if year>1945, compete(failtype==2 3) vce(cluster ccode)

```

```

failure_d: failtype == 1
analysis time_t: tenure

```

```

Iteration 0: log pseudolikelihood = -6699.172
Iteration 1: log pseudolikelihood = -6667.0083
Iteration 2: log pseudolikelihood = -6666.1888
Iteration 3: log pseudolikelihood = -6666.1853
Iteration 4: log pseudolikelihood = -6666.1853

```

```

Competing-risks regression           No. of obs      =      1,551
                                     No. of subjects =      1,551
Failure event   : failtype == 1     No. failed      =      1,005
Competing events: failtype == 2 3   No. competing   =       397
                                     No. censored   =       149

```

```

Log pseudolikelihood = -6666.1853   Wald chi2(16)  =      272.48
                                     Prob > chi2    =       0.0000

```

(Std. Err. adjusted for 158 clusters in ccode)

_t	SHR	Robust Std. Err.	z	P> z	[95% Conf. Interval]	
leadfirc_entry	.3933448	.1650483	-2.22	0.026	.1728254	.8952399
instfirc_entry	2.859369	2.296835	1.31	0.191	.5922819	13.80422
restfirc_entry	.7558508	.2915583	-0.73	0.468	.3548931	1.60981
irreg_entryabd	.8388237	.116632	-1.26	0.206	.6387305	1.101599
lnpec4_fill	1.050054	.0191451	2.68	0.007	1.013192	1.088256
lntpop4_banks	.995279	.0363017	-0.13	0.897	.9266126	1.069034
mountainous	2.218725	.6521883	2.71	0.007	1.247082	3.947407
newstate	.5369135	.0894811	-3.73	0.000	.3872974	.7443277
losewar	1.208051	.5317779	0.43	0.668	.5097895	2.862727
gdbuffer	1.122393	.1362359	0.95	0.341	.8847614	1.423848
cw1000ongoing2014	.8871881	.1013916	-1.05	0.295	.709148	1.109927
leaderage	1.009043	.0036433	2.49	0.013	1.001927	1.016209
prevtimesinoffice	.9233571	.0569947	-1.29	0.196	.8181423	1.042103
pol_democ	3.170496	.4373089	8.37	0.000	2.41947	4.154646
pol_mixed	2.038132	.2992977	4.85	0.000	1.52839	2.717881
lexclpop	.7842929	.1624233	-1.17	0.241	.522635	1.17695

Model 8

stcrreg leadfirc_entry instfirc_entry restfirc_entry irreg_entryabd lnpec4_fill lntpop4_banks
 mountainous newstate losewar gdbuffer cw1000ongoing2014 leaderage prevtimesinoffice pol_democ
 pol_mixed oil_ross, compete(failtype==2 3) vce(cluster ccode)

failure_d: failtype == 1
 analysis time_t: tenure

Iteration 0: log pseudolikelihood = -5204.1309
 Iteration 1: log pseudolikelihood = -5182.2963
 Iteration 2: log pseudolikelihood = -5181.8795
 Iteration 3: log pseudolikelihood = -5181.8784
 Iteration 4: log pseudolikelihood = -5181.8784

Competing-risks regression	No. of obs	=	1,261
	No. of subjects	=	1,261
Failure event : failtype == 1	No. failed	=	811
Competing events: failtype == 2 3	No. competing	=	296
	No. censored	=	154

Log pseudolikelihood = -5181.8784	Wald chi2(16)	=	213.41
	Prob > chi2	=	0.0000

(Std. Err. adjusted for 160 clusters in ccode)

_t	SHR	Robust Std. Err.	z	P> z	[95% Conf. Interval]	
leadfirc_entry	.368707	.1602535	-2.30	0.022	.1572962	.8642604
instfirc_entry	5.980668	4.050056	2.64	0.008	1.586074	22.55152
restfirc_entry	1.060189	.4516508	0.14	0.891	.4600058	2.44345
irreg_entryabd	.9113844	.139381	-0.61	0.544	.6753433	1.229925
lnpec4_fill	1.07458	.0237366	3.26	0.001	1.02905	1.122124
lntpop4_banks	1.006308	.03396	0.19	0.852	.9419008	1.075119
mountainous	2.328518	.6752964	2.91	0.004	1.31893	4.110907
newstate	.5636476	.0931492	-3.47	0.001	.4076965	.7792529
losewar	1.405197	.719814	0.66	0.507	.5148826	3.835008
gdbuffer	1.276481	.1336062	2.33	0.020	1.039731	1.567139
cw1000ongoing2014	.8748737	.1089952	-1.07	0.283	.6853293	1.116841
leaderage	1.008828	.0044124	2.01	0.044	1.000216	1.017513
prevtimesinoffice	.8859896	.0636531	-1.68	0.092	.7696174	1.019958
pol_democ	3.360877	.5845381	6.97	0.000	2.390055	4.726038
pol_mixed	2.188858	.384097	4.46	0.000	1.551851	3.087343
oil_ross	.954271	.0210854	-2.12	0.034	.9138265	.9965056

List of Variables: Leader-spell and Leader-year Datasets

Variable Label	Variable Description	Dataset	Source
obsid	Observation ID	Both	Archigos v.2.9
leadid	Leader ID	Both	Archigos
ccode	Country code	Both	Archigos, COW
idacr	Country abbreviation	LS	Archigos, COW
ccname	Country name	LY	Archigos
leader	Leader last name	Both	Archigos
startdate	Date leader took office	LS	Archigos
enddate	Date leader left office	LS	Archigos
eindate	Date leader took office	Both	Archigos
eoutdate	Date leader left office	Both	Archigos
startobs	Date of start of yearly observation	LY	Archigos
endobs	Date of end of yearly observation	LY	Archigos
foreign_entryabd	Leader brought to power in foreign-imposed regime change	LS	Author
leadfirc_entry	Leader brought to power in leadership foreign-imposed regime change	LS	Author
instfirc_entry	Leader brought to power in institutional foreign-imposed regime change	LS	Author
restfirc_entry	Leader brought to power in restoration foreign-imposed regime change	LS	Author
irreg_entryabd	Leader entered office by irregular means	LS	Archigos and Author
irreg_entry	Leader entered office by irregular means	LY	Archigos and Author
mountainous	Percent mountainous terrain	LS	Fearon and Laitin 2003
losewar	State lost an interstate war in year of observation	LS	COW, v.4
lnpop4_banks	Population (log)	LS	COW supplemented by Banks and Wilson 2020
lnpec4_fill	Primary energy consumption (log)	LS	COW, v.4
newstate	State in first 2 years of existence	LS	Fearon and Laitin 2003
cwl000ongoing2014	Ongoing civil war in year of observation	LS	COW, Sambanis 2004, Clodfelter 2008, Author
interwar	State is involved in an interstate war in year of observation	LS	COW, v.4
oil_colgan	Gross revenues from oil exports comprise 10 percent or more of state's GDP	LS	Colgan 2010
oil_ross	State's per capita revenue from oil and gas	LS	Ross 2012
lexclpop	Percent of population consisting of excluded ethnic groups (log)	LS	Wimmer, Cederman, and Min 2009
ldiscrimpop	Percent of population consisting of ethnic groups experiencing discrimination (log)	LS	Wimmer, Cederman, and Min 2009
elfroeder	Ethnolinguistic fractionalization	LS	Roeder 2001
gdbuffer	State is a buffer state	LS	Fazal 2007
bbuffer	State is a buffer state	LS	Fazal 2007
prevtimesinoffice	Number of times leader previously held office	LS	Archigos
pol_democ	State is a democracy	LS	Polity 4 (Marshall n.d.)
pol_mixed	State is a mixed regime	LS	Polity 4 (Marshall n.d.)
pol_autoc	State is an autocracy	LS	Polity 4 (Marshall n.d.)
leaderage	Leader age	LS	Archigos
failtype (irregular)	1=irregular or foreign exit, 2=regular exit, 3=natural death	Both	Archigos and Author
failtype (regular)	1=regular exit, 2=irregular or foreign exit, 3=natural death	Both	Archigos and Author
age0	Leader's age	LY	Goemans 2008
powtimes	Number of times leader previously held office	LY	Goemans 2008
tmixed	Mixed regime (-6 to +6 on Polity index)	LY	Goemans 2008

tdeparl	Parliamentary democracy (7-10 on Polity index)	LY	Goemans 2008
tdempres	Presidential democracy (7-10 on Polity index)	LY	Goemans 2008
trans	Countries experiencing an interregnum or political transition	LY	Goemans 2008
lngdpcap1	GDP per capita (log)	LY	Goemans 2008
growth	Yearly change in log of GDP per capita	LY	Goemans 2008
tropen2l	Total trade standardized by GDP per capita (log)	LY	Goemans 2008
dopen2	Yearly change in level of trade openness	LY	Goemans 2008
lnpop	Population (log)	LY	Goemans 2008
civwar	Leader is in office while a civil war is ongoing	LY	Goemans 2008
initiator2	Leader initiated an international crisis	LY	Goemans 2008
defender2	Leaders was the target of an international crisis	LY	Goemans 2008
inherit	Leader inherited an ongoing international crisis from predecessor	LY	Goemans 2008
dwinsh	Leader triumphed in an international crisis	LY	Goemans 2008
dloshesh	Leader lost an international crisis	LY	Goemans 2008
ddrawsh	Leader drew an international crisis	LY	Goemans 2008
dwinwar	Leader triumphed in a war	LY	Goemans 2008
dlosewar	Leader lost a war	LY	Goemans 2008
ddrawwar	Leader drew a war	LY	Goemans 2008

Note: LS refers to the leader-spell dataset; LY refers to the leader-year dataset.

LIST OF REFERENCES

- Banks, Arthur S., and Kenneth A. Wilson. 2020. *Cross-National Time-Series Data Archive*. Retrieved from: <https://www.cntsdata.com/>.
- Clodfelter, Micheal. 2008. *Warfare and Armed Conflicts: A Statistical Encyclopedia of Casualty and other Figures, 1494-2007*, 3rd ed. Jefferson, NC: McFarland.
- Colgan, Jeff D. 2010. "Oil and Revolutionary Governments: Fuel for International Conflict." *International Organization* 64(4): 661-94.
- Correlates of War Project. *Interstate War Data*, v.4.0 and 4.1. Available at <https://www.correlatesofwar.org>.
- Correlates of War Project. *Intrastate War Data*, v.4.0 and 4.1. Available at <https://www.correlatesofwar.org>.
- Correlates of War Project. *National Material Capabilities Data*, v.4. Available at <https://www.correlatesofwar.org>.
- Fazal, Tanisha M. 2007. *State Death: The Politics and Geography of Conquest, Occupation, and Annexation*. Princeton, NJ: Princeton University Press.
- Fearon, James D., and David D. Laitin. 2003. "Ethnicity, Insurgency, and Civil War." *American Political Science Review* 97(1): 75-90.
- Goemans, H. E. 2008. "Which Way Out? The Manner and Consequences of Losing Office." *Journal of Conflict Resolution* 52(6): 771-94.
- Goemans, H. E., Kristian Skrede Gleditsch, and Giacomo Chiozza. 2009. "Introducing Archigos: A Dataset of Political Leaders." *Journal of Peace Research* 46(2): 269-83.
- Marshall, Monty. N.D. *Polity IV Project: Political Regime Characteristics and Transitions, 1800-2013*. Vienna, VA: Center for Systemic Peace.
- Roeder, Philip G. 2001. *Ethnolinguistic Fractionalization ELF Indices, 1961 and 1985*. <http://pages.ucsd.edu/~proeder/elf.htm>.
- Ross, Michael. 2012. *The Oil Curse: How Petroleum Wealth Shapes the Development of Nations*. Princeton, NJ: Princeton University Press.
- Sambanis, Nicholas. 2004. "What Is a Civil War? Conceptual and Empirical Complexities." *Journal of Conflict Resolution* 48: 814-58.
- Wimmer, Andreas, Lars-Erik Cederman, and Brian Min. 2009. "Ethnic Politics and Armed Conflict: A Configurational Analysis of a New Global Dataset." *American Sociological Review* 74(2): 316-37.